

FMCD

Our Ref: FMCD/AIF/IS 4105:2020

30.07.2020

Subject: All India First Application for Styrene (Vinyl Benzene) as per IS 4105:2020

FMCD has received an application under Normal Procedure for grant of licence to use Standard Mark on Styrene (Vinyl Benzene) as per IS 4105:2020.

As per the information available at BIS website/CMMS, following points have been observed:

- As on date no BIS licence exists for the product on all India basis.
- Marking fee rate & STI/SIT are also not available for the product.

Therefore, the application would be considered to be All India First Application for the product.

All ROs and BOs are, therefore, requested to send any information regarding the above product by return mail with respect to any application pending at their end or any other information which may be useful to process the application.

CMD/ROs/BOs are requested to inform if any licence had been granted in past and subsequently cancelled, and if so, information regarding relevant STI/SIT/Marking fee/Test Lab may kindly be provided.

LPPD is requested to inform whether the complete testing facility for the product is available with any other BIS / BIS accredited laboratory as per IS 4105:2020, along with the testing charges.

CMD 2/Dy No. 307-2020
Dated. 30/07/2020

उप महादेशक (प्रमाण) सचिवालय
आने वाली डाक नं. 3056...दिनांक. 30-7-20

Head (FMCD)

DDG (MSC, FM & HM)

DDG (Certification)

Head (CMD II)

Head (LPPD)

ALL ROs/BOs

30/7/2020

30/07

30/7/2020

Shouvik Chanda
30/07/2020
(Shouvik Chanda)
Sc. D (FMCD)

जावक डाक/Outgoing Dak
एफएमसीडी नं.
FMCD No. 721
दिनांक/Dated. 30-7-20

ITSD – for hosting the circular on intranet

विदेशी उत्पादक प्रमाणन विभाग

30 जुलाई 2020

संदर्भ: एफएमसीडी/एआईएफ/आई एस 4105:2020

वेब्य: स्टाइलिन (विनाइल बेंजीन) के लिए अखिल भारतीय पहला आवेदन आईएस के अनुसार 4105:2020

एफएमसीडी को स्टैंडर्ड मार्क का उपयोग करने के लिए लाइसेंस देने की स्कीम के तहत स्टाइलिन (विनाइल बेंजीन) के 4105:2020 अनुसार अखिल भारतीय पहला आवेदन प्राप्त हुआ है।

बीआईएस वेबसाइट / इंटरनेट पर उपलब्ध जानकारी के अनुसार, निम्नलिखित सूचना प्राप्त हुई है :

1. अभी तक इस उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. इस उत्पाद के लिए मार्किंग शुल्क दरे व एसआईटी उपलब्ध नहीं है।

इसलिए, इस आवेदन को उपरोक्त उत्पाद के लिए 'अखिल भारतीय पहला आवेदन माना जाएगा।

इसके अलावा, सभी आरओ और बीओ से अनुरोध किया जाता है कि यदि उपरोक्त उत्पाद के संबंध में कोई भी आवेदन उनके अंत में लंबित है या कोई ऐसी अन्य सूचना जो आवेदन को संसाधित करने के लिए उपयोगी हो सकती है, मेल द्वारा भेज सकते हैं।

सीएमडी/आरओ/बीओ को यह सूचित करने के लिए पुनः आमंत्रित किया जाता है कि क्या कोई लाइसेंस अतीत में और बाद में रद्द कर दिया गया था और यदि ऐसा है तो उसके बारे में जानकारी प्रदान करें।

एलपीपीडी को यह सूचित करने के लिए अनुरोध किया जाता है कि क्या आईएस 4105:2020 के अनुसार उत्पाद के लिए पूर्ण परीक्षण सुविधा किसी भी अन्य बीआईएस / बीआईएस मान्यता प्राप्त प्रयोगशाला के पास उपलब्ध है, और यदि है तो परीक्षण शुल्क के साथ सूचित करने कि कृपा करें।

शौविक चंदा
30/07/2020
(शौविक चंदा)
वै.डी. (एफएमसीडी)

प्रमुख (एफएमसीडी) *मंजू 30/7/2020*

डीडीजी (एमएस, एफएम & एचएम)

डीडीजी (प्रमाणन)

प्रमुख (सीएमडी II)

प्रमुख (एलपीपीडी)

प्रमुख (सभी आरओ व बीओ)

आईटीएसडी - इंटरनेट पर परिपत्र को डालने हेतु