

**BUREAU OF INDIAN STANDARDS**  
**(Faridabad Branch Office)**

Our Ref: FRBO/ A-95000978

01 07 2020

**Subject: All India First Application as per IS 6751:1972**

FRBO has received an application under normal procedure for grant of licence to use of BIS Standard Mark on the product Aluminium Alloy Castings and Strips for Bearings as per IS 6751:1972.

As per the information obtained from BIS website, circulars of CMD's to ROs/BOs, the following are observed:

1. As on date, no BIS licence exists for the above mentioned product.
2. Marking fee, STI & grouping guidelines are not available for the product.
3. No test facility exists at BIS laboratory or any BIS approved lab.

Therefore, this application may be considered to be all India First Application for the above product.

CMD-3 is requested to provide us with relevant grouping guidelines, STI, Marking fee, if any prevailing for this product.


All ROs and BOs are requested to send information regarding the above product by return mail/e-mail with respect to any application pending at their end or any other information which may be helpful to process the application.

Labs are requested to provide any detail regarding availability of the testing facilities & testing charges as per IS 6751:1972.

LPPD is also requested to provide any directives in this regard.

  
(Manojit Mondal)  
Sc.C, FRBO

Sc.F & Head (FRBO)

  
01/07/2020

DDGC/ Head (CMD-3)/Head (LPPD)/Head ROs/Head BOs

ITSD - for circulation on intranet.



भारतीय मानक ब्यूरो  
फरीदाबाद शाखा कार्यालय

हमारा संदर्भ एफआरबीओ/ ए-95000978

01 07 2020

विषय : आई एस 6751:1972 के अनुसार ऑल इंडिया फस्ट एप्लीकेशन

एफआरबीओ ने उत्पाद बीयरिंगों के लिए एल्यूमीनियम मिश्र धातु कास्टिंग और स्ट्रिप्स के लिए बीआईएस स्टैंडर्ड मार्क का उपयोग करने के लिए लाइसेंस देने के लिए सामान्य प्रक्रिया के तहत एक आवेदन प्राप्त किया है, जो कि बीआईएस वेबसाइट से प्राप्त जानकारी के अनुसार, सीएमडी के आरओ / बीओ के परिपत्र, निम्नलिखित देखे गए हैं:

1. तिथि के अनुसार, उपरोक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. उत्पाद के लिए अंकन शुल्क, एसटीआई और समूहीकरण दिशानिर्देश उपलब्ध नहीं हैं।
3. बीआईएस प्रयोगशाला या किसी बीआईएस अनुमोदित प्रयोगशाला में कोई परीक्षण सुविधा मौजूद नहीं है।

इसलिए, इस एप्लीकेशन को उपरोक्त उत्पाद के लिए ऑल इंडिया फस्ट एप्लीकेशन माना जा सकता है।

सीएमडी -3 से अनुरोध है कि यदि इस उत्पाद के लिए कोई प्रासंगिक समूह दिशानिर्देश, एसटीआई, मार्किंग शुल्क है प्रदान करें।

सभी आरओ और बीओ से अनुरोध है कि उपरोक्त उत्पाद के बारे में जानकारी मेल / ई-मेल द्वारा अपने अंतिम छोर पर लंबित किसी भी आवेदन या किसी अन्य सूचना के संबंध में भेजें, जो आवेदन को संसाधित करने में सहायक हो।

प्रयोगशालाओं से अनुरोध है कि वे परीक्षण सुविधाओं की उपलब्धता के बारे में पूर्ण परीक्षण शुल्क आईएस 6751:1972 के अनुसार प्रदान करें।

एलपीपीडी से भी इस संबंध में कोई निर्देश देने का अनुरोध किया जाता है।

म. मंडल  
(मनोजीत मंडल) / 17/7/2020  
वैज्ञानिक सी

वैज्ञानिक एफ एवं प्रमुख (एफआरबीओ)

प्रदीप शर्मा  
01/07/2020

उपमहानिदेशक (मध्य) / प्रमुख (सीएमडी-3) / प्रमुख (एलपीपीडी) / प्रमुख (क्षेत्रीय कार्यालय) / प्रमुख (शाखा कार्यालय)

प्रमुख (आईटीएसडी) - इस परिपत्र को बीआईएस वेबसाइट पर होस्ट करने के अनुरोध के साथ