Manufacturing of Packaged Drinking Water without BIS Standard ISI Mark-reg

- Me <nlbo@bis.gov.in>
 - Tue, 22 Oct 2024 12:11:42 PM +0530
 - To "FoSCoS Helpdesk" < helpdesk-foscos@fssai.gov.in>
 - Cc "Head Himachal Pradesh BO" < hhpbo@bis.gov.in>

Dear Madam/Sir,

This has reference to Section 2.4.2 (17) of FOOD SAFETY AND STANDARDS (PROHIBITION AND RESTRICTIONS ON SALES) REGULATIONS, 2011 dated 01 August 2011.

Based on the complaint (complaint No. V-19127 dated 13/08/2024) received through Complaint Management System of Bureau of Indian Standards (BIS) against **M/s Aadvik Industries, VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh** on **Violation of Quality Control Order (IS 14543)** a discreet investigation was carried out by BIS Parwanoo Branch Office to the factory premises of **M/s Aadvik Industries, VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh** on 24/09/2024. During the discreet investigation, production was going on and stocks of Packaged Drinking Water were found available in the factory premises without BIS Standard (ISI) Mark.

Intimation Letter and other relevant documents are attached for your kind information and necessary action please.

With Regards

Gorenand Prasad Yadav Scientist-C/Deputy Director BIS, Parwanoo Branch Office

○ □ □ 3 Attachment(s) • Download as Zip • Add To >



FSSAI Intimation Letter_15pdf 648 KB • ⑦



Aadvik Complaint Investigat....pdf 389.7 KB • 📿



PDW Photographs.pdf 1.1 MB • 🔿





भारतीय मानक ब्यूरे

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय भारत सरकार

BUREAU OF INDIAN STANDARDS

Ministry of Consumer Affairs, Food & Public Distribution Government of India पी आर शाखा कार्यालय, (एन.आर.ओ. बिल्डिंग) PR Branch Office, (NRO Building) फ्लॉट नं. 4.ए, सैक्टर 27-वी, मध्य मार्ग, चण्डीगढ़-160019 Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh-160019 Telephone : 0172-2997492, Email : nlbo@bis.gov.in / website : www.bis.gov.in

Our Ref: PRBO/Comp/V-19127

Date: 15.10.2024

Subject: Production of Packaged Drinking Water without BIS Standard ISI Mark-reg

Food Safety and Standards Authority of India (FSSAI) (Statutory Authority established under the Food Safety & Standards Act, 2006) FDA Bhawan, Kotla Road, New Delhi-110 002

Dear Madam/Sir

This has reference to the complaint No. V-19127 dated 13/08/2024 received through Complaint Management System of Bureau of Indian Standards (BIS) against M/s Aadvik Industries, VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh on Violation of Quality Control Order (IS 14543).

2. This is also with reference to Section 2.4.2 (17) of FOOD SAFETY AND STANDARDS (PROHIBITION AND RESTRICTIONS ON SALES) REGULATIONS, 2011 dated 01 August 2011.

3. A discreet investigation was carried out by BIS Parwanoo Branch Office on **24/09/2024** at the factory premises of M/s Aadvik Industries at VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh to verify the activities of the firm under complaint.

4. During discreet visit, the following observations were made:

- (i) The firm under complaint was found open during the visit and production was going on.
- (ii) Stocks of Packaged Drinking Water filled in 1 Litre PET Bottles and 250 ml PET Bottles were available with following details: Name of the product: Non-carbonated Water Based Beverages, Date of Manufacturing: 23/09/2024, Batch No. B003, Expiry Date: 06 Month, Brand Name: Nature's Nectar having FSSAI License No. 1092401200044 with NO BIS Standard Mark (Discreet Investigation Report enclosed).

3. As per Section 2.4.2 (17) of FOOD SAFETY AND STANDARDS (PROHIBITION AND RESTRICTIONS ON SALES) REGULATIONS, 2011 dated 01 August 2011, no person shall manufacture, sell or exhibit for sale Packaged Drinking Water except under the Bureau of Indian Standards Certification Mark. Since, production was going on and stocks of Packaged Drinking Water were found available in the factory premises without BIS Standard (ISI) Mark during the discreet investigation dated 24.09.2024, this may be treated as violation of FSSAI Direction for compulsory use of BIS Standard Mark.

मुख्यालय : मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली – 110002 दूरभाष : + 91 11 23230131, 23233375, 23239402 ई – मेल : info@bis.gov.in वेबसाइट : www.bis.gov.in

Headquarter : Manak Bhawan 9, Bhadur Shah Jafar Marg, New Delhi-110002 Tele : +91-11-23230131, 23233375, 23239402 Email : Info@bis.gov.in website : www.bis.gov.in 6. In view of the above, FSSAI may kindly look in to the matter and further actions may be taken as per prevailing Food Safety and Standards Act.

7. Kindly acknowledge the receipt of the intimation

Thanking you Encl: as above

(ŚC Naik) Scientist-D & Head



भारतीय मानक ब्यूरो / BUREAU OF INDIAN STANDARDS परवाणू शाखा कार्यालय/ PARWANOO BRANCH OFFICE

Our Ref: PRBO/Comp/V-19127

Date: 03-10-2024

This has reference to the complaint No. V-19127 dated 13/08/2024 received through Complaint Management System against M/s Aadvik Industries, VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh on Violation of Quality Control Order (IS 14543). As advised by Head PRBO, a discreet investigation was carried out on 24/09/2024 at the factory premises of M/s Aadvik Industries at VPO Kuthaiari, Tehsil Amb, Una, Himachal Pradesh to verify the activities of the firm under complaint.

Following are the observations made during the discreet investigation:

- 1. The firm under complaint was found open during the visit and production was going on.
- 2. Stocks of Packaged Drinking Water filled in 1 Litre PET Bottles and 250 ml PET Bottles were available with following details: Name of the product: Non-carbonated Water Based Beverages, Date of Manufacturing: 23/09/2024, Batch No. B003, Expiry Date: 06 Month, Brand Name: Nature's Nectar with NO BIS Standard Mark (Photographs of Stock attached).
- 3. Hence, complaint against M/s Aadvik Industries for Violation of Quality Control Order (Food Safety and Standards (Prohibition and Restrictions on Sales) Regulations, 2011) is established. In view of the above, Food Safety and Standard Authority of India (FSSAI) may be intimated for further necessary action.

GORENAND PRASAD YADAV Scientist-C/Deputy Director







