

केन्द्रीय मुहर विभाग -2

संदर्भ -: के.वि.मु.-2/16: 2074

04 06 2019

विषय: IS 2074:2015 के संशोधन सं 2 के अनुपालन के दिशा निर्देश

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित दिशा निर्देश अनुपालन हेतु संलग्न है।

सभी क्षेत्रीयशाखा कार्यालयों से अनुरोध है की उपरोक्त दिशानिर्देशों का अनुपालन तत्काल प्रभाव से सुनिश्चित/ करें।

(आदित्य दास)
वैज्ञानिक सी

प्रमुख (के मू वी-2)

सभी क्षेत्रीय/शाखा कार्यालय/प्रयोगशालाएँ/सी एच डी/एल पी पी डी

प्रतिलिपि :

आई टी एस विभाग – बी आई एस इंटरनेट पर डालने हेतु

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:2074

04 06 2019

Subject: Guidelines for implementation of amendment no. 2 to IS 2074:2015

This has reference to the subject mentioned above.

The Competent Authority has approved the enclosed Guidelines for implementation.

All ROs/BOs are requested to ensure the implementation of the above Guidelines with immediate effect.

(Aditya Das)
Scientist C

Head (CMD-2)

All ROs/BOs/Labs/CHD/LPPD

Copy to:

ITSD - for hosting on BIS Intranet.

CENTRAL MARKS DEPARTMENT 2

Our Ref: CMD-2/16:2074

28 05 2019

Subject: Guidelines for implementation of Amendment No. 2 to IS 2074:2015 - Ready Mixed Paint, Air Drying, Red Oxide — Zinc Chrome, Priming — Specification

1. Amendment No. 2 to IS 2074:2015 has been published. The last date for implementation of the amendment is **5 June 2019**.
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the above amendment **within a week of issuance of these guidelines**.
3. The significant changes in the amendment as listed in the Table is given for the purpose of general guidance. BOs shall ensure that the product conforms to all the requirements, as applicable, as per the amendment.

Clause	Change
Foreword	A new para has been added after para 6 informing that the paint is not recommended for use on household articles
Table 1 SI No (iv) (b)	The limit for the requirement of Gloss 60 ° i.e. Maximum, which was not indicated earlier, has been provided (typographical correction)
Table 1 SI No (ix)	The minimum limit prescribed for Volume solids, percent has been removed since tolerance of $\pm 5\%$ is already specified. (typographical corrections)

4. There are no changes in the existing STI.
5. The guidelines for implementation of the amendment is given below:

A. LICENSEES:

- (i) All Licensees shall implement the amendment by **5 June 2019**. BOs shall ensure that no Licences are under operation as per IS 2074:2015 without the amendment after **5 June 2019**.

B. APPLICATIONS FOR GRANT OF LICENCE/CHANGE IN SCOPE:

- (i) No Licence shall be granted/ no change in scope permitted, without consideration of the amendment henceforth.
6. The above guidelines come into force with immediate effect.

Aditya Das
Sc. C

Head (CMD-2)
DDG (Certification)

AMENDMENT NO. 2 MARCH 2019
TO
IS 2074 : 2015 READY MIXED PAINT, AIR DRYING, RED
OXIDE — ZINC CHROME, PRIMING — SPECIFICATION

(Third Revision)

(Second cover page, Foreword, para 6) — Insert the following new para after Para 6:

'This paint is not recommend to use on household articles such as grills, shutters, metal furniture, LPG cylinder, etc, due to toxicity of chrome primer. It is recommended that proper precaution to be taken during application.'

[Page 2, Table 1, Sl No. (iv) (b), col 2] — Substitute 'Gloss 60°, Max' for 'Gloss 60°'.

[Page 2, Table 1, Sl No. (ix), col 2] — Substitute 'Volume solids, percent' for 'Volume solids, percent, Min'.

AP
19/3/2019.