

**BUREAU OF INDIAN STANDARDS
(Ghaziabad Branch Office)**

Our Ref: GZBO/A-87001187

Dated: 28/10/2020

GZBO has received an application under Normal Procedure for Grant of Licence to use Standard Mark on the product 'Medical Textiles – Surgical Gowns and Surgical Drapes - Specification' as per IS 17334:2019.

As per the information obtained from BIS website, circulars and HO/RO queries:

1. As on date, no BIS licence exists for the mentioned product.
2. As on date, no other BIS application is pending for the aforementioned product.
3. Marking Fee and STI are not available for the product.
4. No BIS, or BIS approved lab has testing facility as per IS 17334:2019.

Hence this application is being considered to be the First in All India for the above product. CMD-2, LPPD and all ROs & BOs are, therefore, requested to kindly provide any information with respect to the above ISS or any other information which may be useful to process the application.

ITSD is kindly requested to host the information pertaining to the above application on the intranet.


MD TAUSIF
Sc-C, GZBO


~~Head (GZBO)~~

DDGC

Head (CMD-2)

Head(LPPD)

All RO's & BO's ITSD- For circulation on intranet


29/10/20

भारतीय मानक ब्यूरो
गाजियाबाद शाखा कार्यालय

हमारा संदर्भ: गा0शा0का0/ए-87001187

दिनांक 02/11/2020

गाजियाबाद शाखा कार्यालय में सामान्य प्रणाली के तहत "चिकित्सीय वस्त्रादि - सर्जिकल गाउन एवं सर्जिकल ड्रैप - विशिष्ट" आई एस 17334:2019 के अनुसार एक आवेदन प्राप्त हुआ है।

बी आई एस वेबसाइट, सर्कुलर और एचओ/आर ओ प्रश्नों से प्राप्त जानकारी के अनुसार:

1 आज की तारीख में, उल्लिखित उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।

2 आज तक, उपर्युक्त उत्पाद के लिए कोई अन्य बीआईएस आवेदन लंबित नहीं है।


3 मार्किंग शुल्क और एसटीआई उत्पाद के लिए उपलब्ध नहीं है।

4 आईएस 17334:2019 के अनुसार कोई बी आई एस या बी आई एस अनुमोदित प्रयोगशाला में परीक्षण सुविधा नहीं है।

इसलिए इस आवेदन को उपरोक्त उत्पाद के लिए प्रथम माना जा रहा है।


सीएमडी-2, एलपीपीडी और सभी आरओ और बीओ को उपर्युक्त आईएसएसएस या किसी अन्य जानकारी के संबंध में कृपया कोई जानकारी प्रदान करने का अनुरोध किया गया है जो आवेदन को संसाधित करने के लिए उपयोगी हो सकता है।

ITSD से अनुरोध है कि इंटरनेट पर उपर्युक्त आवेदन से संबंधित जानकारी होस्ट करें।



मुहम्मद तौसीफ
वैज्ञानिक सी

वैज्ञानिक एफ एवं प्रमुख (गा0शा0का0
डीडीजीसी
प्रमुख सीएमडी-2
प्रमुख एलपीपीडी


02/11/20

सभी आरओ और बीओ

आईटीएसडी - कृपया इंटरनेट पर परिसंचरण के लिए