

BUREAU OF INDIAN STANDARDS  
Ghaziabad Branch Office

Our Ref: GZBO/A-87000270

Date: 28/05/2018

Subject: All India First Application as per IS 16526:2017

GZBO has received an application under **Simplified Procedure** for grant of licence to use BIS Standard Mark on the product "Atactic Polypropylene (APP) Modified Bituminous Waterproofing and Damp-proofing Membrane with Glass Fibre Reinforcement" as per IS 16526:2017.

As per the information obtained from BIS website, circulars of CMD's to ROs/BOs, the following are observed

1. No BIS licence exists for the above mentioned product
2. No other BIS application is pending for the above mentioned product
3. Marking Fee, STI, Grouping guidelines are not available for the product
4. No test facility exists either at BIS laboratories or OSI.


Therefore, this application may be considered as All India First Application for the above mentioned product.


CMD-3 is requested to provide us with relevant grouping guidelines, STI, Marking fee, if any prevailing for this product.

All ROs and BOs are requested to send information regarding the above product by return mail/e-mail with respect to any application pending at their end or any other information which may be helpful to process the application.

CI/LPPD is requested to confirm the availability of the testing facility and testing charges as per IS 16526:2017.

Head (GZBO)

  
28/05/18

  
28/05/18  
Satyabrata Bisoi

Scientist-B, GZBO

CC: DDG (CRO)/Head (CMD-3)/ Head (LPPD)/All ROs/ BOs

ITSD- for circulation on Intranet

भारतीय मानक ब्यूरो  
(गाजियाबाद शाखा कार्यालय)

संदर्भ: गा०शा०का०/ए-87000270

दिनांक: 28.05.2018

विषय: भा मा 16526:2017 के अनुसार भारत का प्रथम आवेदन ।

गाजियाबाद शाखा कार्यालय को भा मा 16526:2017 के अनुसार एटाक्टिक पॉलिप्रोपिलिन (एपीपी) सुदृढ़ीकरण संशोधित बिटुमिन्स जल सह और नमी सह झिल्ली फाइबर ग्लास सुदृढीकरण सहित के लिए सामान्य प्रणाली के अन्तर्गत आवेदन पत्र प्राप्त हुआ है ।

भारतीय मानक ब्यूरो के वेबसाईट से प्राप्त सूचना के आधार पर एव केन्द्रीय मुहर विभाग के परिपत्र सीएमडी-2 क्षेत्रीय कार्यालयों/शाखा कार्यालयों के अनुसार ज्ञात होता है कि आज तक:

1. उपरोक्त उत्पाद के लिए कोई भी आईएस लाईसेंस अस्तित्व में नहीं है ।
2. उपरोक्त उत्पाद के लिए अन्य कोई आवेदन बीआईएस में लम्बित नहीं है ।
3. उपरोक्त उत्पाद के लिए मुहरांकन शुल्क एवं निरीक्षण योजना (एसटीआई) उपलब्ध नहीं है ।
4. भारतीय मानक ब्यूरो तथा बाहरी प्रयोगशालाओं में इस उत्पाद की जाँच सुविधायें उपलब्ध नहीं है।

अतः इस आवेदन को उक्त वर्णित उत्पाद के लिए भारत में प्रथम आवेदन के रूप में माना जा सकता है।


सीएमडी-3 से अनुरोध है कि कृपया ऊपरलिखित उत्पाद के लिए गुपिंग गाईड लाईन, एसटीआईए मुहरांकन शुल्क की जानकारी प्रदान करें ।

समस्त क्षेत्रीय कार्यालय, समस्त शाखा कार्यालयों से निवेदन है कि यदि उपरोक्त विषय में कोई भी आवश्यक सूचना/जानकारी जो कि इस आवेदन के संचालन में आवश्यक हो तो कृपया रिटर्न मेल से गाजियाबाद शाखा कार्यालय को भेजने की कार्यवाही करें ।

केन्द्रीय प्रयोगशाला/एलपीपीडी से निवेदन है कि यदि भा मा 16526:2017 की परीक्षण सुविधा एवं परीक्षण शुल्क के बारे जानकारी दें ।

  
(सत्यब्रत बिसोई)

वैज्ञानिक बी, गा०शा०का०

प्रमुख, गा०शा०का० 

उपमहानिदेशक (केन्द्रीय क्षेत्रीय कार्यालय)

प्रमुख (सीएमडी-2)/एलपीपीडी/प्रमुख क्षेत्रीय कार्यालय

आईटीएसडी - इन्टरनेट पर परिचालन हेतु

BUREAU OF INDIAN STANDARDS  
Ghaziabad Branch Office

Date: 28/05/2018

Our Ref: GZBO/A-87000256

Subject: All India First Application as per IS 3384:1986

GZBO has received an application under **Simplified Procedure** for grant of licence to use BIS Standard Mark on the product "Bitumen primer for use in waterproofing and damp-proofing" as per IS 3384:1986.

As per the information obtained from BIS website, circulars of CMD's to ROs/BOs, the following are observed


1. No BIS licence exists for the above mentioned product
2. No other BIS application is pending for the above mentioned product
3. Marking Fee, STI, Grouping guidelines are not available for the product
4. No test facility exists either at BIS laboratories or OSI.

Therefore, this application may be considered as All India First Application for the above mentioned product.

CMD-3 is requested to provide us with relevant grouping guidelines, STI, Marking fee, if any prevailing for this product.

All ROs and BOs are requested to send information regarding the above product by return mail/e-mail with respect to any application pending at their end or any other information which may be helpful to process the application.

CI/LPPD is requested to confirm the availability of the testing facility and testing charges as per IS 3384:1986.

Head (GZBO)  28/5/18

CC: DDG (CRO)/Head (CMD-3)/ Head (LPPD)/All ROs/ BOs

ITSD- for circulation on Intranet

  
Satyabrata Bisoi

Scientist-B, GZBO

**भारतीय मानक ब्यूरो**  
(गाजियाबाद शाखा कार्यालय)

संदर्भ: गा०शा०का०/ए-87000256

दिनांक: 28.05.2018

विषय: भा मा 3384:1986 के अनुसार भारत का प्रथम आवेदन ।

गाजियाबाद शाखा कार्यालय को भा मा 3384:1986 के अनुसार वाटरप्रूफिंग और डैम्पप्रूफिंग में उपयोग के लिए बिटुमेन प्राइमर के लिए सामान्य प्रणाली के अन्तर्गत आवेदन प्राप्त हुआ है ।

भारतीय मानक ब्यूरो के वेबसाईट से प्राप्त सूचना के आधार पर एच केन्द्रीय मुहर विभाग के परिपत्र सीएमडी-2 क्षेत्रीय कार्यालयों/शाखा कार्यालयों के अनुसार ज्ञात होता है कि आज तक:

1. उपरोक्त उत्पाद के लिए कोई भी आईएस लाईसेंस अस्तित्व में नहीं है ।
2. उपरोक्त उत्पाद के लिए अन्य कोई आवेदन बीआईएस में लम्बित नहीं है ।
3. उपरोक्त उत्पाद के लिए मुहरांकन शुल्क एवं निरीक्षण योजना (एसटीआई) उपलब्ध नहीं है ।
4. भारतीय मानक ब्यूरो तथा बाहरी प्रयोगशालाओं में इस उत्पाद की जाँच सुविधायें उपलब्ध नहीं हैं।

अतः इस आवेदन को उक्त वर्णित उत्पाद के लिए भारत में प्रथम आवेदन के रूप में माना जा सकता है।


सीएमडी-3 से अनुरोध है कि कृपया ऊपरलिखित उत्पाद के लिए ग्रुपिंग गार्डेड लाईन, एसटीआईए मुहरांकन शुल्क की जानकारी प्रदान करें ।

समस्त क्षेत्रीय कार्यालय, समस्त शाखा कार्यालयों से निवेदन है कि यदि उपरोक्त विषय में कोई भी आवश्यक सूचना/जानकारी जो कि इस आवेदन के संचालन में आवश्यक हो तो कृपया रिटर्न मेल से गाजियाबाद शाखा कार्यालय को भेजने की कार्यवाही करें ।

केन्द्रीय प्रयोगशाला/एलपीपीडी से निवेदन है कि यदि भा मा 3384:1986 के विषय में परीक्षण सुविधा एवं परीक्षण शुल्क के बारे जानकारी दें ।

  
(सत्यब्रत बिसई)

वैज्ञानिक बी, गा०शा०का०

प्रमुख, गा०शा०का० 

उपमहानिदेशक (केन्द्रीय क्षेत्रीय कार्यालय)

प्रमुख (सीएमडी-2)/एलपीपीडी/प्रमुख क्षेत्रीय कार्यालय

आईटीएसडी - इन्टरनेट पर परिचालन हेतु