## <u>केंद्रीय मुहर विभाग – III</u>

हमारा संदर्भ : सी एम डी – III/प्रोडक्ट मैंयुअल/16:IS 14429 28 04 2020

विषय - IS 14429: 1997 के प्रोडक्ट मैंयुअल

सभी शाखा कार्यालयों से अनुरोध है कि उपरोक्त विषय से सम्बंधित संलग्न परिपत्र का अवलोकन करें।

(जगन्नाथ माझी) वैज्ञानिक-ई

प्रमुख (के मु वि - III)

सभी क्षेत्रीय/शाखा कार्यालय

आईटीएस विभाग – बीआईएस इंट्रानेट पर अपलोड हेतु

## CENTRAL MARKS DEPARTMENT – III

Our Ref : CMD-III/Product Manual/IS 14429 28 04 2020

**Subject: Product Manual incorporating Grouping Guidelines and SIT for IS 14429: 1997** 

BOs may kindly see the attached circular on the subject mentioned above.

(Jagannath Majhi) Sc-E

## **H(CMD-III)**

Circulated to all BOs/ROs through intranet

**ITSD** – For hosting in intranet

## **CENTRAL MARKS DEPARTMENT – III**

Our Ref : CMD-III/Product Manual/IS 14429 28 04 2020

Subject: Product Manual incorporating Grouping Guidelines and SIT for IS 14429: 1997

This has reference to the above. The approved Product Manual for product Braille Shorthand Machine as per IS 14429: 1997 has been hosted on the BIS website under "Conformity Assessment >> Product Certification >> Product Specific Guidelines >> Product Manual".

BOs are advised to send this Product Manual which incorporates Grouping Guidelines and SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

(Jagannath Majhi) Sc-E

H(CMD-III)
DDG(Certification)

Circulated to: All ROs/BOs

Copy to: ITS for hosting on Intranet.