

BUREAU OF INDIAN STANDARDS
(Jaipur Branch Office)

Our Ref: JPBO/A- 84001191

14.10.2020

Sub: First application on All India Basis for IS 4566:2020

It is informed that an application for grant of BIS Certification Marks Licence for 'Methylene Chloride (dichloromethane) as per IS 4566:2020 has been received at JPBO. As seen from Intranet/BIS website it appears to be the First application on all India basis for above said product.

All ROs/BOs are requested to provide the inputs, if any, available with them for this particular product.

Labs are requested to provide any details regarding possible BIS/BIS Approved labs or other labs who can undertake testing for this product.

LPPD is also requested to provide any directives in this regard.



(Rahul Verma)
Scientist- C

Scientist E & Head (JPBO)

7d211c1
14/10/2020

DDGC/Head (CMD-2)/ Head (LPPD)/ All ROs/ BOs

ITSD- with request for circulation on Intranet

भारतीयमानकब्यूरो
(जयपुर शाखा कार्यालय)

संदर्भ: ज०शा०का०/ए - 84001191

14-10-2020


विषय: भा०मा० IS 4566:2020 के आंतर्गत अखिल भारतीय स्तर पर प्रथम आवेदन

यह सूचित किया जाता है की भारतीय मानक के जयपुर शाखा कार्यालय मे भा.मा. IS 4566:2020 के तहत उत्पाद 'Methylene Chloride (dichloromethane)'के लिए बीआईएस प्रमाणन मार्क्स लैसेंस के अनुसार लैसेंस की स्वीकृति प्रदान करने हेतु एक आवेदन का निबंध किया गया है। भारतीय मानक के इंटरनेट/बीआईएस वेब साइट पर उल्लेख आकड़ों से यह प्रतीत होता है की यह उपरोक्त वर्णित उत्पाद के लिए अखिल भारत स्तर पर प्रथम आवेदन है।

सभी क्षेत्रीय/शाखाकार्यालयों से अनुरोध है की इस विशेष उत्पाद के लिए कोई जानकारी उपलब्ध है तो प्रदान करने का कष्ट करे।

प्रयोगशाला से अनुरोध है की इस उत्पाद के लिए परिक्षण का कार्य कर सकने वाली भारतीय मानक ब्यूरो प्रयोगशालाओं/बीआईएस स्वीकृत प्रयोगशालाओं अथवा अन्य प्रयोगशालाओं के बारे मे किसी भी प्रकार की जानकारी प्रदान करे।

एलपीपीडी से भी इस संदर्भ मे अनुरोध है की इस उत्पाद के सम्बन्ध मे कोई दिशा निर्देश प्रदान करे।


(राहुल वर्मा)

वैज्ञानिक सी

प्रमुख, (ज.शा.का.) 
14/10/2020

उपमहानिदेशक, मध्य क्षेत्रीय कार्यालय, /प्रमुख (सीएमडी-2)/सभी क्षेत्रीय व शाखा कार्यालयों, प्रयोगशालाओं व एल पी पी डी को परिचालित

आईटीएस - भा मा के इंटरनेट पर प्रदर्शित करने हेतु अनुरोध सहित