

केन्द्रीय मुहर विभाग- III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/IS 7312

05 08 2019

विषय- भारतीय मानक IS 7312: 2018 के संशोधन संख्या 1 के अनुपालन हेतु

सभी शाखा कार्यालयों से अनुरोध है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें

(राकेश कुमार)
वैज्ञानिक 'सी' (के मु वि-III)

प्रमुख (के मु वि-III)

सभी क्षेत्रीय/शाखा कार्यालय
आई टी एस विभाग – बीआईएस इंटरनेट पर अपलोड करने हेतू

Central Marks Department-III

Our Ref: **CMD-III/ IS 7312**

05 08 2019

Subject: Guidelines for implementation of Amendment No 1 to IS 7312: 2018

BOs may kindly see the attached circular on the subject mentioned above.

(Rakesh Kumar)
Scientist C (CMD-III)

Head (CMD-III)

Circulated to: All ROs/BOs through intranet

Copy to: ITS – for hosting on Intranet please

CENTRAL MARKS DEPARTMENT III

Our Ref: CMD III/16: 7312

05 08 2019

Subject: Guidelines for implementation of Amendment No. 1 to IS 7312:2018 “Welded and seamless Steel Dissolved Acetylene Gas Cylinders”

1. Amendment No. 1 to IS 7312:2018 has been published. The amendment shall be implemented with immediate effect.
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the above amendment.

(Rakesh Kumar)
Scientist C

Head (CMD III)
DDG (Certification)