

केन्द्रीय मुहर विभाग - III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/16: IS 8110

दिनांक: 28 05 2019

विषय: अनुपालन हेतु गाइडलाइन

सभी शाखा कार्यालय से आग्रह है कि गाइडलाईन का अनुपालन तत्काल प्रभाव से सुनिश्चित करें।

(अमित कुमार)
वैज्ञानिक 'सी' (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय
आई टी एस विभाग — बीआईएस इंटरनेट पर अपलोड करने हेतू

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-3/16: IS 8110

Date: 28 05 2019

Subject: Guidelines for implementation of revised IS 8110:2019 - Water Well Screens and Slotted Pipes

This has reference to the subject mentioned above.

BOs may kindly ensure implementation of the guidelines with immediate effect.

Amit Kumar
Sc. C (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs
Copy to: ITS for hosting on Intranet

CENTRAL MARKS DEPARTMENT III

Our Ref: CMD III/16:8110

28 05 2019

Subject: Guidelines for implementation of Revised IS 8110:2019 – Water Well Screens and Slotted Pipes

1. IS 8110:2000 has been revised as IS 8110:2019 and has been published. The last date for implementation of the revised Standard is 31 10 2019 after which the old Standard shall stand withdrawn.
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the revised Standard **within a week of issuance of these guidelines.**
3. The significant changes in the revised Standard as listed in the Table below is given for the purpose of general guidance. BOs shall ensure that the product conforms to all the requirements, as applicable, as per the revised Standard.

Clause	Remarks
3	Some new terminologies added
4	Type F – Brass is deleted.
5	Some new material is added in the list of recommended material.
6	One new criteria for designation material is added.
7	Parameters like length of screen, diameter of screen, which are earlier the selection criteria, now became basic requirements and values for above parameters are defined.

Consequent upon revision of IS 8110, STI has been revised to DOC: SIT/IS 8110/2/May 2019.

4. The guidelines for implementation of the revised Standard is given below:

A. LICENSEES:

- (i) All Licensees shall implement the revised Standard by 31 10 2019. BOs shall ensure that no Licences are under operation as per the old Standard after 31 10 2019. **The status of implementation of the revised Standard shall be confirmed by Head (BO) to CMD-III within two weeks of the last date of concurrent running.**
- (ii) Licensees shall submit evidence of conformity to the additional/modified requirements through In-house/Independent Test Reports or Test Certificates, as applicable. Verification of implementation of the revised Standard, wherever required, may be done during the next visit **which may normally be completed within three months of the last date of concurrent running.**
- (iii) If the Licensee fails to complete all actions by 31 10 2019 it shall be dealt with as per the prevailing guidelines.

B. APPLICATIONS FOR GRANT OF LICENCE:

- (i) Existing Applications where Sample has been submitted in the Laboratory/Test Report has been issued by the Laboratory may be processed as per the old Standard. However, if the Applicant is desirous of considering the Application as per the revised Standard, a declaration may be obtained from the Applicant to that effect and the Application may be processed accordingly. An undertaking shall from such Applicants also be obtained that in new test requirements, Licence will not be granted by BIS as per the old version.
- (ii) Applications which are recorded henceforth may be processed as per the old Standard or the revised Standard. Processing of Applications as per the old Standard shall be permitted only upto 31 10 2019 and for such cases Applicant shall give a declaration that they will implement the revised Standard by 31 10 2019.
- (iii) Beyond 31 10 2019 no Licence shall be granted as per the old Standard.

C. CHANGE IN SCOPE OF LICENCE:

- (i) For change in scope of licence, the relevant provisions as given above for Applicants shall apply.
 - (ii) However, processing of such applications for change in scope of licence as per the old Standard shall be permitted only upto the date of implementation of the revised Standard or upto 31 10 2019 whichever is earlier.
5. The above guidelines come into force with immediate effect.

Amit Kumar
Sc C (CMD-III)

Head (CMD III)
DDG (Certification)