

## केन्द्रीय मुहर विभाग - III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/16: IS 2347

10 12 2018

विषय: अनुपालन हेतु गाइडलाइन

सभी शाखा कार्यालय से आग्रह है कि गाइडलाइन का अनुपालन तत्काल प्रभाव से सुनिश्चित करें।

(अमित कुमार)  
वैज्ञानिक 'सी' (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय  
आई टी एस विभाग — बीआईएस इंटरनेट पर अपलोड करने हेतू

### CENTRAL MARKS DEPARTMENT III

Our Ref: CMD III/16:2347

10 12 2018

**Subject: Guidelines for implementation of Amendment No. 1 to IS 2347:2017 – Domestic Pressure Cooker-Specification (*Sixth Revision*)**

This has reference to the subject mentioned above.

BOs may kindly ensure implementation of the guidelines with immediate effect.

Amit Kumar  
Sc. C (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs

Copy to: ITS for hosting on Intranet

**CENTRAL MARKS DEPARTMENT III**

**Our Ref: CMD III/16:2347**

**10 12 2018**

**Subject: Guidelines for implementation of Amendment No. 1 to IS 2347:2017 – Domestic Pressure Cooker-Specification (*Sixth Revision*)**

1. Amendment No. 1 to IS 2347: 2017 has been published. The amendment shall be implemented with immediate effect.
2. Consequent upon issuance the amendment no. 1, there is no change in STI.
3. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the above amendment.

**Amit Kumar  
Sc C (CMD-III).**

**Head (CMD III)  
DDG (Certification)**