

भौगोलिक सूचना — डेटा गुणवत्ता

भाग 2 एक्स एम एल स्कीमा कार्यान्वयन

Geographic Information —  
Data Quality  
Part 2 XML Schema Implementation

ICS 35.240.70

© BIS 2024  
© ISO 2016



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS  
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI - 110002  
[www.bis.gov.in](http://www.bis.gov.in) [www.standardsbis.in](http://www.standardsbis.in)

## NATIONAL FOREWORD

This Indian Standard (Part 2) which is identical to ISO/TS 19157-2 : 2016 ‘Geographic information — Data quality — Part 2: XML schema implementation’ issued by International Organization for Standardization (ISO) was adopted by the Bureau of Indian Standards on the recommendation of the Geospatial Information Sectional Committee and the approval of the Electronics and Information Technology Division Council.

This standard consists of two parts. The other parts is:

### Part 1 General Requirements

The text of ISO standard has been approved as suitable for publication as an Indian Standard without deviations. Certain conventions are however not identical to those used in Indian Standards. Attention is particularly drawn to the following:

- a) Wherever the words ‘International Standard’ appear referring to this standard, they should be read as ‘Indian Standard’; and
- b) Comma (,) has been used as a decimal marker while in Indian Standards, the current practice is to use a point (.) as the decimal marker.

In this adopted standard, reference appears to certain International Standards for which Indian Standards also exist. The corresponding Indian Standards, which are to be substituted in their places, are listed below along with their degree of equivalence for editions indicated. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies:

<i>International Standards</i>	<i>Corresponding Indian Standard</i>	<i>Degree of Equivalence</i>
ISO 19103 : 2015 Geographic information — Conceptual schema language	IS 17007 : 2018/ISO 19103 : 2015 Geographic information — Conceptual schema language	Identical
ISO 19105 : 2022 Geographic information conformance and testing	LITD 22/ Doc No. (23732) Geograph information conformance and testing	Under Development

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 ‘Rules for rounding off numerical values (second revision)’. The number of significant places retained in the rounded off value should be same as that of the specified value in this standard.

## Contents

	Page
<b>Introduction</b>	<b>iv</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Conformance</b>	<b>2</b>
4.1 General	2
4.2 Metadata for data quality	2
4.3 Data quality measures	2
<b>5 Abbreviated terms</b>	<b>2</b>
5.1 Abbreviated terms	2
5.2 Namespaces	2
<b>6 XML schema and document requirements</b>	<b>3</b>
6.1 General	3
6.2 Core requirements	3
6.3 XML namespaces and requirements	4
<b>Annex A (normative) Abstract test suite</b>	<b>8</b>
<b>Annex B (informative) XML resources related to data quality</b>	<b>11</b>
<b>Annex C (informative) How ISO 19115-2:2009 is included in this document</b>	<b>12</b>
<b>Annex D (informative) Implementation examples</b>	<b>14</b>
<b>Bibliography</b>	<b>20</b>

## **Introduction**

This document utilizes encoding rules from ISO 19118 and ISO/TS 19139, and the implementation approach from ISO/TS 19115-3 to define an XML schema implementation of ISO 19157:2013, and the data quality related concepts from ISO 19115-2. This schema can be used to validate conformance of XML instance documents with these conceptual models.

*Indian Standard*

# GEOGRAPHIC INFORMATION — DATA QUALITY

## PART 2 XML SCHEMA IMPLEMENTATION

### 1 Scope

This document defines data quality encoding in XML. It is an XML schema implementation derived from ISO 19157:2013 and the data quality related concepts from ISO 19115-2.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19103:2015, *Geographic information — Conceptual schema language*

ISO 19105:2000, *Geographic information — Conformance and testing*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp/ui/>

#### 3.1

##### **document**

<XML> well-formed data object

[SOURCE: W3C XML]

#### 3.2

##### **schema document**

<XML Schema> XML document containing schema component definitions and declarations

Note 1 to entry: The W3C XML Schema provides an XML interchange format for schema information. A single schema document provides descriptions of components associated with a single XML namespace, but several documents may describe components in the same schema, i.e. the same target *namespace* (3.3).

[SOURCE: ISO 19136:2007, 4.1.55]

#### 3.3

##### **namespace**

collection of names, identified by a URI reference, which are used in XML *documents* (3.1) as element names and attribute names

[SOURCE: W3C XML]

### 3.4

#### package

general purpose mechanism for organizing elements into groups

EXAMPLE Identification information, metadata entity set information, constraint information.

[SOURCE: ISO 19103:2015, 4.27, modified – Example has been added.]

## 4 Conformance

### 4.1 General

The framework, concepts, and methodology for testing, and the criteria to be achieved to claim conformance, are specified in ISO 19105. See also [Annex A](#).

### 4.2 Metadata for data quality

XML documents containing XML fragments with elements related to data quality and metaquality reports described in ISO 19157 or XML fragments related to data quality elements described in ISO 19115-2 shall pass the test modules defined in [A.2](#).

### 4.3 Data quality measures

XML documents containing XML fragments with elements related to data quality measures described in ISO 19157 shall pass the test modules defined in [A.3](#).

## 5 Abbreviated terms

### 5.1 Abbreviated terms

UML Unified Modeling Language

URI Unique Resource Identifier

URL Uniform Resource Locator

XML eXtensible Markup Language

XSD XML Schema Definition

### 5.2 Namespaces

XML namespaces defined in this document have URIs that follow the pattern: <http://standards.iso.org/iso/19157-2/xxx/N.M>, where xxx is the namespace abbreviation, N is the major version number, and M is the minor version number. The namespace directories include descriptions of the content of the namespace, and links to the base specification it implements and to the normative XML schema location.

The following conventions are used to abbreviate the namespaces used to group XML elements. Definition of namespaces specific to the implementation of ISO 19157 and their rationale are discussed in [6.3](#). [Table 1](#) includes namespaces that are from schema defined in other specifications and are imported by this implementation. The short string in the left column of [Table 1](#) is used as a prefix to associate an XML element with the namespace. The second column contains an English-language description of the namespace, and the string in the third column is the URI that identifies the namespace. The final column lists the standard from which this namespace is imported. [Table 2](#) lists abbreviations and other information for namespaces used for UML packages defined in ISO 19157:2013 and ISO 19115-2:2009.

**Table 1 — External namespace URIs and namespace abbreviation conventions used in this document**

Namespace abbreviation convention	Namespace name	Namespace URI	Source
gco	Geographic Common	<a href="http://standards.iso.org/iso/19139/gco/1.0">http://standards.iso.org/iso/19139/gco/1.0</a>	ISO/TS 19115-3
gml	Geography Markup Language	<a href="http://schemas.opengis.net/gml/3.2.1/gml.xsd">http://schemas.opengis.net/gml/3.2.1/gml.xsd</a>	ISO 19136
xlink	XML linking language	<a href="http://www.w3.org/1999/xlink">http://www.w3.org/1999/xlink</a>	<a href="#">XML Linking Language (XLink) Version 1.1</a>
xs	W3C XML Schema definition schema	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>	W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures W3C XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes

**Table 2 — Namespace URIs and namespace abbreviation conventions defined and used in this document for packages defined in ISO 19157**

Namespace abbreviation convention	Namespace name	Scope	Namespace URI	ISO UML Package
mdq	Metadata for Data Quality	elements for data quality and metaquality reports	<a href="http://standards.iso.org/iso/19157-2/mdq/1.0">http://standards.iso.org/iso/19157-2/mdq/1.0</a>	ISO 19157 <<Leaf>> DQ_DataQuality and ISO 19115-2 <<Leaf>> QE_CoverageResult
dqm	Data Quality Measures	elements for data quality measures	<a href="http://standards.iso.org/iso/19157-2/dqm/1.0">http://standards.iso.org/iso/19157-2/dqm/1.0</a>	<<Leaf>> DQM_Measure
dqc	Data Quality Common	abstract classes required for modular implementation	<a href="http://standards.iso.org/iso/19157-2/dqc/1.0">http://standards.iso.org/iso/19157-2/dqc/1.0</a>	Implementation Model

## 6 XML schema and document requirements

### 6.1 General

This XML schema implementation of ISO 19157:2013 and the data quality concepts from ISO 19115-2:2009 follows the encoding rules stated in ISO 19118, ISO/TS 19139:2007, and the implementation approach from ISO/TS 19115-3:2016, Clause 8.

### 6.2 Core requirements

The requirements class described in [Table 3](#) defines requirements that shall be met by any XML instance document based on this document.

**Table 3 — Core requirements for data quality instance**

Requirements class	
<a href="http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-instance">http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-instance</a>	
<b>Target Type</b>	XML instance document
<b>Name</b>	Core requirements for data quality instance
<b>Dependency</b>	<a href="http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-encoding">http://standards.iso.org/iso/19157-2/1.0/req/data-quality-core-encoding</a>
<b>Requirement</b>	<b>/req/data-quality-external-instance/property-type-content</b> A property element instance SHALL have exactly one of 1) inline content (by-value) that is a schema-valid XML class instance, or 2) an xlink:href attribute (by-reference value), or 3) a gco:nilReason attribute (nil value).
<b>Requirement</b>	<b>/req/data-quality-external-instance/xml-well-formed</b> An XML instance document SHALL be well-formed and valid with respect to the schema defined in this document.

### 6.3 XML namespaces and requirements

[Table 4](#) defines the requirements classes for each namespace module.

**Table 4 — Requirements classes for XML instance documents for each namespace module**

Requirement class URI <sup>a</sup>	Namespace <sup>b</sup>	Dependencies <sup>a</sup>	Requirements <sup>a</sup>
/req/data-quality-instance	/mdq/1.0	/req/data-quality-core-instance /req/common-classes-instance	<ul style="list-style-type: none"> <li>/req/data-quality-instance/scope Any instance of DQ_DataQuality SHALL have a scope property value</li> <li>/req/data-quality-instance/report Any instance of DQ_DataQuality SHALL have a report property value</li> <li>/req/data-quality-instance/result Any concrete instance of DQ_Element SHALL have a result property value</li> <li>/req/data-quality-instance/relatedElement Any concrete instance of DQ_MetaData SHALL have a relatedElement property value</li> <li>/req/data-quality-instance/quantitative-value Any instance of DQ_QuantitativeResult SHALL have a value property value</li> <li>/req/data-quality-instance/conformance-pass Any instance of DQ_ConformanceResult SHALL have a pass property value</li> <li>/req/data-quality-instance/conformance-specification Any instance of DQ_ConformanceResult SHALL have a specification property value</li> <li>/req/data-quality-instance/descriptive-statement Any instance of DQ_DescriptiveResult SHALL have a statement property value</li> </ul>

<sup>a</sup> The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

<sup>b</sup> The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

**Table 4 (continued)**

Requirement class URI <sup>a</sup>	Namespace <sup>b</sup>	Dependencies <sup>a</sup>	Requirements <sup>a</sup>
			<p>/req/data-quality-instance/coverage-spatial-representation-type Any instance of QE_CoverageResult SHALL have a spatialRepresentationType</p> <p>/req/data-quality-instance/coverage-spatial-representation-information Any instance of QE_CoverageResult SHALL have one and only one resultSpatialRepresentation property value</p> <p>/req/data-quality-instance/coverage-spatial-representation-information Any instance of QE_CoverageResult SHALL have one and only one resultContentDescription property value</p> <p>/req/data-quality-instance/coverage-content-description Any instance of QE_CoverageResult SHALL have one and only one resultContentDescription property value</p> <p>/req/data-quality-instance/coverage-result-format Any instance of QE_CoverageResult SHALL have one and only one resultFormat property value</p> <p>/req/data-quality-instance/coverage-result-format Any instance of QE_CoverageResult SHALL have one and only one resultFile property value</p>
/req/quality-measure-instance	/dqm/1.0	/req/data-quality-core-instance /req/common-classes-instance /req/citation-instance	<p>/req/quality-measure-instance/measureIdentifier Any instance of DQM_Measure SHALL have a measureIdentifier property value</p> <p>/req/quality-measure-instance/name Any instance of DQM_Measure SHALL have a name property value</p>

<sup>a</sup> The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

<sup>b</sup> The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

**Table 4 (continued)**

Requirement class URI <sup>a</sup>	Namespace <sup>b</sup>	Dependencies <sup>a</sup>	Requirements <sup>a</sup>
			<p>/req/quality-measure-instance/elementName  Any instance of DQM_Measure SHALL have a elementName property value</p> <p>/req/quality-measure-instance/valueType  Any instance of DQM_Measure SHALL have a valueType property value</p> <p>/req/quality-measure-instance/TypeName  Any instance of DQM_Measure.elementName SHALL be the TypeName of a data quality element</p> <p>/req/quality-measure-instance/valueType-dataType  Any instance of DQM_Measure.valueType SHALL be one of the data types defined in ISO 19103</p> <p>/req/quality-measure-instance/valueStructure  DQM_Measure.valueStructure SHALL be provided if the result includes more than one value</p>

<sup>a</sup> The complete URI begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

<sup>b</sup> The complete URL begins with <http://standards.iso.org/iso/19157/-2/1.0/>.

## Annex A (normative)

### Abstract test suite

#### A.1 Overview

##### A.1.1 Conformance test tools

Various conformance tests for this document require that metadata instance (XML) documents can be validated without error against the XML schemas defined in this document. While many tools are available to test validation of XML instance documents against provided XML schemas, it is important to understand that not all validation tools implement the full W3C XML schema recommendation and not all validation tools interpret the W3C XML schema recommendation in the same manner. It is recommended that a tool that implements a strict interpretation of and full support for the W3C XML schema recommendation be used when validating XML instance documents to test conformance.

The normative XML schema and schematron documents are available in a directory at <http://standards.iso.org/iso/19157-2/> with a directory structure described in Annex B. Annex C provides information about including ISO 19115-2:2009 in this document, and Annex D provides example documents conforming to the XML schema.

##### A.1.2 Conformance requirements — Limits of XML schema validation

Because XML schema validation is insufficient to test all of the constraints declared in ISO 19157, some conformance tests require other validation procedures. For instance, as stated in ISO/TS 19139:2007, 8.4, a property element following the default XML Class Property Type (XCPT) pattern may have exactly one of 1) inline content (by-value) that is an XML class, or 2) an xlink:href attribute (by-reference value), or 3) a gco:nilReason attribute (nil value). Because XML schema cannot constrain the co-occurrence of content or attributes, some mechanism in addition to XML schema validation shall be used to restrict a property to be exclusively by-value or by-reference or a nil value.

Rules implementing these constraints are included in the appropriate requirements class for the XML document instances. The ISO/TS 19157-2 package includes a schematron rule set for testing conformance with these requirements. If a tool for schematron validation is not available, conformance to these requirements may need to be tested by inspection.

#### A.2 Metadata for data quality (mdq) namespace

Table A.1 describes the conformance class for namespace mdq.

**Table A.1 — Conformance class: Valid XML instance of metadata for data quality (mdq) namespace**

Conformance class: Valid XML instance of metadata for data quality (mdq) namespace	
<a href="http://standards.iso.org/iso/19157/-2/mdq/1.0/conf/data_quality-xml">http://standards.iso.org/iso/19157/-2/mdq/1.0/conf/data_quality-xml</a>	
Requirements	<a href="http://standards.iso.org/iso/19157/-2/mdq/1.0/req/data-quality-instance">http://standards.iso.org/iso/19157/-2/mdq/1.0/req/data-quality-instance</a>
Dependency	<a href="http://standards.iso.org/iso/19115-3/1.0/conf/citation-xml">http://standards.iso.org/iso/19115-3/1.0/conf/citation-xml</a>
Dependency	<a href="http://standards.iso.org/iso/19115/-3/1.0/conf/common-classes-xml">http://standards.iso.org/iso/19115/-3/1.0/conf/common-classes-xml</a>
Test	/conf/data-quality-xml/schema-valid
	Requirement /req/data-quality-instance/validation
	Test purpose Verify that instances of XML elements from the namespace <a href="http://standards.iso.org/iso/19157/-2/mdq/1.0">http://standards.iso.org/iso/19157/-2/mdq/1.0</a> are well-formed and valid.
	Test method Use XML validation tools to determine if XML validates using the XML schema <a href="http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.xsd">http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.xsd</a> . See A.1.1.
	Test type Validation
Test	/conf/data-quality-xml/schematron-rules
	Requirement /req/data-quality-instance/scope /req/data-quality-instance/report /req/data-quality-instance/result /req/data-quality-instance/relatedElement /req/data-quality-instance/quantitative-value /req/data-quality-instance/conformance-pass /req/data-quality-instance/conformance-specification /req/data-quality-instance/descriptive-statement
	Test purpose Verify that XML instance is conformant with additional data-quality that cannot be tested by XML schema.
	Test method Verify that document validates with schematron rule set <a href="http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.sch">http://standards.iso.org/iso/19157/-2/mdq/1.0/mdq.sch</a> .
	Test type Validation

### A.3 Data quality measures (dqm) namespace

[Table A.2](#) describes the conformance class for namespace dqm.

**Table A.2 — Conformance class: Valid XML instance of metadata for data quality measure (dqm) namespace**

Conformance class: Valid XML instance of data quality measure (dqm) namespace	
<a href="http://standards.iso.org/iso/19157/-2/dqm/1.0/conf/quality-measure-xml">http://standards.iso.org/iso/19157/-2/dqm/1.0/conf/quality-measure-xml</a>	
Requirements	<a href="http://standards.iso.org/iso/19157/-2/dqm/1.0/req/quality-measure-instance">http://standards.iso.org/iso/19157/-2/dqm/1.0/req/quality-measure-instance</a>
Dependency	<a href="http://standards.iso.org/iso/19115/-3/1.0/conf/citation-xml">http://standards.iso.org/iso/19115/-3/1.0/conf/citation-xml</a>
Dependency	<a href="http://standards.iso.org/iso/19115/-3/1.0/conf/common-classes-xml">http://standards.iso.org/iso/19115/-3/1.0/conf/common-classes-xml</a>
Test	/conf/data-quality-xml/schema-valid
	Requirement /req/quality-measure-instance/validation
	Test purpose Verify that instances of XML elements from the namespace <a href="http://standards.iso.org/iso/19157/-2/dqm/1.0">http://standards.iso.org/iso/19157/-2/dqm/1.0</a> are well-formed and valid.
	Test method Use XML validation tools to determine if XML validates using the XML schema <a href="http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.xsd">http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.xsd</a> .
	Test type Validation
Test	/conf/data-quality-xml/schematron-rules
	Requirement /req/quality-measure-instance/measureIdentifier /req/quality-measure-instance/name /req/quality-measure-instance/elementName /req/quality-measure-instance/valueType /req/quality-measure-instance/TypeName /req/quality-measure-instance/valueType-dataType /req/quality-measure-instance/valueStructure
	Test purpose Verify that XML instance is conformant with additional data-quality that cannot be tested by XML schema.
	Test method Verify that document validates with schematron rule set <a href="http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.sch">http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.sch</a> .
	Test type Validation

## Annex B (informative)

### XML resources related to data quality

#### B.1 XML schema documents defined in this document

This document defines the content of three XML namespaces commonly identified using the prefixes mdq, dqm, and dqc. Each namespace prefix is inserted to <http://standards.iso.org/iso/19157/-2/xxx/1.0> (where xxx is the namespace abbreviation) to make a complete namespace identifier. In addition to schema documents, the namespace directories include schematron rules (\*.sch) that implement validation rules that are not tested by the schemas, documents that describe the namespaces (\*.html) and provide links to the normative schema, and sample xml instance documents.

#### B.2 XML schema documents defined in ISO/TS 19115-3

This document is based on the XML schema implementation provided in ISO/TS 19139:2007 and implementation approach described in ISO/TS 19115-3. To locate these XML schema documents, please refer to ISO/TS 19115-3:2016, Annex B.

#### B.3 XML schema documents defined outside this document

In addition to the namespace listed in [B.1](#), this document makes use of the Geography Markup Language or <http://schemas.opengis.net/gml/3.2.1/gml.xsd> namespace. To locate the authoritative XML schema documents associated with this namespace, refer to ISO 19136.

#### B.4 Additional resources

To ease the use of this document, several XML files are available for download in the “resources” directory of <http://standards.iso.org/iso/19157/-2/resources>.

Similar additional resources are provided along with ISO/TS 19139 XML schema documents. Please refer to ISO/TS 19139:2007, Annex C.

## Annex C (informative)

### **How ISO 19115-2:2009 is included in this document**

#### **C.1 General**

ISO 19115-2:2009 includes important extensions to metadata and data quality. The conceptual UML-model in ISO 19115-2:2009 is defined as an extension to corresponding UML-model in ISO 19115:2005. To fit the data quality concepts from ISO 19115-2 into ISO 19157:2013 requires a formal revision of ISO 19115-2:2009. An intermediate-term approach was required in order to support current usage of ISO 19115-2 quality concepts. To merge these two standards, an “ad-hoc”-revision of selected parts of ISO 19115-2:2009 was done, and the result is included in the ISO 19157-2-XML-schemas.

#### **C.2 How ISO 19115-2:2009 is included**

The selection from ISO 19115-2:2009 and inclusion of the selected parts is shown in [Figure C.1](#). The ISO 19115-2-class QE\_CoverageResult together with its substructure is attached as a subtype of the existing DQ\_Result. Then this new subtype becomes the fourth subtype of DQ\_Result, in addition to the existing DQ\_ConformanceResult, DQ\_QuantitativeResult and DQ\_DescriptiveResult.

The QE\_CoverageResult is modified from the original in ISO 19115-2:2009 as shown in [Figure C.1](#), to fit the ISO/TS 19157-2 XML implementation.




Figure C.1 — ISO 19115-2:2009-parts in DQ\_Result (UML class diagram)

## Annex D (informative)

### Implementation examples

#### D.1 General

The following XML documents illustrate some aspects of the XML schema encoding of ISO 19157. The values provided for the different elements are intended to be realistic, but they should not serve as a reference to determine the proper way of using ISO 19157 conceptual schemas.

#### D.2 Example of data quality

```
<?xml version="1.0" encoding="UTF-8"?>
<mdb:MD_Metadata xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://standards.iso.org/iso/19115/-3/mdb/1.0 http://standards.iso.
org/iso/19115/-3/mds/1.0/mds.xsd"
  xmlns:mdq="http://standards.iso.org/iso/19157/-2/mdq/1.0"
  xmlns:mdb="http://standards.iso.org/iso/19115/-3/mdb/1.0"
  xmlns:gco="http://standards.iso.org/iso/19139/gco/1.0"
  xmlns:mcc="http://standards.iso.org/iso/19115/-3/mcc/1.0"
  xmlns:mri="http://standards.iso.org/iso/19115/-3/mri/1.0"
  xmlns:lan="http://standards.iso.org/iso/19115/-3/lan/1.0"
  xmlns:cit="http://standards.iso.org/iso/19115/-3/cit/1.0">
  <!--
  This is a sample metadata record for minimal metadata with data quality.
  It contains required elements from the mdb, mcc (cit, gco), lan, and mri
  namespaces and sample data quality metadata with concepts from ISO 19157:2013
  -->
  <mdb:contact>
    <cit:CI_Responsibility>
      <cit:role>
        <cit:CI_RoleCode codeList="codeListLocation#CI_RoleCode"
          codeListValue="anyValidURI">pointOfContact</cit:CI_RoleCode>
      </cit:role>
      <cit:party>
        <cit:CI_Organisation>
          <cit:name>
            <gco:CharacterString>Organisation Name</gco:CharacterString>
          </cit:name>
        </cit:CI_Organisation>
      </cit:party>
    </cit:CI_Responsibility>
  </mdb:contact>
  <mdb:dateInfo>
    <cit:CI_Date>
      <cit:date>
        <gco:DateTime>2015-04-03T16:00:00</gco:DateTime>
      </cit:date>
      <cit:dateType>
        <cit:CI_DateTypeCode codeList="codeListLocation#CI_DateTypeCode"
          codeListValue="anyValidURI">creation</cit:CI_DateTypeCode>
      </cit:dateType>
    </cit:CI_Date>
  </mdb:dateInfo>
  <mdb:identificationInfo>
    <mri:MD_DataIdentification>
      <mri:citation>
        <cit:CI_Citation>
          <cit:title>
            <gco:CharacterString>Sample Metadata for Minimal Conformance Class</
            gco:CharacterString>
```

```
</cit:title>
</cit:CI_Citation>
</mri:citation>
<mri:abstract>
    <gco:CharacterString>This sample record has all required elements for minimal
ISO 19115:2013
        metadata</gco:CharacterString>
    </mri:abstract>
</mri:MD_DataIdentification>
</mdb:identificationInfo>
<mdb:dataQualityInfo>
    <mdq:DQ_DataQuality>
        <mdq:scope>
            <mcc:MD_Scope>
                <!-- This is a quality report for metadata -->
                <mcc:level>
                    <mcc:MD_ScopeCode codeList=" codeListLocation#MD_ScopeCode"
                        codeListValue="">metadata</mcc:MD_ScopeCode>
                </mcc:level>
                <mcc:levelDescription>
                    <mcc:MD_ScopeDescription>
                        <mcc:other>
                            <gco:CharacterString>Data Quality Metadata</gco:CharacterString>
                        </mcc:other>
                    </mcc:MD_ScopeDescription>
                </mcc:levelDescription>
            </mcc:MD_Scope>
        </mdq:scope>
        <mdq:standaloneQualityReport>
            <mdq:DQ_StandaloneQualityReportInformation>
                <mdq:reportReference>
                    <cit:CI_Citation>
                        <cit:title>
                            <gco:CharacterString>A report on the validation of a metadata
record</gco:CharacterString>
                        </cit:title>
                    </cit:CI_Citation>
                </mdq:reportReference>
                <mdq:abstract>
                    <gco:CharacterString>The metadata were tested for validity</
gco:CharacterString>
                </mdq:abstract>
            </mdq:DQ_StandaloneQualityReportInformation>
        </mdq:standaloneQualityReport>
        <mdq:report>
            <mdq:DQ_ConceptualConsistency>
                <mdq:measure>
                    <mdq:DQ_MeasureReference>
                        <mdq:measureIdentification>
                            <mcc:MD_Identifier>
                                <mcc:code>
                                    <gco:CharacterString>http://standards.iso.
org/iso/19157/-2/mdq/1.0/conf/data-quality-xml/
                                        schema-valid
                                    </gco:CharacterString>
                                </mcc:code>
                            </mcc:MD_Identifier>
                        </mdq:measureIdentification>
                        <mdq:measureDescription>
                            <gco:CharacterString>Use ISO 19157-2 to verify that instances of
XML elements from the namespace
                                http://standards.iso.org/iso/19157/-2/mdq/1.0 are well-formed
and valid.
                            </gco:CharacterString>
                        </mdq:measureDescription>
                    </mdq:DQ_MeasureReference>
                </mdq:measure>
                <mdq:result>
                    <mdq:DQ_ConformanceResult>
                        <mdq:specification>
                            <cit:CI_Citation>
```

```
<cit:title>
    <gco:CharacterString>Geographic Information - Data Quality
</gco:CharacterString>
</cit:title>
<cit:alternateTitle>
    <gco:CharacterString>ISO 19157:2013</gco:CharacterString>
</cit:alternateTitle>
<cit:onlineResource>
    <cit:CI_OnlineResource>
        <cit:linkage>
            <gco:CharacterString>
                http://www.iso.org/iso/home/store/
                catalogue_tc/catalogue_detail.htm?
                csnumber=32575</gco:CharacterString>
            </cit:linkage>
        </cit:CI_OnlineResource>
    </cit:onlineResource>
</cit:CI_Citation>
</mdq:specification>
<mdq:pass>
    <gco:Boolean>true</gco:Boolean>
</mdq:pass>
</mdq:DQ_ConformanceResult>
</mdq:result>
</mdq:DQ_ConceptualConsistency>
</mdq:report>
</mdq:DQ_DataQuality>
</mdb:dataQualityInfo>
</mdb:MD_Metadata>
```

### D.3 Example of data quality catalogue and measure

```
<?xml version="1.0" encoding="UTF-8"?>
<dqm:DQM_MeasureCatalogue xmlns:cit="http://standards.iso.org/iso/19115/-3/cit/1.0"
    xmlns:cat="http://standards.iso.org/iso/19115/-3/cat/1.0"
    xmlns:dqm="http://standards.iso.org/iso/19157/-2/dqm/1.0"
    xmlns:gco="http://standards.iso.org/iso/19139/gco/1.0"
    xmlns:mcc="http://standards.iso.org/iso/19115/-3/mcc/1.0"
    xmlns:pre="http://standards.iso.org/iso/19135/-2/pre/1.0"
    xmlns:lan="http://standards.iso.org/iso/19115/-3/lan/1.0" xmlns:xlink="http://www.w3.org/1999/xlink"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://standards.iso.org/iso/19157/-2/dqm/1.0 http://standards.iso.org/iso/19157/-2/dqm/1.0/dqm.xsd">
    <cat:name>
        <gco:CharacterString>Data Quality Measure Catalog</gco:CharacterString>
    </cat:name>
    <cat:scope>
        <gco:CharacterString>Data quality measures</gco:CharacterString>
    </cat:scope>
    <cat:fieldOfApplication>
        <gco:CharacterString>Data quality measure descriptions</gco:CharacterString>
    </cat:fieldOfApplication>
    <cat:versionNumber>
        <gco:CharacterString>2015-04-04</gco:CharacterString>
    </cat:versionNumber>
    <cat:versionDate>
        <gco:Date>2015-04-04</gco:Date>
    </cat:versionDate>
    <dqm:definitionSource>
        <dqm:DQM_SourceReference>
            <dqm:citation>
                <cit:CI_Citation id="ISO19157">
                    <cit:title>
                        <gco:CharacterString>ISO 19157: Geographic Information - Data quality
                        </gco:CharacterString>
                    </cit:title>
                    <cit:alternateTitle>
                        <gco:CharacterString>ISO-19157:2013</gco:CharacterString>
                    </cit:alternateTitle>
                    <cit:onlineResource>
```

```
<cit:CI_OnlineResource>
  <cit:linkage>
    <gco:CharacterString>
      http://www.iso.org/iso/home/store/catalogue_tc/
      catalogue_detail.htm?csnumber=32575
    </gco:CharacterString>
  </cit:linkage>
  <cit:name>
    <gco:CharacterString>ISO 19157: Geographic Information –
Data quality</gco:CharacterString>
  </cit:name>
  <cit:description>
    <gco:CharacterString>The ISO/TC 211 specification of ISO 19157 – an
international standard for describing data quality information.</gco:CharacterString>
  </cit:description>
  <cit:function>
    <cit:CI_OnLineFunctionCode
      codeList=http://www.isotc211.org/2005/resources/
      Codelist/gmxCodeLists.xml#CI_OnLineFunctionCode
      codeListValue="download">download
    </cit:CI_OnLineFunctionCode>
  </cit:function>
  </cit:CI_OnlineResource>
</cit:onlineResource>
</cit:CI_Citation>
</dqm:citation>
</dqm:DQM_SourceReference>
</dqm:definitionSource>
<dqm:qualityMeasure>
  <dqm:DQM_Measure>
    <dqm:measureIdentifier>
      <mcc:MD_Identifier>
        <mcc:authority xlink:href="ISO19157"/>
        <mcc:code>
          <gco:CharacterString>excessItem</gco:CharacterString>
        </mcc:code>
        <mcc:codeSpace>
          <gco:CharacterString>ISO 19157</gco:CharacterString>
        </mcc:codeSpace>
        <mcc:version>
          <gco:CharacterString>1</gco:CharacterString>
        </mcc:version>
        <mcc:description gco:nilReason="missing"/>
      </mcc:MD_Identifier>
    </dqm:measureIdentifier>
    <dqm:name>
      <gco:CharacterString>excess item</gco:CharacterString>
    </dqm:name>
    <dqm:alias gco:nilReason="unknown"/>
    <dqm:elementName>
      <gco:TypeName>
        <gco:aName>
          <gco:CharacterString>DQ_CompletenessCommission</gco:CharacterString>
        </gco:aName>
      </gco:TypeName>
    </dqm:elementName>
    <dqm:definition>
      <gco:CharacterString>indication that an item is incorrectly present in the
data</gco:CharacterString>
    </dqm:definition>
    <dqm:description>
      <dqm:DQM_Description>
        <dqm:textDescription>
          <gco:CharacterString>CharacterString11</gco:CharacterString>
        </dqm:textDescription>
        <dqm:extendedDescription>
          <mcc:MD_BrowseGraphic>
            <mcc:fileName>
              <gco:CharacterString>CharacterString12</gco:CharacterString>
            </mcc:fileName>
          </mcc:MD_BrowseGraphic>
        </dqm:extendedDescription>
      </dqm:DQM_Description>
    </dqm:description>
  </dqm:qualityMeasure>
</dqm:qualityMeasures>
```

```
</dqm:extendedDescription>
</dqm:DQM_Description>
</dqm:description>
<dqm:valueType>
    <gco:TypeName>
        <gco:aName>
            <gco:CharacterString>Boolean</gco:CharacterString>
        </gco:aName>
    </gco:TypeName>
</dqm:valueType>
<dqm:valueStructure gco:nilReason="inapplicable"/>
<dqm:example>
    <dqm:DQM_Description>
        <dqm:textDescription>
            <gco:CharacterString>True (In a dataset, more items are classified as houses than in the universe of discourse)</gco:CharacterString>
        </dqm:textDescription>
    </dqm:DQM_Description>
</dqm:example>
<dqm:sourceReference>
    <dqm:DQM_SourceReference>
        <dqm:citation xlink:href="#ISO19157"/>
    </dqm:DQM_SourceReference>
</dqm:sourceReference>
<dqm:basicMeasure>
    <dqm:DQM_BasicMeasure id="errorIndicator">
        <dqm:name>
            <gco:CharacterString>Error indicator
        </gco:CharacterString>
        </dqm:name>
        <dqm:definition>
            <gco:CharacterString>Indicator that an item is in error
        </gco:CharacterString>
        </dqm:definition>
        <dqm:example>
            <dqm:DQM_Description>
                <dqm:textDescription>
                    <gco:CharacterString>False</gco:CharacterString>
                </dqm:textDescription>
                <dqm:extendedDescription gco:nilReason="unknown"/>
            </dqm:DQM_Description>
        </dqm:example>
        <dqm:valueType>
            <gco:TypeName>
                <gco:aName>
                    <gco:CharacterString>Boolean</gco:CharacterString>
                </gco:aName>
            </gco:TypeName>
        </dqm:valueType>
    </dqm:DQM_BasicMeasure>
</dqm:basicMeasure>
<dqm:parameter>
    <dqm:DQM_Parameter id="sampleParameter">
        <dqm:name>
            <gco:CharacterString>sampleParameterName</gco:CharacterString>
        </dqm:name>
        <dqm:definition>
            <gco:CharacterString>sampleParameterDefinition</gco:CharacterString>
        </dqm:definition>
        <dqm:description>
            <dqm:DQM_Description>
                <dqm:textDescription>
                    <gco:CharacterString>sampleParameterDescription
                </gco:CharacterString>
                </dqm:textDescription>
                <dqm:extendedDescription>
                    <mcc:MD_BrowseGraphic>
                        <mcc:fileName>
                            <gco:CharacterString>
                                sampleParameterBrowseGraphicFileName
                            \</gco:CharacterString>
                        </mcc:fileName>
                    </mcc:MD_BrowseGraphic>
                </dqm:extendedDescription>
            </dqm:DQM_Description>
        </dqm:description>
    </dqm:DQM_Parameter>
</dqm:parameter>
```

```
        </mcc:fileName>
        </mcc:MD_BrowseGraphic>
        </dqm:extendedDescription>
        </dqm:DQM_Description>
    </dqm:description>
    <dqm:valueType>
        <gco:TypeName>
            <gco:aName>
                <gco:CharacterString>sampleParameterTypeName</gco:CharacterString>
            </gco:aName>
        </gco:TypeName>
    </dqm:valueType>
    <dqm:valueStructure>
        <dqm:DQM_ValueStructure
            codeList="http://www.isotc211.org/2005/resources/
            Codelist/gmxCodelists.xml#DQM_ValueStructure"
            codeListValue="bag">bag</dqm:DQM_ValueStructure>
    </dqm:valueStructure>
    </dqm:DQM_Parameter>
  </dqm:parameter>
</dqm:DQM_Measure>
</dqm:qualityMeasure>
</dqm:DQM_MeasureCatalogue>
```

## Bibliography

- [1] ISO 19118:2011, *Geographic information — Encoding*
- [2] ISO 19115-2:2009, *Geographic information — Metadata — Part 2: Extensions for imagery and gridded data*
- [3] ISO 19157:2013, *Geographic information — Data quality*
- [4] ISO 19136:2007, *Geographic information — Geography Markup Language (GML)*
- [5] ISO/IEC 19757-3, *Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation — Schematron*
- [6] ISO/TS 19115-3, *Geographic information — Metadata — XML schema implementation for fundamental concepts*
- [7] ISO/TS 19139:2007, *Geographic information — Metadata — XML schema implementation*
- [8] W3C XML, *Extensible Markup Language (XML) 1.0 (Second Edition)*, W3C Recommendation (6 October 2000)
- [9] W3C XML Schema Part 1, *XML Schema Part 1: Structures*. W3C Recommendation (2 May 2001)
- [10] W3C XML Schema Part 2, *XML Schema Part 2: Datatypes*. W3C Recommendation (2 May 2001)



## **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

### **Copyright**

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

### **Review of Indian Standards**

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website- www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: LITD 22 (22741).

### **Amendments Issued Since Publication**

<b>Amend No.</b>	<b>Date of Issue</b>	<b>Text Affected</b>

## **BUREAU OF INDIAN STANDARDS**

### **Headquarters:**

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002  
Telephones: 2323 0131, 2323 3375, 2323 9402

Website: [www.bis.gov.in](http://www.bis.gov.in)

### **Regional Offices:**

		<i>Telephones</i>
Central	: 601/A, Konnectus Tower -1, 6 <sup>th</sup> Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	{ 2323 7617
Eastern	: 8 <sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	{ 2367 0012 2320 9474
Northern	: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern	: C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	{ 2254 1442 2254 1216
Western	: Plot No. E-9, Road No.-8, MIDC, Andheri (East), Mumbai 400093	{ 2821 8093

**Branches :** AHMEDABAD. BENGALURU. BHOPAL. BHUBANESHWAR. CHANDIGARH. CHENNAI.  
COIMBATORE. DEHRADUN. DELHI. FARIDABAD. GHAZIABAD. GUWAHATI.  
HIMACHAL PRADESH. HUBLI. HYDERABAD. JAIPUR. JAMMU & KASHMIR.  
JAMSHEDPUR. KOCHI. KOLKATA. LUCKNOW. MADURAI. MUMBAI. NAGPUR.  
NOIDA. PANIPAT. PATNA. PUNE. RAIPUR. RAJKOT. SURAT. VISAKHAPATNAM.