इस्पात के तप्त बेलित और स्लिट टी सरिए — आयाम और गुण

(तीसरा पुनरीक्षण)

Hot Rolled and Slit Steel Tee Bars — Dimensions and Properties

(Third Revision)

ICS 77.140.70

© BIS 2024

भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002 www.bis.gov.in www.standardsbis.in

**Price Group 5** 

July 2024

#### Structural Engineering and Structural Sections Sectional Committee, CED 07

## FOREWORD

This Indian Standard (Third Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Structural Engineering and Structural Sections Sectional Committee had been approved by the Civil Engineering Division Council.

This standard was first published in 1957 covering a wide range of hot rolled and slit tee bars and was subsequently revised in 1967 and 1978, which covered slit tee bars to be produced by slitting some of the Indian Standard light weight, medium weight and H-beam sections.

In the preparation of this standard, the sectional committee has kept in view the manufacturing and trade practices followed in the country in this field.

In this revision, the following modifications have been effected:

- a) New clause for customization of sizes through optimum flange width, beam depth, thicknesses of flange and web has been added; and
- b) References clause has been updated.

This standard also aims at satisfying some Sustainable Development Goals by United Nations, especially Goal 9 'Industry, innovation and infrastructure', particularly its target **9.1**.

The composition of the Committee responsible for the formulation of this standard is given in Annex A.

For the purpose of deciding whether a particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

# Indian Standard

# HOT ROLLED AND SLIT STEEL TEE BARS — DIMENSIONS AND PROPERTIES

(Third Revision)

## **1 SCOPE**

This standard lays down the nominal dimensions, weight and basic sectional properties of hot rolled and slit steel tee bars.

# **2 REFERENCES**

The standards given below contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards:

IS No.	Title
IS 808 : 2021	Hot rolled steel beam, column, channel and angle sections — Dimensions and properties ( <i>fourth revision</i> )
IS 1852 : 1985	Specification for rolling and cutting tolerances for hot- rolled steel products ( <i>fourth</i> <i>revision</i> )
IS 2062 : 2011	Hot rolled medium and high tensile structural steel — Specification (seventh revision)

### **3 TERMINOLOGY**

For the purpose of this standard, the definitions given in IS 2062 and the following shall apply.

**3.1 Y-Y Axis** — A line passing through the centre of gravity of the profile of the section, parallel to the axis of the web of the section.

**3.2 Z-Z Axis** — A line passing through the centre of gravity of the profile of the section and at right angles to the Y-Y axis.

# **4 SYMBOLS**

Letter symbols used in this standard have been indicated in Fig. 1, Fig. 2 and Table 1. Other letter

symbols used in the standard have the meaning indicated against each as given below:

- *a* Sectional area in sq mm
- $C_{zz}$  Distance of centre of gravity from top of flange
- *D* The angle between the web and flange of the section, in degrees
- $e_{yy}$  Distance of extreme fibre from Y-Y axis
- $e_{zz}$  Distance of extreme fibre from the Z-Z axis
- $I_{yy}$  Moment of inertia about the Y-Y axis
- $I_{zz}$  Moment of inertia about the Z-Z axis
- $r_{yy}$   $\sqrt{\frac{l_{yy}}{a}}$  = Radius of gyration about the Y-Y axis
- $r_{ZZ}$   $\sqrt{\frac{I_{ZZ}}{a}}$  = Radius of gyration about the Z-Z axis
- w Calculated weight in kg/m = (0.75 a)
- $Z_{yy}$   $\frac{l_{yy}}{e_{yy}}$  = Modulus section about the Y-Y axis
- $Z_{zz}$   $\frac{I_{zz}}{e_{zz}}$  = Modulus of section about the Z-Z axis

# **5 CLASSIFICATON**

**5.1** Indian Standard hot-rolled steel tee bars may be classified as follows:

- a) Indian Standard rolled normal tee bars (ISNT);
- b) Indian Standard rolled deep legged tee bars (ISDT);
- c) Indian Standard slit light weight tee bars (ISLT);
- d) Indian Standard slit medium weight tee bars (ISMT); and
- e) Indian Standard slit tee bars from H-sections (ISHT).

To access Indian Standards click on the link below:

**5.2** For shop marking and drawing office purposes, the following abbreviated reference symbols may also be permitted provided specific understanding exists between the fabricator, the producer and the drawing office that members designated by these symbols refer only to Indian Standard sections:

Sl No.	Classification	Abbreviated Reference Symbols
(1)	(2)	(3)
i)	ISNT	NT
ii)	ISDT	DT
iii)	ISLT	LT
iv)	ISMT	MT
v)	ISHT	HT

# **6 DIMENSIONS AND PROPERTIES**

**6.1** Nominal dimensions and weight of Indian Standard tee bars shall be as given in Table 1.

**6.2** The tolerances on the dimensions shall be specified in IS 1852.

**6.3** The customization of sizes through optimum flange width, beam depth, thicknesses of flange and web will enable cost savings on the overall steel take off in addition to the reliability of connections achieved. A new range of sections suiting to the need of the design requirements can be produced based on the formulae to calculate the geometrical sectional properties as per Annex A and Annex B of IS 808 that fulfils the design criteria.




FIG. 1 ROLLED NORMAL TEE BAR (ISNT)




FIG. 2 SLIT TEE BAR AND DEEP LEGGED TEE BAR

# Table 1 Nominal Dimensions, Weight and Geometrical Properties of Indian Standard Tee Bars

Sl No.	Designation	Weight	Sectional Area	Size (Nominal)	Thickness of Web	Thickness of Flange	Radius at Root	Radius at Toe	Slope of Flange	Centre of Gravity Position	Moment of Inertia		Moment of Inertia Radii of Mo Gyration		Moduli o	Moduli of Section	
		( <i>w</i> )	(a)	$(h \times b)$	( <i>t</i> <sub>w</sub> )	$(t_f)$	$(r_r)$	$(r_t)$	( <i>D</i> °)	$(C_{zz})$	I <sub>zz</sub>	I <sub>yy</sub>	r <sub>zz</sub>	r <sub>yy</sub>	Z <sub>zz</sub>	Z <sub>yy</sub>	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	
		kg/m	mm <sup>2</sup>	$\mathrm{mm}  imes \mathrm{mm}$	mm	mm	mm	mm		mm	$10^6\mathrm{mm}^4$	$10^6\mathrm{mm}^4$	mm	mm	$10^3 \mathrm{mm^3}$	$10^3  \text{mm}^3$	
	Indian Standard Normal Tee Bars																
i)	ISNT 20	1.1	145	20  imes 20	4.0	4.0	4.0	3.0		6.0	0.005	0.002	5.8	4.1	0.3	0.2	
ii)	ISNT 30	1.8	226	30 × 30	4.0	4.0	5.0	3.5		8.2	0.018	0.008	8.9	5.9	0.8	0.5	
iii)	ISNT 40	3.5	445	$40 \times 40$	6.0	6.0	5.5	4.0		11.4	0.061	0.029	11.8	8.1	2.1	1.5	
iv)	ISNT 50	4.4	566	$50 \times 50$	6.0	6.0	6.0	4.0	(See <u>Fig. 1</u> )	13.5	0.123	0.057	14.7	10.1	3.4	2.3	
v)	ISNT 60	5.4	685	$60 \times 60$	6.0	6.0	6.5	4.5		15.6	0.214	0.097	17.7	11.9	4.8	3.2	
vi)	ISNT 75	10.0	1 270	75  imes 75	9.0	9.0	8.0	5.5		20.4	0.620	0.292	22.1	15.2	11.4	7.8	
vii)	ISNT 100	14.9	1 900	$100 \times 100$	10.0	10.0	9.0	6.0		26.2	1.64	0.768	29.4	20.1	22.2	15.4	
viii)	ISNT 150	22.7	2 890	150 × 150	10.0	10.0	10.0	7.0		36.1	5.41	2.50	43.3	29.4	47.5	33.4	
	Indian Standard Deep Legged Tee Bars																
ix)	ISDT 100	8.1	1 040	100  imes 150	5.8	10.0	8.0	4.0	98°	30.3	0.990	0.096	30.9	9.6	14.2	3.8	
x)	ISDT 150	15.7	2 000	150 × 75	8.0	11.6	9.0	4.5	98°	47.5	4.50	0.370	47.5	13.6	43.9	9.9	

# (Clauses $\underline{4}$ and $\underline{6.1}$ )

# Table 1 (Concluded)

SI No.	Designation	Weight	Sectional Area	Size (Nominal)	Thickness of Web	Thickness of Flange	Radius at Root	Radius at Toe	Slope of Flange	Centre of Gravity Position	Moment of Inertia		avity Gyration				
		( <i>w</i> )	( <i>a</i> )	$(h \times b)$	$(t_w)$	$(t_f)$	$(r_r)$	$(r_t)$	( <i>D</i> °)	$(\mathcal{C}_{zz})$	Izz	I <sub>yy</sub>	r <sub>zz</sub>	$r_{yy}$	$Z_{zz}$	Z <sub>yy</sub>	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	
	Indian Standard Slit Light Weight Tee Bars*																
xi)	ISLT 200	28.4	3 620	$200 \times 165$	8.0	12.5	16.0	8.0	98°	47.8	12.7	3.58	59.2	31.5	83.3	43.4	
xii)	ISLT 250	37.5	4 780	250  imes 180	9.2	14.1	17.0	8.5	98°	64.0	27.7	5.32	76.2	33.4	149.2	59.1	
Indian Standard Slit Medium Weight Tee Bars†																	
xiii)	ISMT 50	5.8	735	$50 \times 70$	4.5	7.5	9.0	4.5	98°	10.4	0.108	0.177	12.1	15.5	2.7	5.05	
xiv)	ISMT 62.5	6.7	850	$62.5 \times 70$	5.0	8.0	9.0	4.5	98°	13.9	0.218	0.192	16.5	15.1	4.4	5.50	
xv)	ISMT 75	7.5	955	$75 \times 75$	5.0	8.0	9.0	4.5	98°	17.3	0.412	0.234	20.8	15.7	7.1	6.25	
xvi)	ISMT 87.5	9.8	1 240	87.5 × 85	5.8	9.0	10.0	5.0	98°	20.6	0.756	0.384	24.7	17.6	11.3	9.00	
xvii)	ISMT 100	12.7	1 620	$100 \times 100$	5.7	10.8	11.0	5.5	98°	21.3	1.16	0.750	26.8	21.5	14.7	15.0	
Indian Standard Slit Tee Bars from H-Section‡																	
xviii)	ISHT 75	15.3	1 950	75 × 150	8.4	9.0	8.0	4.0	94°	16.2	0.962	2.30	22.2	34.4	16.4	30.1	
xix)	ISHT 100	20.0	2 550	$100 \times 200$	7.8	9.0	9.0	4.5	94°	19.1	1.94	4.97	27.6	44.2	24.0	49.3	
xx)	ISHT 125	27.4	3 480	$125 \times 250$	8.8	9.7	10.0	5.0	94°	23.7	4.15	10.0	34.5	53.7	41.0	79.9	
xxi)	ISHT 150	29.4	3 740	$150 \times 250$	7.6	10.6	11.0	5.5	94°	26.6	5.74	11.0	39.2	54.1	46.5	87.7	

\*Slit from ISLB 200 and ISLB 500.

†Slit from MB 100, 125, 150, 175 and 200.

\$Slit from ISHB 150, 200, 250 and 300.

# ANNEX A

## (*Foreword*)

# **COMMITTEE COMPOSITION**

Structural Engineering Sectional Committee, CED 07

#### Organization

#### *Representative(S)*

In Personal Capacity (II, 2A, Rani Meyyammai Towers MRC Nagar, R A Puram Chennai - 600028)

Ashwathnarayana & Eswara, Chennai

Bhilai Institute of Technology, Durg

Central Electricity Authority, New Delhi

Central Public Works Department, New Delhi

Construma Consultancy Pvt Ltd, Mumbai

- C.R. Narayana Rao, Architects & Engineers, Chennai
- CSIR Structural Engineering Research Centre, Chennai
- Engineers India Ltd, New Delhi
- GAIL India Ltd, New Delhi
- Indian Institute of Engineering Science and Technology, Shibpur
- Indian Institute of Technology Delhi, New Delhi

Institute for Steel Development & Growth, Kolkata

Jindal Steel & Power Ltd, Gurugram

Larsen & Toubro Ltd, Chennai

MECON Ltd, Ranchi

M. N. Dastur & Company Pvt Ltd, Kolkata

NTPC Ltd, Noida

DR V. KALYANARAMAN (Chairperson)

SHRI H. E. SRIPRAKASH SHASTRY

DR MOHAN KUMAR GUPTA

SHRI A. K. JAIN DIRECTOR (TRANSMISSION) (*Alternate*)

SHRI D. K. GARG SHRI N. K. BANSAL (Alternate)

DR HARSHAVARDHAN SUBBARAO

DR C. N. SRINIVASAN SHRI C. R. ARVIND (*Alternate*)

- DR G. S. PALANI DR NAPA PRASAD RAO (*Alternate* I) DR R. BALAGOPAL (*Alternate* II)
- SHRI ANURAG SINHA DR SUDIP PAUL (*Alternate*)

SHRI S. ASHISH VAIDYA

DR SUBRATA CHACKRABORTY MS CHAITALI RAY (Alternate)

DR DIPTI RANJAN SAHOO DR ALOK MADAN (*Alternate*)

SHRI ARIJIT GUHA SHRI LAKHAMANA RAO PYDI (Alternate)

SHRI SANJAY NANDANWAR

SHRI T. VENKATESH RAO

SHRI B. K. PANDEY SHRI J. K. SARKAR (*Alternate*)

SHRI SHUVENDU CHATTOPADHYAY SHRI GARGI ADITYA BASU (*Alternate* I) SHRIMATI MOHUA CHATTERJEE (*Alternate* II)

SHRI HIMANSHU KUNDU SHRI CHANDER SHEKHAR (*Alternate*)

### Organization

Powergrid Corporation of India Limited, New Delhi

Ramboll India, Hyderabad

Salasar Techno Engineering Ltd, Noida

Steel Authority of India Limited, Ranchi

STUP Consultants Pvt Ltd, Kolkata

Takalkar Power Engineering and Consultants Pvt Ltd, Vadodara

Tata Consulting Engineers Ltd, Mumbai

The Institution of Engineers (India), Kolkata

In Personal Capacity (C-401, Greenfield Tower CHS, Kadamwadi, Vakola Santacruz (East), Mumbai)

In Personal Capacity (*Plot No. 686/2884, Shantinagar, Canal Road, Jharapada, Bhubaneswar - 751006*)

BIS Directorate General

Representative(S)

SHRI ABHISHEK MS SUMANA MUKHERJEE (*Alternate*)

SHRI D. SANKAR GANESH

SHRI DAYANAND K.

SHRI GAUTAM KUMAR MITRA SHRI DEEPAK RANGARAO (*Alternate*)

- SHRI ANIRBAN SENGUPTA SHRI SUMANTRA SENGUPTA (*Alternate* I) SHRI MANDAR SARDESAI (*Alternate* II)
- SHRI S. M. TAKALKAR SHRI SHREEDHAR V. RANA (*Alternate*)
- SHRI PRATIP BHATTACHARYA SHRI T. SHRIPRASAD (*Alternate*)

SHRI S. H. JAIN

SHRI V. N. HEGGADE

SHRI GYANA RANJAN MOHANTY

SHRI DWAIPAYAN BHADRA, SCIENTIST 'E'/DIRECTOR AND HEAD (CIVIL ENGINEERING) [REPRESENTING DIRECTOR GENERAL (*Ex-officio*)]

Member Secretary Shri Abhishek Pal Scientist 'D'/Joint Director (Civil Engineering), BIS

AND

Member Secretary Shri Dheeraj Damachya Scientist 'B'/Assistant Director (Civil Engineering), BIS this Page has been intertionally left blank

## **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

## Copyright

**Headquarters:** 

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

#### **Review of Indian Standards**

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: CED 07 (22216).

# **Amendments Issued Since Publication**

Amend No.	Date of Issue	Text Affected

# **BUREAU OF INDIAN STANDARDS**

-							
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002Website: www.bis.gov.inTelephones: 2323 0131, 2323 3375, 2323 9402Website: www.bis.gov.in							
Regional	Offices:		Telephones				
Central	: 601/A, Konnectus Tower -1, 6 <sup>th</sup> Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002		2323 7617				
Eastern	: 8 <sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091		<pre>{ 2367 0012 2320 9474 { 265 9930</pre>				
Northern	: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019		265 9930				
Southern	: C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	}	<pre>{ 2254 1442 2254 1216</pre>				
Western	: Manakalya, 4 <sup>th</sup> Floor, NTH Complex (W Sector), F-10, MI (East), Mumbai 400093	DC, Andheri	283 25838				

Branches : AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYNA, HUBLI, HYDERABAD, JAIPUR, JAMMU & KASHMIR, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.