

**AMENDMENT NO. 3 DECEMBER 2024**

**TO**

**IS 16098 (PART 1) : 2013 STRUCTURED-WALL PLASTICS PIPING SYSTEMS  
FOR NON-PRESSURE DRAINAGE AND SEWERAGE — SPECIFICATION**

**PART 1 PIPES AND FITTINGS WITH SMOOTH EXTERNAL SURFACE,  
TYPE A**

*(Second cover page, foreword, para 4)* — Substitute ‘IS 16268 : 2017/ISO/TR 10358 : 1993 ‘Plastic pipes and fittings — Combined chemical-resistance classification table.’ for ‘IS/ISO 10358 ‘Plastics pipes and fittings — Combined chemical-resistance classification table (*under preparation*).’

*(Second cover page, foreword, last para)* — Substitute “IS 2 : 2022 ‘Rules for rounding off numerical values (*second revision*)’” for “IS 2 : 1960 ‘Rules for rounding off numerical values (*revised*)’”.

*(Page 3, clause 5.4)* — Substitute the following for the existing:

‘The addition of the manufacturer's own rework material is permissible. The maximum quantity of the rework material used shall be not more than 5 percent. No other rework material shall be used.’

(CED 50)

**Price Group 1**  
Publication, BIS, New Delhi