भारतीय मानक Indian Standard

पाइप नट — विशिष्टि

IS 3468: 2024

(तीसरा पुनरीक्षण)

Pipe Nuts — Specification

(Third Revision)

ICS 21.060.20

© BIS 2024



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

FOREWORD

This Indian Standard (Third Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the General Engineering and Fasteners Standards Sectional Committee had been approved by the Production and General Engineering Division Council.

This standard was first published in 1966 and subsequently revised in 1975 and 1991. This revision has been brought out to keep pace with the latest technological developments and international practices. In this revision, the following major changes have been made:

- a) The various requirements of pipe nuts have been updated based on the latest international practices (see Table 2);
- b) The designation of pipe nuts has been specified with better explanation;
- c) Changes have been made in the table on dimensions of pipe nuts; and
- d) References have been updated.

In the preparation of this standard, considerable assistance has been derived from DIN 431: 2013.

The composition of the Committee, responsible for the formulation of this standard is given in Annex B.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2: 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

PIPE NUTS — SPECIFICATION


(Third Revision)

1 SCOPE


This standard specifies the requirements for pipe nuts in the size range G 1/8 to G 6 (hexagon and octagon) with threads as specified in IS 2643 and of product grades B and C.

2 REFERENCES

The standards listed in <u>Annex A</u> contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standardare encouraged to investigate the possibility of applying the most recent edition of these standards.



Type 1 (Unchamfered)



For sizes G 1/8 to G 4 (Hexagon)

3 TYPES

Pipe nuts shall be of the following 2 types:


a) Type 1: Unchamfered pipe nutsb) Type 2: Chamfered pipe nuts

4 DIMENSIONS

The dimensions and the shapes of the nuts shall be as given in Fig.1 and Table 1.


5 REQUIREMENTS

The various requirements of the pipe nuts shall be as specified in <u>Table 2</u>.



Type 2 (Chamfered)

(Other dimensions are same as Type 1)



For sizes G 5 to G 6 (Octagon)

FIG. 1 NUT DIMENSIONS (TYPE 1 AND TYPE 2)

Table 1 Dimensions for Pipe Nuts
(<u>Clause 4</u>)
All dimensions are in millimetres

| SI No. | Thread Size d | da Max | $d_{\mathbf{W}}$ | e Min | <i>m</i> | | S | |
|--------|---------------------|------------------|------------------|----------|------------|-----|-----|------|
| | | | Min | | $Max^{1)}$ | Min | Max | Min |
| (1) | (2) | (3) | (4) | (5) | (6 | 5) | | (7) |
| i) | G 1/8 | 10.5 | 16.5 | 19.85 | 6.48 | 6 | 18 | 17.5 |
| ii) | G 1/4 | 14.2 | 19.1 | 22.78 | 6.48 | 6 | 21 | 20.1 |
| iii) | G 3/8 | 18 | 24.8 | 29.56 | 7.58 | 7 | 27 | 26.1 |
| iv) | G 1/2 | 22.6 | 31.3 | 37.29 | 8.58 | 8 | 34 | 33 |
| v) | (G 5/8) | 24.7 | 31.3 | 37.29 | 8.58 | 8 | 34 | 33 |
| vi) | G 3/4 | 28.6 | 32.3 | 39.55 | 9.58 | 9 | 36 | 34 |
| vii) | G 7/8 | 32.6 | 38 | 45.20 | 9.58 | 9 | 41 | 40 |
| viii) | G 1 | 35.9 | 42.8 | 50.85 | 10.58 | 10 | 46 | 45 |
| ix) | (G 1 1/8) | 40.9 | 46.5 | 55.37 | 10.58 | 10 | 50 | 49 |
| x) | G 1 1/4 | 45.3 | 51.1 | 60.79 | 11.70 | 11 | 55 | 53.8 |
| xi) | G 1 1/2 | 51.6 | 55.9 | 66.44 | 12.70 | 12 | 60 | 58.8 |
| xii) | (G 1 3/4) | 58 | 64.7 | 76.93 | 13.70 | 13 | 70 | 68. |
| xiii) | G 2 | 64.4 | 69.4 | 82.60 | 13.70 | 13 | 75 | 73. |
| xiv) | (G 2 1/4) | 71 | 78.7 | 93.56 | 16.70 | 16 | 85 | 82.8 |
| xv) | G 2 1/2 | 81.2 | 88.2 | 104.86 | 16.70 | 16 | 95 | 92.8 |
| xvi) | G 3 | 94.9 | 97.7 | 116.16 | 19.84 | 19 | 105 | 102. |
| xvii) | G 4 | 122 | 125.9 | 149.72 | 22.84 | 22 | 135 | 132. |
| xviii) | G 5 | 149.5 | 154.4 | 183.06 | 22.84 | 22 | 165 | 162. |
| xix) | G 6 | 177 | 176.1 | 209.5 | 25.84 | 25 | 190 | 185 |

NOTE — Sizes shown within brackets are of second preference.

 $[\]overline{^{1)}}$ The maximum size applies for type 2 nuts. In the case of type 1 nuts, m is to be larger by a machining allowance.

Table 2 Requirements of Pipe Nuts

(<u>Clause 5</u>)

| Sl No. | Material | | Steel | Stainless Steel | Non-ferrous Metal |
|--------|---|-----------------|--|--------------------------------|---|
| (1) | (2) | (3) | (4) | (5) | (6) |
| i) | General Requirements | As specified in | | IS 1367 (P | art 1) |
| ii) | Thread | As specified in | | IS 264 | 3 |
| iii) | Mechanical properties | Grade | 14H | A2 | Brass having minimum tensile strength 300 MPa |
| | | As specified in | IS 1367 (Part 7) | IS 1367 (Part 14/ Sec 2) | |
| iv) | Limit deviations and Geometrical tolerances | Product grade | C for type 1 and B for type 2 IS 1367 (Part 2) | | |
| | | As specified in | | | |
| v) | Surface finish | As specified in | As processed (no coating) Electroplated coatings as specified in IS 1367 (Part 11) Non-electrolytically applied zinc flake coatings as specified in IS 10683 Hot dip galvanized coatings as specified in IS 1367 (Part 13) Additional requirements or other surface finishes or coatings shall be agreed between the supplier and the customer | | As processed (no coating) Electroplated coatings as specified in IS 1367 (Part 11) |
| vi) | Surface condition | As specified in | IS 1367 (Part 10) | | |
| vii) | Acceptance inspection | As specified in | IS 1367 (Part 17) | | |

IS 3468: 2024

6 DESIGNATION

6.1 The pipe nuts shall be designated by type, thread size, property grade of material and IS No. of this standard.

Example:

A pipe nut of thread size G 6, type 1, and made up of steel of grade 14H shall be designated as:

6.2 When the pipe nuts are manufactured from brass, the word 'Brass' shall be added at the end of the designation.

Example:

A pipe nut of thread size G 3/8, type 1 and made from brass shall be designated as

7 MARKING

7.1 Marking of the pipe nuts shall be in accordance with IS 1367 (Part 18).

7.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as perthe conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the products may be marked with the standard mark.

IS 3468: 2024

ANNEX A

(<u>Clause 2</u>)

LIST OF REFERRED STANDARDS

| IS No./Others Standard | Title | IS No./Others Standard | Title | |
|--|--|-------------------------------------|--|--|
| IS 1367 | Technical supply conditions for threaded steel fasteners: | (Part 17): 2005/ ISO 3269: 2000 | Inspections sampling and acceptance procedure (fourth revision) | |
| (Part 1) : 2014/ ISO 8992 : 2005 | General requirements for bolts, screws, studs and nuts (fourth revision) | IS 1367 (Part 18): 1996 | Industrial fasteners — Threaded steel fasteners — Technical supply conditions: | |
| (Part 2) : 2002/ ISO 4759-1 : 2000 | Tolerances for fasteners — Bolts, screws, studs and nuts — Product grades a, b and c | | Part 18 Packaging (third revision) | |
| | (third revision) | IS 2643 : 2005/ ISO 228-1 : 2000 | Pipe threads where pressure- tight joints are not made on | |
| (Part 7): 1980 | Mechanical properties and test methods for nuts without specified proof loads (second revision) | 150 220 1 . 2000 | the threads — Dimensions tolerances and designation (third revision) | |
| (Part 10): 2002/ ISO 6157-2: 1995 | Surface discontinuities — Nuts (third revision) | IS 9519 : 2005/ ISO 272 : 1982 | Fasteners — Hexagon products — Width across flats (first revision) | |
| (Part 11): 2020/ ISO 4042: 2018 | Electroplated coating systems (fourth revision) | IS/ISO 10683 : 2018 | Fasteners — Non- electrolytically applied zinc flake coating systems | |
| (Part 14/Sec 2): 2018/ISO 3506-2: 2009 | Mechanical properties of corrosion-resistant stainless-steel fasteners, Section 2 Nuts with specified grades and property classes (fifth revision) | | | |

ANNEX B

(*Foreword*)

COMMITTEE COMPOSITION

General Engineering and Fasteners Standards Sectional Committee, PGD 37

Organization Representatives(s)

In Personal Capacity (9, Shantha Sadana, 4th Cross, F - Block, 1st Stage, J. P. Nagar)

SHRI N. SRINIVASA MURTHY (Chairperson)

Asp Private Limited, Hawrah SHRI VINOD SHARMA

SHRI B. BHAUMIK (Alternate)

BEML Limited, Bengaluru SHRI S. K.SAHA

SHRI T. N. SRINIVAS (*Alternate* I)

SHRI M. R. SENTHIL KUMAR (Alternate II)

Bharat Dynamics Limited, Hyderabad Shri K. Sreenivasa Rao

SHRI UMAKANTH PATHIPATI (Alternate)

Bharat Heavy Electrical Limited, New Delhi Shri Avinash S. John

SHRI KALYAN A. (Alternate I) SHRI LALIT KUMAR (Alternate II)

Bosch Limited, Bengaluru Shri Kumaraswamy S.

Central Manufacturing Technology Institute, Bengaluru SHRI ANIL KUMAR

SHRI S. K. VERMA (Alternate)

CSIR - National Aerospace Laboratories, Bengaluru Shri S. Ravishankar

SHRI M. S. KAMLESHAIAH (Alternate)

CSIR - National Physical Laboratory, New Delhi SHRI ANIL KUMAR

SHRI GAUTAM MANDAL (Alternate I) SHRIMATI NIDHI SINGH (Alternate II)

Deepak Fasteners Limited, Ludhiana Shri Sanjeev Kalra

SHRI DEEPAK KALRA (*Alternate* I) SHRI SUKHJEEVAN SINGH (*Alternate* II)

Directorate General of Quality Assurance, Ministry of

Defence, Kanpur

SHRI J. K. YADAV

SHRI S. L. MEENA (Alternate)

Directorate General of Quality Assurance, Ministry of

Defence, New Delhi

SHRI BIJENDRA KUMAR

Hilti India Private Limited, New Delhi Shri Prashant Dasharath Sathe

SHRI SHOUNAK MITRA (AlternateALTERNATE)

IS 3468: 2024

Organization

Representatives(s)

Hindustan Fasteners Private Limited, Nasik

SHRI INDRAPAL

HMT Limited, Bengaluru SHRI C. S. VIJAYA PRAKASH

SHRI SOMASUNDARAM (Alternate)

Indian Institute of Technology Bombay, Mumbai DR PANKAJ KUMAR

MK Fasteners, Bengaluru Shri Kunthal Amen

National Test House, Kolkata Shri S. P. Roy

SHRI YOGESH SINGH (*Alternate*)

Nexo Industries Private Limited, Ludhiana Shri Amrik Singh

Pooja Forge Limited, Faridabad Shri Jagdish K. Aggarwal

Precise Fasteners Private Limited, Mumbai Shri Parag Prakash

Right Tight Fasteners Private Limited, Nashik Shri Balveer

SHRI AMARJEET SINGH (Alternate)

Size Control Gauges & Tools Private Limited, Pune Shri Atul Ashok Durve

Sundram Fasteners Limited, Chennai Shri Atul Kumar Agrawal

SHRI KANNADASAN B (Alternate)

Tata Motors Limited, Pune SHRI SAGAR TALOLE

SHRI R. R. KULKARNI (Alternate)

Unison Clamping Devices Limited, Pune Shri Pandurang Kallappa Sawant

SHRI VIKRAM P. SAWANT (Alternate)

In Personal Capacity (199/1, 9th Cross, Cubbonpet

Bengaluru)

SHRI MURTHY

In Personal Capacity (G-A/42 APHB Phase 3,

Saidabad)

SHRI K. V. SUBBA REDDY

BIS Directorate General SHRI RAJEEV RANJAN SINGH, SCIENTIST

'F'/SENIOR DIRECTOR AND HEAD (PRODUCTION AND GENERAL ENGINEERING)[REPRESENTING

DIRECTOR GENERAL (Ex-officio)]

Member Secretary
SHRI MONARCH JOSHI
SCIENTIST 'B'/ASSISTANT DIRECTOR
(PRODUCTION AND GENERAL ENGINEERING) BIS

This Pade has been Intentionally left blank

This Pade has been Intentionally left blank

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: PGD 37 (18737).

Amendments Issued Since Publication

| Amend No. | Date of Issue | Text Affected | |
|-----------|---------------|---------------|--|
| | | | |
| | | | |
| | | | |

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.gov.in

| Regional Offices: | Telephones |
|---|------------------------|
| Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002 | { 2323 7617 |
| Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091 | 2367 0012 2320 9474 |
| Northern: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019 | { 265 9930 |
| Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113 | 2254 1442 2254 1216 |
| Western: 5 th Floor/MTNL CETTM, Technology Street, Hiranandani Gardens, Powai Mumbai 400076 | 25700030 25702715 |

Branches: AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.