

वस्त्रादि — वैगन सीलिंग के लिए टेप —
विशिष्टि

(पहला पुनरीक्षण)

**Textiles — Tapes for Wagon
Sealing — Specification**

(*First Revision*)

ICS 91.100.50

© BIS 2024



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

October 2024

Price Group 4

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards after the draft finalized by the Technical Textiles for Clothtech Applications including Narrow Fabrics and Braids Sectional Committee had been approved by the Textile Division Council.

This standard covers cotton tapes in two varieties, one ordinary and other of heavy duty for wagon sealing used in the Indian Railways and to secure and seal the doors of freight wagons, ensuring the integrity and safety of the cargo during transit. These tapes are durable and provide a simple yet effective solution for maintaining security and preventing unauthorized access.

This standard was first published in 1982. This revision has been Brought out in the light of experience gained since its publication and to incorporate the following major changes:

- a) Title of the standard has been modified;
- b) BIS certification marking clause has been modified; and
- c) References to Indian Standard has been updated.

The composition of the Committee responsible for the formulation of this standard is given in [Annex B](#).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard
TEXTILES — TAPES FOR WAGON SEALING —
SPECIFICATION

(*First Revision*)

1 SCOPE

This standard covers ordinary and heavy duty woven cotton tapes used by railways for sealing of wagons.

2 REFERENCES

The standards listed in [Annex A](#) contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards.

3 REQUIREMENTS

3.1 Count of Yarn

The following count of warp and weft yarns may be used for the manufacture of ordinary and heavy duty

types of cotton tapes for wagon sealing:

<i>Sl No.</i>	<i>Characteristic(s)</i>	<i>Ordinary Type</i>	<i>Heavy Duty Type</i>
(1)	(2)	(3)	(4)
i)	Warp	30 Tex × 2 (20 _s /2)	60 Tex × 2 (10 _s /2)
ii)	Weft	60 Tex × 2 (10 _s /2)	60 Tex × 2 (10 _s /2)

NOTE — The count of the yarn is given for the guidance of manufacturers only.

3.2 Length of Roll

The length of the roll in meters shall be not less than the length specified in the contract. Test shall be carried out in accordance with IS 1954.

3.3 The cotton tapes for wagon sealing shall also comply with the requirements given in [Table 1](#).

Table 1 Requirements for Cotton Tapes for Wagon Sealing

(Clause [3.3](#))

Sl No.	Type	Width, mm	Tolerance on Width, mm	Mass, g/m <i>Max</i>	Ends in Full Width <i>Min</i>	Picks/cm <i>Min</i>	Breaking Strength Kgf (N) <i>Min</i>
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
i)	Ordinary	5	+ 1 – 0	1.85	20	12	9 (88)
ii)	Heavy duty	5	+ 1 – 0	2.80	16	10	14 (137)
iii)	Ordinary	10	+ 1 – 1	2.80	30	12	16 (157)
iv)	Heavy duty	10	+ 1 – 1	4.20	22	10	18 (176)
v)	Ordinary	15	+ 2 – 1	3.70	40	12	20 (196)
vi)	Heavy duty	15	+ 2 – 1	6.80	36	10	29 (284)
Method of Test		IS 1954		IS 1964	IS 1963		IS 1969 (Part 1)

4 FINISH

Grey, scoured or bleached as specified in the contract or order.

The scouring loss for bleached, scoured and grey tapes shall not exceed 1 percent, 2 percent and 5 percent, respectively when tested by mild method given in IS 1383.

5 PACKING

Unless otherwise agreed to between the buyer and the seller, each roll shall be wrapped in 40 cm thick polyethylene film (see IS 2508) or waterproof packing paper (see IS 1398).

6 MARKING

6.1 Each roll shall bear a label providing information

about name/trademark of the manufacturer, length (m), width (mm), thickness (mm), and whether ordinary or heavy duty type.

6.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the product(s) may be marked with the Standard Mark.

7 SAMPLING

As follows unless otherwise specified:

SI No.	For Length, Width, Ends and Picks			Sub-Sample Size of Mass, Scouring Loss, Breaking Strength	
	Lot Size (Rolls)	Sample Size (Rolls)	Permissible Number of Defective (Rolls)		
(1)	(2)	(3)	(4)	(5)	
i)	Up to 50	3	0	3	‘Mean ± 0.6 range’ to be within the specified limit
ii)	51 to 150	5	0	3	
iii)	151 to 300	8	1	4	
iv)	301 to 500	13	1	5	
v)	501 and above	20	2	7	

ANNEX A

(Clause 2)

LIST OF REFERRED STANDARDS

<i>IS No.</i>	<i>Title</i>	<i>IS No.</i>	<i>Title</i>
IS 1383 : 2023	Methods for determination of scouring loss in grey and finished cotton textile materials (<i>second revision</i>)	IS 1964 : 2001	Textiles — Methods for determination of mass per unit length and mass per unit area of fabrics (<i>second revision</i>)
IS 1398 : 1982	Specification for packing paper water proof, bitumen-laminated (<i>second revision</i>)	IS 1969 (Part 1) : 2018/ISO 13934-1 : 2013	Textiles — Tensile properties of fabrics: Part 1 Determination of maximum force and elongation at maximum force using the strip method (<i>fourth revision</i>)
IS 1954 : 2024/ ISO 22198 : 2006	Textiles — Fabrics — Determination of width and length (<i>third revision</i>)	IS 2508 : 2016	Polyethylene films and sheets — Specification (<i>third revision</i>)
IS 1963 : 1981	Methods for determination of threads per unit length in woven fabrics (<i>second revision</i>)		

To access Indian Standards click on the link below:

https://www.services.bis.gov.in/php/BIS_2.0/bisconnect/knowyourstandards/Indian_standards/isdetails/

ANNEX B

(Foreword)

COMMITTEE COMPOSITION

Technical Textiles for Clothtech Applications including Narrow Fabrics and Braids
Sectional Committee, TXD 39

<i>Organization</i>	<i>Representative(s)</i>
Additional Controller CQA (General Stores), DGQA, Ministry of Defence, Kanpur	SHRI A. CHOWDHURY (Chairperson)
Federation of Indian Chambers of Commerce and Industry, New Delhi	SHRI ANU HANDA DR T. SENTHILKUMAR (<i>Alternate</i>)
ICAR - Central Institute for Research on Cotton Technology, Mumbai	DR P. JAGAJANANTHA
Indian Technical Textile Association, Mumbai	DR ANUP RAKSHIT SHRI VIKRAM JAIN (<i>Alternate</i>)
M K U Limited, Kanpur	SHRI SUMIT KHANDELWAL SHRI RAJIB PAL (<i>Alternate</i>)
Motilal Dulichand Pvt Ltd, Kanpur	SHRI SHAILENDRA NATH MISRA SHRI SUDHIR SHIVHARE (<i>Alternate</i>)
National Textile Corporation, New Delhi	SHRI R. K. YADAV
Office of Textiles Commissioner, Mumbai	SHRI V. K. KOHLI SHRI HUMAYUN K. (<i>Alternate</i>)
Ordnance Parachute Factory, Kanpur	SHRI V. M. BAGADE SHRI S. KONDAIAH (<i>Alternate</i>)
SGS Limited, Gurugram	MS ANITHA JEYARAJ SHRI GAURAV SARASWAT (<i>Alternate</i>)
S L Banthia Textiles Industries Pvt Ltd, Surat	SHRI SANTOSH KUMAR BANTHIA
Shipra International, Kanpur	SHRI ABHISHEK KUMAR AGRAWAL
Sky Industries Ltd, Navi Mumbai	SHRI KAPIL MEHROTRA SHRI MICHAEL (<i>Alternate</i>)
Synthetic and Art Silk Mills Research Association, Mumbai	SHRI SANJAY SAINI SHRI PREMNATH SURWASE (<i>Alternate</i>)
Thanawala & Co, Mumbai	SHRI HEMAL THANAWALA SHRI VIVAN THANAWALA (<i>Alternate</i>)
The Bombay Textile Research, Association, Mumbai	SHRI SHAIKH RIYAZ AHMED DR PRASANTA KUMAR PANDA (<i>Alternate</i>)
U P Textile Technological Institute, Kanpur	DR PRASHANT VISHNOI
Universal Yarn & Tex Pvt Ltd, Kanpur	SHRI RAJIV K. BHARTIYA
BIS Directorate General	SHRI J. K. GUPTA, SCIENTIST 'E'/DIRECTOR AND HEAD (TEXTILES) [REPRESENTING DIRECTOR GENERAL (<i>Ex-officio</i>)]

Member Secretary
SHRI TANISHQ AWASTHI
SCIENTIST 'B'/ASISTANT DIRECTOR
(TEXTILES), BIS

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: TXD 39 (23566).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

Central : 601/A, Konnectus Tower -1, 6th Floor,
DMRC Building, Bhavbhuti Marg, New
Delhi 110002

Telephones

{ 2323 7617

Eastern : 8th Floor, Plot No 7/7 & 7/8, CP Block, Sector V,
Salt Lake, Kolkata, West Bengal 700091

{ 2367 0012
{ 2320 9474

Northern : Plot No. 4-A, Sector 27-B, Madhya Marg,
Chandigarh 160019

{ 265 9930

Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113

{ 2254 1442
{ 2254 1216

Western : Manakalya, 5th Floor/MTNL CETTM, Technology Street, Hiranandani Gardens, Powai
Mumbai 400076

{ 25700030
{ 25702715

Branches : AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.