

केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:13487

01 11 2019

विषय : IS 13487:1992 के अनुसार Irrigation Equipment - Emitters का प्रॉडक्ट मानुयल –SIT सहित।

- 1) यह उपरोक्त के संदर्भ मे है।
- 2) IS **13487 : 1992** का अनुमोदित प्रॉडक्ट मानुयल BIS वैबसाइट पर: "Conformity Assessment → Product Certification →Product Specific Guidelines→ Product Manual" के अंदर होस्ट कर दिया गया है।
- 3) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमे SIT भी संयुक्त है, को अनुज्ञप्तिधारकों व आवेदकों को 7 दिन के भीतर भेजें। प्रॉडक्ट मानुयल मे दिये SIT का 30 दिनों के भीतर अनुपालन किया जाना चाहिए।

(अदानी खासी)
वैज्ञानिक सी (कें.मु.वि.-2)

प्रमुख, (कें.मु.वि.-2)

क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित

प्रतिलिपि: ITS - इंटरनेट पर अपलोड करने के लिए

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16:13487

01 11 2019

Subject: Product Manual for Irrigation Equipment - Emitters According to IS 13487:1992

1. This has reference to the subject mentioned above.
2. The approved Product Manual for IS **13487 : 1992** has been hosted on the BIS website under "Conformity Assessment → Product Certification →Product Specific Guidelines→ Product Manual".
3. BOs are advised to send this Product Manual which incorporates SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

Adane Khrasi
Sc. C(CMD-2)

Head (CMD 2)

Circulated to: All ROs/BOs through BIS intranet

Copy to: ITS for hosting on Intranet