भारतीयमानक Indian Standard

IS XXXXX : 2024

होम्योपैथी की____पारिभाषिक शब्दावली

होम्योपैथी से संबंधित <u>सामान्यतः</u> प्रयुक्त शब्दों की मानकीकृत शब्दावली

Glossary of Terms in Homoeopathy — Glossary of Terms

Standardized Terminology for Commonly Used Terms Related to Homoeopathy

ICS 01.020

© BIS 2024



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002 www.bis.gov.in www.standardsbis.in

August 2024

Price Group 9

Homoeopathy Sectional Committee, AYD 07

FOREWORD

This Indian Standard was adopted by the Bureau of Indian Standards after the draft finalized by the Homoeopathy Sectional Committee had been approved by the Ayush Division Council.

Homoeopathy, a system of medicine originating in the late 18th century, drew upon prevalent ideas and concepts of that era. The terms utilized today were initially translated from German in the original 18th century writings. Many of these words and expressions have evolved from their original meanings and have taken on new connotations within the context of homoeopathic practice.

These terminology standards have been developed to cater to the needs of pharmaceutical professionals, practitioners, academicians, students, and the public.

The aim is to provide standardized definitions for these terms as they pertain to homoeopathic practice, prescriptions, pharmaceutical preparations, and homoeopathic philosophy. This standardization is intended to facilitate better understanding and consistent usage among various stakeholders. This document is not a treatise on homoeopathic philosophy and practice; therefore, operational modalities in the concepts are not elaborated upon.

The definitions presented here have been drawn from authoritative sources such as the Homoeopathic Thesaurus of the European Committee for Homeopathy (2016), the Homoeopathic Pharmacopoeia of India, incorporating an understanding of writings of renowned figures in homoeopathy, including Dr- Samuel Hahnemann, Dr- J T Kent, Dr- Stuart Close, and Dr- B K Sarkar. All efforts are made to compile the different ideas given by the authorities into single definitions.

All definitions are attempted to be in the contemporary English language for better understanding across different stakeholders.

Issues have been raised by various stakeholders regarding the spelling of 'Homoeopathy'. The system is also spelled as Homeopathy in some parts of the world. Currently, the legislature in India uses the spelling Homoeopathy in all its legislative and regulatory documents, which are mandatory provisions. BIS, though it considers the contemporary structure, does not attempt to create a terminology and spelling debate and, therefore, uses the spelling 'Homoeopathy' only in the title and elsewhere. The different spellings are, however, mentioned along with the main term.

The terminologies in this document are arranged alphabetically to avoid hierarchical conflicts, and it is not a thesaurus/-indexing document to provide a tree format of terms. The terms that have substantial overlap between modern medical terminology and their usage in homoeopathy have not been included in this compilation.

It's important to note that these standards are subject to any relevant rules and regulations that may apply. It's also worth mentioning that these definitions do not encompass the operational mechanisms and procedures associated with the terms.

The composition of the Committee responsible for the formulation of this standard is given in Annex A.

Indian Standard

GLOSSARY OF TERMS IN HOMOEOPATHY — GLOSSARY OF <u>TERMS</u>

STANDARDIZED TERMINOLOGY FOR COMMONLY USED TERMS RELATED TO HOMOEOPATHY

1 SCOPE

This standard covers a brief description/definition of commonly used terminologies relevant to homoeopathy.

2 TERMINOLOGY

2.1 Acute Disease	 Formatted: Space After: 9 pt
<u>An illness with rapid onset tends to finish its course in a short period of time. It can be in the form of a sporadic illness</u> , endemic-illness, or epidemic conditionor pandemic magnitude.	
2.2 Aggravation	 Formatted: Space After: 9 pt
— Worsening or increase in severity, or intensity, or frequency, or duration of symptoms, sensations, signs, or general condition of an individual.	
This aggravation can be:	
2.2.1 Disease Aggravation	 Formatted: Space After: 9 pt
<u>An increase in intensity or severity of a existing disease condition.</u>	
2.2.2 Medicinal Aggravation	 Formatted: Space After: 9 pt
An increase in intensity or appearance of new symptoms in responsedue to the medicine given for the treatment.	
2.2.3 Homoeopathic Aggravation	 Formatted: Space After: 9 pt
A transient aggravation of <u>existing</u> symptoms <u>but</u> with the general well-being of the patient. It is essentially an immune response of the body to the similimum. The symptoms follow the natural course of the disease, leading to <u>complete</u> -recovery.	
2.3 Amelioration	Formatted: Space After: 9 pt
<u>Any</u> improvement in the <u>severity</u> , frequency, duration, or intensity of the existing symptoms, sensations, and signs of the patient.	
2.4 Anamnesis	 Formatted: Space After: 9 pt
<u>Anamnesis is the process of aggregation of information gathered during a thorough history-taking, considering every minute aspect in detail, which is used for the repertorization and prescribing the similimum.</u>	
2.5 Antidotes	 Formatted: Space After: 9 pt
Substances or drugs which, when taken, nullify the effect of a medicine given to an individual.	
2.6 Aqua Purificata	 Formatted: Space After: 9 pt
Purified water used for the preparation and dispensing of medicines other than those that are required to be both sterile and pyrogenic free.	Formatted: Space After: 9 pt
2.7 Artificial Disease	Commented [11]: Kindly review
Artificial disease is described in the Organon of Medicine in Anhorism 520 and 574 in different contants	Commented [12B1]: This is the symbol for "aphorism"

Now deleted.

- Artificial disease is described in the Organon of Medicine in Aphorism 529 and 524 in different contexts.

An artificial morbid affection develops following administration of a medicinal agent selected on account of accurate similarity of symptoms used in potentized form, which is similar to the natural disease and is overcome by the natural healing reaction of the individual, leading to cure (Aphorism § 29).

Artificial chronic disease is produced by prolonged use of violent heroic drugs in large and increasing doses, usually seen with Allopathic treatment, which leads to organic alteration (Aphorism $\frac{5}{9}$ 74)

2.8 Autonosodes

<u>A</u> homoeopathic preparation in potentized form from pathological discharges or substances of an individual, used for treatment in the same individual.

2.9 Aversions

<u>_____</u>Strong and specific dislikes related to food, drinks, environmental factors, situations, and activities that may or may not affect the individual's health.

2.10 Basic Research/-Fundamental Research in Homoeopathy

<u>Research</u> concerned with fundamental aspects of Homoeopathy. These include studies conducted in basic sciences such as mathematics, chemistry, physics, biology, genomics, etc_{277} validating the drugs, medicines, and principles of homoeopathy. These include but are not limited to studies on the mechanistic action of homoeopathy, physicochemical properties, pharmacological properties, biological action, the use of high dilutions in environmental, microbiological, plant, or animal models, and models based on basic scientific principles.

2.11 Biochemic Drugs/-Schüssler Tissue Salts/-Tissue Remedies

<u>—</u>Triturated preparations of 12 inorganic salts developed by Dr Schussler (1821 <u>to</u> -1895), a German physician. The drugs are prescribed based on the premise that an illness is caused by a deficiency of these salts and is corrected by giving these salts in low potencies as indicated by the characteristic symptoms. These 12 biochemic drugs are Calcarea fluoricum, Calcarea phosphoricum, Calcarea sulphuricum, Ferrum phosphoricum, Kalium muriaticum, Kalium shosphoricum, Kalium sulphuricum, Magnesia phosphoricum, Natrum muriaticum, Natrum sulphuricum, Silicea.

2.12 Boenninghausen Method

<u>A</u> case analysis method developed by Dr. CMF <u>Von-von</u> Boenninghausen (1785-<u>to</u>1864), a European physician. <u>The This</u> method involves analysis and evaluation of the case based on 'Complete Symptom', which includes location(s), sensation(s), modality(ies), and concomitant(s). The theory of grand generalization is used to complete the symptoms, i.e., what is true to a part is true to a whole.

2.13 Bowel Nosodes

<u>Group of homoeopathic drugs (nosodes)</u> prepared from <u>endotoxinsendo</u> or <u>exotoxinsexotoxin</u> of human intestinal flora, (<u>culturing non-lactose</u> fermenting bacteria) in a favourable liquid broth medium. This process was invented by Dr Edward Bach (1886–<u>to</u> 1936) and was further developed by Dr John Paterson (1822–<u>to</u> 1880) and Dr Elizabeth Paterson (1874–<u>to</u> 1963).

2.14 Case Analysis

<u>A</u> step undertaken by a physician to find the most suitable medicine by identifying the characteristics of the clinical picture of a patient, which includes the lifetime history of the evolution of the disease. The symptoms and signs of the patient are segregated in a specific method (for example, Kentian method, Boenningausen method, etc).) and are correlated with the characteristics in the homoeopathic Materia Medica. This may or may not involve the use of repertory.

2.15 Causa Occasionalis

<u>Maintaining</u> or exciting cause; referring to the idea that certain external factors or events can trigger or influence a person's illness (exciting cause) or can maintain it (maintaining cause).

2.16 Characteristic Symptom(s)

ndividual,	
• that may	Formatted: Space After: 9 pt
in basic ines, and beopathy, utions in s.	Formatted: Space After: 9 pt
hysician. lts and is iochemic , Kalium , Natrum	Formatted: Space After: 9 pt
← European n', which n is used	Formatted: Space After: 9 pt
• of human s process - <u>to</u> 1880)	Formatted: Space After: 9 pt
•	Formatted: Space After: 9 pt

Formatted: Space After: 9 pt

Formatted: Space After: 9 pt

<u>The characteristic symptom is identified as a symptom or a sign that is more-particularly</u> striking, singular, uncommon, and peculiar to which the symptoms of the selected medicine must correspond. These are well-marked and have a typical feature(s), attribute(s), or trait(s), which serve as a distinguishing peculiarity of an individual.

2.17 Chronic Disease

I

____Diseases with small, often imperceptible beginnings that continue to derange the health of an individual, usually for a long duration, and terminate in death unless treated with proper anti-miasmatic remedies.

2.18 Classical Homoeopathy	(Formatted: Left, Space After: 9 pt, Line spacing:
<u>Method</u> of prescribing, wherein a single homoeopathic medicine is used in an appropriate dosage form, based on the totality of symptoms of the patient in accordance with homoeopathic principles defined in the organon of medicine.		Multiple 1.08 li, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)
2.19 Clinical Homoeopathy	(Formatted: Space After: 9 pt
<u>Method</u> of homoeopathic therapeutics in which homoeopathic medicine is selected according to the clinical diagnosis and the corresponding indications based on somatic symptoms, organ affinities, tissue affinities, disease affinity, etiological prescribing, or specifics.		
2.20 Clinical Research in Homoeopathy/-Homoeopathic Clinical Research	(Formatted: Space After: 9 pt
-Clinical research is clinical investigations on humans and animals using homoeopathic drugs (or drugs prepared as per homoeopathic principles) to establish the safety and efficacy of diagnostic, therapeutic, or prophylactic drugs or techniques, as well as to collect epidemiological data.		
2.21 Clinical Trial in Homoeopathy/-Homoeopathic Clinical Trial	(Formatted: Space After: 9 pt
<u>Systematic</u> study of homoeopathic drugs or investigational homoeopathy products (IHP) on participants (whether patients or healthy volunteers) to discover or verify the clinical, pharmacological (including pharmacodynamics/-pharmacokinetics). the action of drugs with the <u>objectiveobject</u> of determining their safety and/or efficacy and/or clinical utility.		
2.22 Clinical Validation	(Formatted: Space After: 9 pt
<u>A</u> method by which the pathogenesis of the drugs is confirmed in pre-identified clinical conditions and diseases to evolve develop more precise and confirmed prescribing indications for the drugs used in homoeopathy.		
2.23 Clinical Verification		Formatted: Font: Complex Script Font: +Body CS
A process of <u>applyingicationapplication of</u> drugs based on symptoms to confirm <u>that</u> the symptoms produced		(Mangal), 11 pt, Not Bold
during drug proving in healthy persons are alleviated by the same drug in persons with the disease. The-This process identifies the clinical utility of the drugs in different disease conditions and the symptomatology of the patients on which future prescriptions can be madebased.		Formatted: Space After: 9 pt
2.24 Comparative Materia Medica	-	Formatted: Font: Complex Script Font: +Body CS
Comparative study or comparisons of the drug pictures of closely running homoeopathic medicines to identify the	\mathbb{Z}	(Mangal), 11 pt, Not Bold
similarities and dissimilarities between them.	l	Formatted: Space After: 9 pt
2.25 Complementary Effects		Formatted: Font: Complex Script Font: +Body CS
The effects of certain homoeopathic drugs that augment (assist or reinforce) the action of the previously prescribed medicine, which has acted and tends to complete the action of the previous medicines.		(Mangal), 11 pt, Not Bold Formatted: Space After: 9 pt
2.26 Concomitant Symptoms —	(
	l	Formatted: Space After: 9 pt
_symptonis mannesting themselves sinutraneously of in succession with the enter complaint which has hownhout any physiological or pathological relation with the latter <u>it</u> .		
2.27 Constitution	(Formatted: Space After: 9 pt

these having a balance and functional output of its own, a given capacity for adaptation, and a mode of reaction towards its environmental stimuli. It is a peculiar group of These qualities and tendencies are determined by the inherent peculiarities of the individual and by the influences exercised by the environment upon the individual.

Case analysis based on the study of the <u>a</u> patient's constitution is called constitutional analysis. Prescription based on the assessment of the constitution is called constitutional prescribing. Medicines that match a patient's constitution are is called constitutional medicine. A homoeopathic medicine prescribed based on the constitutional characteristics of an individual is known as a constitutional remedy.

2.28 Desires	Formatted: Left, Space After: 9 pt, Line spacing:
Strong and specific likes related to food, environmental factors, situations, and activities which may or may not affect the individual's health but may be associated with <u>theirthe</u> physical or emotional comfort of the individual.	Multiple 1.08 li, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)
2.29 Diathesis	Formatted: Space After: 9 pt
<u>A mental or physical (inherited or acquired)</u> chronic predisposition or disease state, which can be inherited or <u>acquired</u> .	
2.30 Diluent	Formatted: Space After: 9 pt
<u>A neutral vehicle</u> , used to prepare <u>dilutions</u> while preparing homoeopathic drugs.	
2.31 Dilution/Attenuation	Formatted: Space After: 9 pt
<u>Reduction of the</u> concentration of a substance or mixture of substances by adding suitable vehicles. By t <u>Thisthis</u> process, there occurs a decreases decrease in the quantity of the original matter in a given portion of the mixture/solution, and at the same time, while also reducing its physical and chemical properties are reduced.	
The potentized liquid homoeopathic preparations are also called dilutions.	
In homoeopathy, the packed liquid preparations, prepared by the method of succussion as per the scale, are also called dilutions.	
2.32 Direction of Cure/-Law of Cure/-Hering's Law of Cure/-Hering's Rule	Formatted: Space After: 9 pt
Progressive improvement in a patient's state is indicated by directional changes in the symptoms from above downwards, from within outwards, from more vital to less vital organs, and in the reverse order of their appearance.	
2.33 Dispensing Material	Formatted: Space After: 9 pt
Homoeopathic medicines prepared in liquid potencies are dispensed by adding liquid <u>medicine/or</u> solid <u>medicine</u> to the dispensing <u>material medium</u> . This <u>material medium</u> may be purified water, sugar of milk, sugar globules, tablets of neutral material or other forms depending upon the application of the medicines. The medicines used orally are added in sugar globules and dispensed in plastic or glass bottles, usually labeled with the name of the medicine and its potency. The dosage for oral medicines is identified as the number of globules or drops of medicine to be taken at a time.	
2.34 Doctrine of Signature	Formatted: Space After: 9 pt
<u>A</u> postulate that was first proposed in the middle ages <u>according to which, suggesting that</u> the external characteristics of a substance can indicate its possible therapeutic effects by matching its physical appearance or characteristics with the body organs that it appears similar toresembles.	
2.35 Dosage Form	Formatted: Space After: 9 pt
<u>Liquid, solid, or semisolid (cream, ointments, gels, etc)The.</u>) form in which the patient is advised to use the prescribed medicine(s), including liquid, solid, or semisolid (such as dilutions, globules, cream, ointments, gels, etc.).	
2.36 Drug Affinity/-Sphere of Action	Formatted: Space After: 9 pt
<u>—</u> The attraction between a drug and part of an organism (maybe receptor, tissue, organ, or system). It refers to how strongly a drug tends to affect a body organ or system. Based on the affinity of a drug, <u>i.e. that is</u> , its organ affinity or tissue affinity, the sphere of action is defined.	
2.37 Drug disease	Formatted: Space After: 9 pt
Diseases which are induced by drugs.	
2.38 Drug Families/-Family Relationships	Formatted: Space After: 9 pt

<u>A</u> group of homoeopathic medicines belonging to a particular class by virtue of its chemical composition or source used. This may include family/genus/species of plants or animals such as Liliaceae, chemical constituents such as Kali salts (having potassium cation), or biological families such as snake medicines derived from snake venoms, etc.

2.39 Drug Pathogenesis	Formatted: Left, Space After: 9 pt, Line spacing:
<u>Mechanism</u> by which a drug produces its patho-physio-psycho-behavioral effects or influences in the development and/-or progression of a disease condition in an individual.	Multiple 1.08 li, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)
2.40 Drug Picture/-Remedy Picture	Formatted: Space After: 9 pt
Group of symptoms belonging to a specific medicine comprising all the recorded characteristic symptoms and signs that for which the medicine can be used for to treating an individual. It includes the constitution, sphere of action, pharmacological action, symptoms produced during drug proving, toxicological symptoms, and clinical symptoms.	
2.41 Drug Proving/—Homoeopathic Pathogenetic Trials (HPT)/—Experimental Pathogenesis (EP)/ Homoeopathic Drug Proving (HDP)	Formatted: Space After: 9 pt
<u>—</u> Drug proving is a process unique to Homoeopathy and is a preliminary step of inclusion of a drug in Homoeopathy. Controlled trials are conducted on healthy human volunteers (called Provers) with-using a drug prepared according to homoeopathic pharmaceutical techniques to identify symptoms and signs developing in the volunteers, which forms the proving data (proving symptoms) of the drug.	
2.42 Drug relationships/-Concordance/-Drug interactions/-Relationship of Drugs	Formatted: Space After: 9 pt
The interactive relationship of different homoeopathic drugs may have beneficial or detrimental effects on the organism. The relationship also guides towards remedies that should precede or succeed drugs for a favorable result. These can be antidoted by, antidotes, inimical, complementary to, cognates, follows well, followed by, relieves ailments from, etc.	
2.43 Eliminating Symptoms	Formatted: Space After: 9 pt
A characteristic symptom of the patient due to its peculiarity in the case is chosen as the defining criterion for determining the similimum and to eliminate closely running medicines which do not include that symptom prominently in their therapeutics or drug proving records.	
2.44 Essence of the Remedy/-Genius of the Remedy/-Remedy Essence	Formatted: Space After: 9 pt
The unique character of a medicine that gives its individuality. It is considered and serves as the central theme, around which the symptomatology of the drug revolves. The patient must exhibit these characteristics for the prescribing prescription of such remedies or finding the similimum.	
2.45 Evaluation of Symptoms/-Grading of Symptoms/-Hierarchization of Symptoms	Formatted: Space After: 9 pt
<u>A</u> process of <u>segregation segregating</u> and <u>relative</u> ranking of symptoms and signs gathered during case taking based on their significance and intensity utilized for repertorization and <u>choice selection</u> of <u>accurate</u> remedy.	
2.46 Excipients	Formatted: Space After: 9 pt
<u>Inert</u> substances (like lactose, purified water, ethyl alcohol, $etc_{\overline{z}}$) used as diluents to ensure dilution, preservation, and stability in homoeopathic drug preparation.	
2.47 General Symptoms/-Generalities	Formatted: Space After: 9 pt
<u>Symptoms, that are not descriptive of the local pathology</u> , but relate to the patient as a whole, for For example, bodily reactions to the environment, mental and physical states, aversions and desires, body secretions and discharges, and modalities etc.	
2.48 Genus Epidemicus/-Epidemic Remedy	Formatted: Space After: 9 pt
<u>A</u> remedy that is found to be indicated in most cases of the same disease during <u>ana period of</u> outbreak (epidemic or pandemic) by identifying symptoms <u>in common to</u> many cases of similar conditions. Such medicine can be used <u>both</u> as <u>a</u> preventive as well as<u>and</u> as <u>a</u> curative for that particular outbreak.	
2.49 Globules	Formatted: Space After: 9 pt
— These are solid, globular preparations in different sizes made from sucrose or a combination of sucrose and lactose used as a vehicle for homoeopathic medicines intended for oral use.	

2.50 Good Clinical Practice Guidelines for Clinical Trials in Homoeopathy/-GCP Homoeopathy	
— A standard document identifying_outlining a comprehensive set of minimum standards for undertaking conducting_clinical, public health, social and behavioral research using homoeopathic medicines or new substances to be incorporated in Homoeopathy.	Formatted: Left, Space After: 9 pt, Line spacing: Multiple 1.08 li, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)
2.51 Grades of Medicines	Formatted: Space After: 9 pt
— A hierarchical representation <u>of the medicines</u> in the form of different <u>typography_typographies</u> <u>of the</u> <u>medicines-based</u> on the <u>basis of</u> -validation of their <u>use</u> clinical <u>ly use</u> , to <u>give an indication indicate</u> <u>of</u> their importance under specific rubrics in repertories.	
2.52 Guiding Symptoms	Formatted: Space After: 9 pt
These symptoms are highly characteristic of a particular drug.	
2.53 Hahnemannian Potentization/-Multi Glass Method/-Hahnemannian Dilution	Formatted: Space After: 9 pt
The potentization technique requiring the formation of each successive potency in a new, fresh, clean glass bottle. A new well-cleaned stoppered glass vial is used for succussion for each potency made by combining 1 part of the original volume and adding 99 parts of diluent to the new vial for each attenuation. It is represented as CH. This method was given by Dr Samuel Hahnemann (1755- <u>to</u> 1843).	
2.54 Homoeopathic Drug	Formatted: Space After: 9 pt
— Any therapeutic agent prepared pharmaceutically from a standardized substance according to the rules, regulations, and methods <u>given outlined</u> in a recognized Homoeopathic Pharmacopoeia. <u>In homoeopathic parlance</u> , <u>adrug</u> , <u>medicine</u> , <u>and remedy are differentiated</u> . <u>as aA</u> drug is a substance capable of therapeutic actions. <u>A medicine beingis</u> a proven drug whose action on various constitutions and in various dosages is well established	
and <u>can be</u> -predictedable_prior to its administration <u>infor</u> a disease <u>-condition</u> . An indicated homoeopathic medicine, when given to the sick on the basis of individual symptom similarity and can bring aboutresulting in a <u>cure (in curable diseases)</u> , is termed a remedy.	
These drugs can be classified based on the sources from which they are prepared. Homoeopathic drugs can be:	
2.54.1 Plant Drugs	Formatted: Space After: 9 pt
<u>Sourced</u> from the plant kingdom, for example, Aconitum napellus, Belladonna, Lycopodium clavatum ₂ etc.	
2.54.2 Animal Drugs	Formatted: Space After: 9 pt
Sourced from the animal kingdom, for example, Apis mellifica;_Lachesis;_Tarantula cubensis_etc.	
2.54.3 Mineral Drugs	Formatted: Space After: 9 pt
<u>Sourced</u> from the mineral kingdom, i.e., from elements and their compounds, for example, gold, silver, lead, aluminum, copper, sodium chloride, potassium chloride, etc.	
2.54.4 Sarcodes	Formatted: Space After: 9 pt
Prepared from healthy organisms, healthy animal tissues, glands, or their secretions, for example, Thyroidinum, Adrenaline, Cholesterinum, etc.	
2.54.5 Nosodes	Formatted: Space After: 9 pt
<u>Prepared</u> from biological materials that are taken from diseased tissues, microbes, and clinical materials (secretions, discharges, etc), that are subsequently potentized, for example, Tuberculinum, Medorrhinum, Syphilinum, Influenzinum, Morbillinum etc.	
2.54.6 Imponderabilia	Formatted: Space After: 9 pt
<u>Prepared</u> from dynamic energies, for example, magnets, electricity, radium, x-ray etc. Imponderabilia means not weighable, thati-ethat is,	

In homoeopathic parlance, a drug, medicine, and remedy are differentiated as a drug is a substance capable of the therapeutic action, medicine being a proven drug whose action on various constitutions and in various dosages is well established and can be predicted prior to its administration in a disease condition. An indicated homoeopathic medicine, when given to the sick on the basis of individual symptom similarity and can bring about a cure (in eurable diseases), is termed a remedy.

2.55 Homoeopathic Medicine

<u>Any drug which is recorded in homoeopathic provingsproving</u> or <u>whose</u> therapeutic efficacy of <u>which</u> has been established through long clinical experience <u>as and</u> recorded in authoritative literature of Homoeopathy, and which is prepared according to the techniques of homoeopathic pharmacy.

2.56 Homoeopathic Stocks

<u>_____</u>Substance or preparation used as <u>the</u> starting material for dilution or trituration in the preparation of homoeopathic potencies. This includes both raw material and starting material.

Homoeopathic raw material is a substance used to make a starting material, but it may not itself be used directly to produce homoeopathic potency.

Homoeopathic starting material is the <u>material substance</u> used to directly manufacture the first homoeopathic preparation usually a tincture or the first potency (1X or 1C trituration or attenuation, respectively).

2.57 Homoeopathy

<u>—</u>Homoeopathy is <u>a medical system</u> nan art and science of healing based on the <u>natural principle of similia (see</u> 2.96). 'Let Likes Be Cured By Likes', i.e., treatment is undertaken by using substances capable of causing the same symptoms when administered to healthy persons (elicited by drug proving). Theis therapeutic <u>system</u> method assumes that a deviation from the normal state of health of a person can be restored to normalcy by means of a stimulus, usually applied in the form of drugs, capable of producing a similar deviation in <u>healthy</u> <u>individual</u>health when given in sub-physiological doses. Due to the hypersensitivity and altered receptivity of the body tissues to stimuli, the minute sub-physiological doses of a similar stimulus (homocopathic drugs) help in restoring the deranged health of sick persons to the previous normal state.

Homoeopathy is a system of personalised medicine which Homoeopathy is a system of personalized medicine that aims to stimulate the patient's natural healing capacities. It is based on the principle of 'similia similibus curentur' (let like be treated by like), which uses medicines whose effects on healthy individuals match the symptoms of the patients. Homoeopathic medicines are prepared by <u>a</u>-process of potentization (serial dilution followed by trituration or succussion) and are administered in minimal doses.

2.58 Homoeopathic Materia Medica

<u>— A comprehensive collection of information about the therapeutic properties and effects of various substances</u> derived from different sources and used as homoeopathic medicines for therapeutic use.

As a branch of Homoeopathy, it involves study of symptomatology of the drugs, their drug picture, which is matched with that of the patient to select the most suited medicine. It also includes study of origin, preparation, doses and administration of drugs.

2.59 Homoeopathic Physician/-Homoeopath/-Homoeopathic Practitioner

----Practitioners trained and qualified in Homoeopathy as per the applicable laws and regulations, for practicing in the specific country.

In the-Indian context, a-this refers to personsperson holding qualifications granted by universities, boards, or medical institutions recognized under the *National Commission for Homoeopathy Act*₂ 2020 and registered with a state board/-state council and/-or national commission for homoeopathy.

2.60 Homoeopathic Pharmacopoeia of India

---Official document prepared, developed, and published by the pharmacopoeia commission for Indian medicine and homoeopathy comprising drug monographs dealing with standards of homoeopathic medicines (raw drugs and finished products), including its-their methods of preparation.

2.61 Hormesis

A biphasic adaptive response of cells and organisms based on dose response to an environmental agent based on dose-response where low doses stimulate or have a beneficial effect in contrast to high doses exhibiting an inhibitory or a toxic effect.

Formatted: Left, Space After: 9 pt, Line spacing: Multiple 1.08 li, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)

Formatted: Space After: 9 pt

Formatted: Space After: 9 pt

Formatted: Space After: 9 pt

Formatted: Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)

Formatted: Space After: 9 pt

Formatted: Font: Complex Script Font: +Body CS	
(Mangal), 11 pt, Not Italic	

Formatted: Space After: 9 pt

2.62 Idiosyncrasy	Formatted: Space After: 9 pt
<u>Peculiar corporeal constitution which</u> , although otherwise healthy, possesses the <u>has a</u> disposition to be brought into a more or less morbid state by certain things that seem to produce no impression and no change in many other individuals.	
2.63 Impregnation	Formatted: Space After: 9 pt
The process or act of saturation of globules with liquid homoeopathic potencies.	
2.64 Incompatible Medicine/-Inimical Medicine	Formatted: Space After: 9 pt
<u>A drug known to producing produce</u> an undesirableedeffect or adverse drug interaction when used administered after another homoeopathic drug-medicine in an individual patient.	
2.65 Intercurrent Medicine	Formatted: Space After: 9 pt
<u>A</u> medicine used during the treatment to provide renewedrestore activity in a stalled case. Application The application of the intercurrent drug paves facilitates the way for completing completion of the action of the initially prescribed indicated medicine prescribed initially.	
2.66 Individualization	Formatted: Space After: 9 pt
A process of identifying a similimum, wherein <u>the</u> drug pathogenesis is matched with the symptom complex of an individual, rather than <u>being</u> based on the name of the disease, and includes responses on the physical, mental, emotional, and social planes by the individual on various factors during health and disease state.	
2.67 Investigational Homoeopathic Product (IHP)	Formatted: Space After: 9 pt
<u>Investigational Homoeopathic Product is any new substance usage</u> that is not recorded in any homoeopathic authoritative literature and which has been prepared according to the homoeopathic pharmaceutical processes intended for being tested in a study as a homoeopathic drug in a study. This also includes combinations of existing drugs, where standardization parameters of which are different from that those of its the individual constituents.	
2.68 Isopathy	Formatted: Space After: 9 pt
Treatment of a disease using potentized drugs prepared from the causative agent of the disease itself, including organisms and allergens.	
2.69 Kentian School/Kent's Method	Formatted: Space After: 9 pt
<u>—</u> The approach of practicing Homoeopathy with analysis of symptoms as mental symptoms, physical generals, and particulars and using the repertory developed by Dr- JT Kent (1849- <u>to</u> 1916) or its later versions and adaptations based on <u>his</u> teachings by Dr. JT Kent. This approach is included in classical Homoeopathy.	
2.70 Keynotes/ Keynote Symptoms	Formatted: Space After: 9 pt
<u>Leading characteristics of a drug which are relatively specific and unique to that drug. The This</u> term was coined by Dr HN Guernsey (1817- <u>to</u> 1885).	
2.71 Korsakov Potentization/-Jarricot Potentization/-Single Glass Method/-Single Flask Method/-K* Potencies	Formatted: Space After: 9 pt
— Potentization technique where in which a well-well-cleaned stoppered glass vial is used for succussion. involving with the removal of 99 parts of the original volume and addition of 99 parts of diluent to the remaining volume at each level of potentization. Potentization for For further potencies potentization continues in the same i sis done in a similar manner with the use of a single vial for the process instead of using individual vials for each potency, as is done in the Hahnemannian method.	
It is represented as "CK" or "C" instead of "CH" to distinguish it from the Hahnemannian method of potentization. This method was given by Count Iseman von Korsakoff (1788- <u>to</u> 1853).	
2.72 Local Symptoms/-Locals/-Particular Symptoms/-Particulars/-Physical Symptoms/ Somatic Symptoms	Formatted: Space After: 9 pt

Changes and ailments that appear or are fe manifestation expression of the illness in rel

2.73 Maceration

The specific process in which pulp or fi solvent of alcohol and water in percentage a solvent penetrates the cellular structure of Maceration is done with agitation twice a da

-Characteristics of the mental and emotion of the illness involve the mind. Includes Th These can be interpreted as symptoms when of a person noted during an illness.

2.75 Miasms

In the context of homoeopathic philos Hahnemann (1755-to 1843) proposed this the organon of medicine in 1829.

Case analysis based on the study of the miast approach or miasmatic prescribing).

2.76 Modalities (Singular: Modality)

-Factors that modify the behavior, level, pathology, or disorder). These can be related weather, movement or position of the body, status or physical conditions of an individua

Factors that cause aggravation or amelior modalities respectively.

2.77 Mother Tincture

The first liquid hydroalcoholic prepa pharmaceutical techniques. It is prepared as It can be used independently or can be used usage.

2.78 M Potencies

Part of the centesimal scale of potentizati as 1M, 10M and, CM CM- etc.

2.79 Observational Study

In homoeopathic treatment studies, obs prophylactic treatments treatment under rou investigatorsinvolves assessing assess healt protocol, where participants receive interv participants are not assigned to novel interve conducted with or without a control group. just observe the clinical phenomenon to fin symptom (outcome).

2.80 Organon of Medicine

- Authoritative text written by Dr Samuel H and guiding principles for the practice of homoeopathy in the form of aphorisms. Five editions of the organon of

elt on the external parts of the body <u>, reflecting expressing</u> the local lation to a particular organ <u>, or</u> organ system <u>, or to</u> regional anatomy.	
	Formatted: Space After: 9 pt
inely divided drug is soaked for a pre-specified number of days in a as defined in the Pharmacopoeia and is agitated occasionally until the the dissolved substance to extract the active principles of a drug. ay using a clean stirrer.	
ymptoms	Formatted: Space After: 9 pt
nal state of the patient, irrespective of whether the presenting features <u>is includes</u> symptoms of will, understanding, memory and emotions. In there are characteristic changes in the thinking, action, and behavior	
	Formatted: Space After: 9 pt
sophy, miasms are the root cause of chronic diseases. Dr Samuel theory in his text 'Chronic Diseases' in 1828 and in the 4 th edition of	
matic burden of the patient is called miasmatic analysis (or miasmatic	
•	Formatted: Space After: 9 pt
, degree of intensity, or severity of a clinical state (symptom, sign, ted to the time of the day or night, season, environmental factors, situations, food, drinks or intake of any other substance, and emotional al, etc.	
ration in an individual are aggravation modalities or amelioration	
	Formatted: Space After: 9 pt
aration made from raw drug material as per the homoeopathic per the provision given in recognized Homoeopathic Pharmacopoeia. for preparation of further potencies and preparation of other forms of	
	Formatted: Space After: 9 pt
ion where the romanRoman numeral "M" is used to denote 1000, such	
	Formatted: Space After: 9 pt
servational study designs collect <u>findings_data_on</u> a-therapeutic or titine clinical conditions. <u>It-Thisis a</u> clinical research <u>design wherein</u> h outcomes in groups of participants according to a research plan or ventions or procedures as part of their routine medical care. The entions by the investigator as in a clinical trial. These studies may be It is a clinical research method wherein the investigators/-researchers nd a relation between drug administration (exposure) and a disease/	
	Formatted: Space After: 9 pt
Hahnemann (1755-to 1843), which incorporates the philosophy, rules,	

medicine were published during his lifetime, and the sixth was published posthumously. The fifth and the sixth editions are the most frequently referred editions.

AlsoIt is also, a branch of homoeopathy that involves the study of philosophy, principles, and practice of Homoeopathy.

2.81 Organotherapy

<u>Organotherapy</u> is a method of <u>reaching identifying</u> the similimum for a patient by focusing on the diseased, imbalanced, or dysfunctional organ instead of the organism as a whole. This <u>method helpsapproach aims</u> to remove certain blocks acting as obstacles to cure. Small and frequently repeated material doses are usually used in this mode of treatment.

2.82 Percolation

<u>—</u>Percolation is a method of extraction of phytochemicals and other constituents from dried drugs of plant/ animal origin using alcoholic (ethyl-alcohol) or hydro-alcoholic solvent using a percolator. It is a specific process adopted for the extraction of dried, non-gummy, and non-mucilaginous drugs of vegetable and other organic (animal) substances using an apparatus called percolator, made up of glass, stainless steel, or porcelain. Drug substances are reduced to powder form according to the grades of fineness as specified in the respective drug monographs of homoeopathic pharmacopoeia. The usual time taken for collecting extract/tincture from the percolator is 24 h to 30 h. Formatted: Space After: 9 pt

2.83 Polychrests/-Polychrest Medicines —

A dDrugsdrug that is are sufficiently proven and used in homoeopathic clinical practice and can be used for the treatment of a number of diseases because of their wide therapeutic action.

2.84 Posology

<u>—</u>The science of doses₂ which includes the particular preparation of medicine used, its quantity and form of preparation, and its route of administration.

2.85 Potency/-Succussed Dilutions/-Potencies/-<u>Ultra High Dilutions</u>_____The potency of homoeopathic medicine represents the number of times it has undergone the potentization Theon a prefixed scale.

2.86 Potentization/-Potentisation_-

<u>Potentization is a homoeopathic pharmaceutical process of serial reduction or dilution of the crude drug</u> substance in a pre-fixed ratio along <u>on decimal, centesimal, or millesimal scale</u> with mechanical processing (either grinding- called trituration or shaking the vial with downward strokes called succussion) to develop homoeopathic preparations of different strengthspreparation called potencypotencies. The process was introduced in the organon of medicine in the 5th and 6th edition (1833).

2.87 Potentization in Centesimal Scale

<u>—</u>Potentization, where each stage of dilution is at a scale of 1 in 100 (1:99). It is based on the principle that the first potency contains one-hundredth part of the original drug, and each succeeding potency contains one-hundredth part of the potency preceding it. It is denoted by C, CH, or CK depending on the method of preparation after dilution number or simply by dilution number. C or CH implies Hahnemannian potentization, and CK implies Korsakovian potentization.

2.88 Potentization in Decimal Scale

<u>Potentization</u>, where each stage of dilution is at a scale of 1 in 10 (1:9). It is based on the principle that the first potency contains one-tenth part of the original drug, and each succeeding potency contains one-tenth part of the potency preceding it. It is denoted by D or X after the dilution number.

2.89 Potentization in Fifty Millesimal Scale/ 50 Millesimal Dynamizations

Potentization, where each stage of dilution is 1 in 50,000. It is based on the principle that the first potency contains one-fifty-thousandth part of the original drug, and each succeeding potency contains one-fifty-thousandth part of the potency preceding it. It is denoted by 0/1, 0/2, and so on to denote the extent of dilution of medicines. Such prepared potencies are also called LM Potencies/-Q Potencies/-Quinquagen Millesimal potencies.

2.90 Pragmatic Trials

<u>Pragmatic trials are clinical research studies conducted in real-life routine practice conditions designed to evaluate the effectiveness of interventions under in flexible, practical conditions.</u>

2.91 Remedies that follow well

<u>Medicines that are helpful on follow-up prescriptions from the previous one.</u>

2.92 Repertorization

<u>— The technique of shortlisting a group of homoeopathic medicines</u> using a <u>medicine index (called repertory) to</u> shortlist a group of homoeopathic medicines whose symptomatology given in the Materia Medica corresponds most closely to the clinical picture of the patient and from amongst which the similimum may be <u>chosenselected</u>.

2.93 Repertory

Multiple 1.08 li	
Formatted: Justified	

Formatted: Space After: 9 pt

Formatted: Space After: 9 pt

Formatted: Font: Font color: Text 1, Complex Script Font: +Body CS (Mangal), 11 pt, Not Bold

Formatted: Font: Font color: Text 1, Complex Script Font: +Body CS (Mangal), 11 pt, Not Bold Formatted: Space After: 9 pt

2.94 Saccharum Lactis/-Sugar of Milk/-Lactose — It is a disaccharide sugar synthesized by galactose and glucose subunits. PIt is prepared	
Prepared from milk and frequently used as a solid vehicle in homoeopathic pharmacies for the preparation of a tablets and globules. It is also used as a vehicle for trituration. It is a disaccharide sugar synthesized by galactose and glucose subunits-IUPAC: 4-O- β -D-Galactopyranosyl-D-glucose.	Formatted: Justified
2.95 Second Prescription/-Follow-up Prescription	Formatted: Space After: 9 pt
<u>—</u> The second prescription is the medicine prescribed after the first medicine that has acted; <u>It may be</u> either repetition, antidote, or complementary to the previous medicine or change of plan of treatment.	
2.96 Similia Principle/-Law of Similars/-Principle of Similarity	Formatted: Space After: 9 pt
<u>— The principle based on the Latin maxim "similia similibus curentur" (-let like be treated by like) on which Homoeopathy is based. The principle</u> _wherein a substance is used <u>can</u> therapeutically to-treat disorders <u>_with symptoms</u> similar to that <u>those</u> which it <u>will_can</u> induce in a healthy individual.	
2.97 Similimum	Formatted: Space After: 9 pt
<u>—</u> The most similar remedy that matches the totality of the symptoms of a given case and that cures/ relieves the patient.	
2.98 Succussion	Formatted: Space After: 9 pt
<u>—</u> The pharmaceutical process of potentization by <u>involving</u> forcefully striking <u>of</u> a homoeopathic drug mixed and shaken with a diluent or liquid vehicle like dispensing alcohol or purified water in a glass bottle <u>and shaken</u> against a firm surface in a uniform definite manner as prescribed by the homoeopathic pharmacopoeias to deliver the mechanical energy to the preparation.	
2.99 Sucrose/ Saccharose It is a disaccharide composed of glucose and fructose subunits. It is Pprepared	Formatted: Space After: 9 pt
<u>Prepared</u> from cane sugar or beet sugar, used in Homoeopathy for the preparation of globules, pellets, and syrups and rarely as a vehicle for trituration. It is a disaccharide composed of glucose and fructose subunits. It is produced naturally in plants and is the main constituent of white sugar. IUPAC β -D-Fructofuranosyl α -D-glucopyranoside.	
2.100 Susceptibility	Formatted: Space After: 9 pt
<u>—</u> Susceptibility is a sum total of such factors, which are responsible for the individual's reaction to disease stimuli and, therefore, govern the identification of the most similar medicine, appropriate potency, and dosage affecting the outcome of treatment. It is the ability and capacity of an individual to deal effectively in health and disease conditions.	
2.101 Tautopathy	Formatted: Space After: 9 pt
<u>— The use of a potentized form preparation of a conventional drug or drugs used in other systems prepared, as per the recognized homoeopathic pharmacopeia and primarily used to antidote their side effects or over effects.</u>	
2.102 Trituration	Formatted: Space After: 9 pt
<u>A</u> pharmaceutical process of potentization involving <u>grinding and mixing de concentration</u> of a raw drug material with an <u>other</u> inert solid material (usually lactose) by <u>grinding and mixing the two</u> in a prefixed concentration, as defined in the homoeopathic pharmacopoeias, with the aim of reducingThis process aims to reduce the insoluble drug substance to its finest possible state and imprinting the pharmacological properties of the original drug substance onto the molecules of the diluent. The potency thus prepared is called triturate.	
2.103 Totality of Symptoms/-Symptom Complex/-Symptom Totality	Formatted: Space After: 9 pt
<u>It is the outwardly reflected picture of the internal essence of the disease. It is, representing</u> the sum total of all the <u>characteristic</u> symptoms gathered during the process of case-taking and examination of the patient. It is the process of logically <u>combining combination of</u> the symptoms and signs into a harmonious and consistent whole, having form, coherency, and individuality, not the mere numerical totality of symptoms. It is a <u>This</u> syndrome <u>forms a</u> based on which <u>an</u> indicative curative remedy can be selected.	

2.104 Vehicle

<u>In the context of Homoeopathy</u>, a vehicle is an agent, that is therapeutically inert, and used as a solvent or carrier in the preparation, preservation, or administration of homoeopathic medicine. They are non-reactive with the drug substance and act serve as a media-medium for the extraction of the properties of the drug, its preservation, and the conveyance of its therapeutic properties to the intended site. There are three types of vehicles: solid, liquid, and semisolid, used in Homoeopathy for trituration, succussion, external applications, and for dispensing medicine.

2.105 Vital Force/-Dynamis/-Entelechy/-Vital Energy/-Vis Mediatrix Naturae/-Vitalism/-Life Force/-Vital-Principle/-Life Principle

<u>It</u> is the dynamic force that animates living organisms and is assumed to account for organic life and its phenomena. The term was defined by Dr Samuel Hahnemann in the organon of medicine, in Aphorism § 9 to § 18, implying the entity that provides sensation and function to a living organism as compared to a dead and harmonious flow of which is health, whereas disharmony causes disease.

Formatted: Space After: 9 pt

ANNEX A

(Foreword)

COMMITTEE COMPOSITION

Homoeopathy Sectional Committee, AYD 07

Organization	Representative(s)	Formatted Table
Govt of NCT, Directorate of Ayush, New Delhi	DR RAJ K. MANCHANDA (<i>Chairperson</i>)	Formatted: Font: Complex Script Font: +Body CS
Delhi Institute of Pharmaceutical Sciences and Research, New Delhi	PROF P. K. SAHOO DR BEAUTY BEHERA (Alternate)	(Mangal), 11 pt
Dr Anjali Chatterjee Regional Research Institute for Homoeopathy, Kolkata	DR BIBASWAN BISWAS DR SURAIA PARVEEN (Alternate I) SHRI G. V. NARASIMHA KUMAR (Alternate II)	
Dr BR Sur Homoeopathic Medical College, Hospital and Research Centre, New Delhi	DR NEERAJ GUPTA DR AMAR BODHI (Alternate)	Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt, Not Italic
Dr DP Rastogi Central Research Institute for Homoeopathy, Noida	DR SWAPNIL A. KAMBLE DR BINIT DWIVEDI (Alternate J) DR ANAMIKA KOTIYA (Alternate II)	Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt, Not Italic
Dr Willmar Schwabe India Private Limited, Noida	SHRI SUNIL VISHWAKARMA DR R. VALAVAN (Alternate I)	Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt, Not Italic
Anchrom Enterprises Private Limited, Mumbai	DR POORVA TIWARI (Alternate II) Shri Akshay Charegaonkar Shri Vishwajit Prakash Kale (Alternate)	Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt, Not Italic
ARP Industries, Meerut	SHRI RAVEENDRANATH ACHARYA	
Bakson Drugs and Pharmaceuticals Private Limited, Greater Noida	Dr Mudita Arora	
Bhargava Phytolab Private Limited, Noida	<u>Shri Rajeshwar Sahai Bhargava</u> <u>Shri Karan Bhargava (Alternate I)</u> <u>Ms Neha Vashishtha (Alternate II)</u>	
Biosimilia Private Limited, Mumbai	<u>Dr Rajesh Shah</u> <u>Shrimati Gitanjali Talele (Alternate)</u>	
BJain Pharmaceuticals Private Limited, Noida	<u>Shri Nishant Jain</u> <u>Dr Priyanka Motwani (Alternate)</u>	
Botanical Survey of India, Kolkata	DR D. K. AGRAWALA DR UMESHKUMAR L. TIWARI (Alternate)	
Central Council for Research in Homoeopathy, New Delhi	<u>Dr Divya Taneja</u> <u>Dr Manas Sarangi (Alternate)</u>	
<u>Central Drugs Standard Control Organization,</u> <u>New Delhi</u>	<u>Shri Sushant Sharma</u> Dr Rachna Paliwal (<i>Alternate</i>)	
<u>Centre of Medicinal Plants Research in</u> Homoeopathy, -The Nilgiris Tamil Nadu	DR J. SHASHIKANTH Shrimati Anagh D (<i>Alternate</i>)	Commented [13]: Kindly mention the city
Hahnemann Publishing Company Private Limited,	DR DURGA SANKAR BHAR	Commented [15]: Kindly mention the city Commented [14R3]: Changed to 'The Nilgiris'
Kolkata	DR KAUSHIK BHAR (Alternate)	Formatted: Font: Complex Script Font: +Body CS
		(Mangal), 11 pt, Not Italic

Organization	Representative(s)	Formatted Table
Indian Institute of Technology Bombay, Mumbai	PROF JAYESH BELLARE <u>PROF VENKATESH V. KAREENHALLI (Alternate I)</u> DR SWAPNIL ROHIDAS SHINDE (Alternate II)	Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt, Not Italic
Indian Pharmacopoeia Commission, Ghaziabad	Shrimati Ms Ritu Tiwari	
King George's Medical University, Lucknow	Dr Shailendra K. Saxena	
Medisynth Chemicals Private Limited, Navi Mumbai	<u>Dr Prakash V. Joshi</u> <u>Shri Nihar J. Vaknalli (Alternate I)</u> Dr Dhara R. Bhatt (Alternate II)	
Mind Technologies Private Limited, Mumbai	<u>Dr Jawahar– Shah</u> <u>Shri Parag Shah (Alternate I)</u> Dr Tarana Malick (Alternate II)	
Ministry of Ayush, New Delhi	DR SANGEETA A. DUGGAL DR ABHIJIT DUTTA (Alternate I)	
National Commission for Homoeopathy (NCH), New Delhi	DR MANGESH R. JATKAR DR LAXMI MAHTO (Alternate)	
National Homoeopathy Research Institute in Mental Health, Kottayam	<u>Dr K C Muraleedharan</u> Dr Dastagiri P (Alternate I) Dr Arun Krishnan an P (Alternate II)	
National Institute of Homoeopathy, Kolkata	<u>Dr Subhas Singh</u> Dr Raja Manoharan (<i>Alternate</i>)	
<u>Nehru Homoeopathic Medical College and Hospital,</u> <u>New Delhi</u>	DR LEENA V. CHHATRE DR VANDANA CHOPRA (Alternate)	
Pharmacopoeia Commission for Indian Medicine & Homoeopathy, Ghaziabad	<u>Shrimati Devki Pant</u> <u>Shri Lalit Tiwari (Alternate I)</u> <u>Shri Kuldeep Singh (Alternate II)</u>	
<u>The All India Plastics Manufacturers Association,</u> <u>Mumbai</u>	SHRI MAYUR D SHAH SHRI DEEPAK BALLANI SHYAM SUNDER (Alternate)	Formatted: Font: 10 pt, Font color: Auto
The Kerala State Homoeopathic Co- operative Pharmacy Limited (HOMCO), Alappuzha	DR SOBHA CHANDRAN R. DR SURESH S. (Alternate I) DR VINEETHA L. (Alternate II)	
Anchrom Enterprises Private Limited, Mumbai	SHRI AKSHAY CHAREGAONKAR Shri Vishwajit Prakash Kale (Alternate)	Formatted: Font color: Auto
ARP Industries, Meerut	SHRI RAVEENDRANATH ACHARYA	Formatted: Font color: Auto
Bakson Drugs and Pharmaceuticals Private Limited, Greater Noida	Dr Mudita Arora	Formatted: Font color: Auto
Bhargava Phytolab Private Limited, Noida	SHRI RAJESHWAR SAHAI BHARGAVA Shri Karan Bhargava (Alternate I)	Formatted: Font color: Auto
	Ms NEHA VASHISHTHA (Alternate II)	Formatted: Font color: Auto
Biosimilia Private Limited, Mumbai	Dr Rajesh Shah Shrimati Gitanjali Talele (Alternate)	Formatted: Font color: Auto
BJain Pharmaceuticals Private Limited, Noida	SHRI NISHANT JAIN DR PRIYANKA MOTWANI (Alternate)	Formatted: Font color: Auto

Organization

Representative(s) DR D. K. AGRAWALA

DR DIVYA TANEJA

SHRI SUSHANT SHARMA

DR J. SHASHIKANTH

PROF P. K. SAHOO

DR NEERAL GUPTA

DR SWAPNIL A KAMBLE

SHRI SUNIL VISHWAKARMA

DR DURGA SANKAR BHAR

DR SHAILENDRA K SAXENA

DR PRAKASH V JOSHI

DR JAWAHAR_SHAH

DR SANGEETA A. DUGGAL

DR MANGESH R. JATKAR

DR K MURALEEDHARAN

PROF JAYESH BELLARE

MS RITU TIWARI

DR BIBASWAN BISWAS

Botanical Survey of India, Kolkata

Central Council for Research in Homoeopathy, New Delhi

Central Drugs Standard Control Organization, New Delhi

Centre of Medicinal Plants Research in Homoeopathy, Tamil Nadu

Delhi Institute of Pharmaceutical Sciences and Research, New Delhi

Dr Anjali Chatterjee Regional Research Institute for Homoeopathy, Kolkata-

Dr BR Sur Homoeopathic Medical College, Hospital and Research Centre, New Delhi

Dr DP Rastogi Central Research Institute for Homoeopathy, Noida

Dr Willmar Schwabe India Private Limited, Noida

Hahnemann Publishing Company Private Limited, **Kolkata**

Indian Institute of Technology Bombay, Mumbai

Indian Pharmacopoeia Commission, Ghaziabad

King George's Medical University, Lucknow

Medisynth Chemicals Private Limited, Navi Mumbai

Mind Technologies Private Limited, Mumbai

Ministry of Ayush, New Delhi

National Commission for Homoeopathy (NCH), New **Delhi**

National Homoeopathy Research Institute in Mental Health, Kottayam

National Institute of Homoeopathy, Kolkata

Representative(s)	Formatted Table		
D. K. Agrawala	Formatted: Font color: Auto		
DR UMESHKUMAR L. TIWARI (Alternate)	Formatted: Font color: Auto		
Divya Taneja	Formatted: Font color: Auto		
DR MANAS SARANGI (Alternate)			
RI SUSHANT SHARMA	Formatted: Font color: Auto		
DR RACHNA PALIWAL (Alternate)	Formatted: Font color: Auto		
J. Shashikanth	Formatted: Font color: Auto		
SHRIMATI ANAGH D (Alternate)			
OF P. K. SAHOO	Formatted: Font color: Auto		
Dr Beauty Behera (Alternate)			
	Formatted: Font color: Auto		
BIBASWAN BISWAS DR SURAIA PARVEEN (Alternate I)			
SHRIG.V. NARASIMHA KUMAR (Alternate II)	Formatted: Font color: Auto		
	Formatted: Font color: Auto		
NEERAJ GUPTA Dr Amar Bodhi (Alternate)			
	Formatted: Font color: Auto		
SWAPNIL A KAMBLE DR BINIT DWIVEDI (Alternate)			
Dr Binit Dwivedi (<i>Alternate</i>) Dr Anamika Kotiya (<i>Alternate</i> II)	Formattade East: 10 at		
	Formatted: Font: 10 pt		
RI SUNIL VISHWAKARMA	Formatted: Font color: Auto		
Dr R. Valavan (<i>Alternate</i> I) Dr Poorva Tiwari (<i>Alternate</i> II)	Formatted: Font color: Auto		
Durga Sankar Bhar	Formatted: Font: 10 pt		
DR KAUSHIK BHAR (Alternate)	Formatted: Font color: Auto		
OF JAYESH BELLARE	Formatted: Font color: Auto		
PROF VENKATESH V. KAREENHALLI (Alternate I)	Formatted: Font color: Auto		
DR SWAPNIL ROHIDAS SHINDE (Alternate II)	Formatted: Font color: Auto		
RITU TIWARI	Formatted: Font color: Auto		
SHAILENDRA K SAXENA			
PRAKASH V LOSU	Formatted: Font color: Auto		
PRAKASH V JOSHI SHRI NIHAR J VAKNALLI (Alternate I)	Formatted: Font color: Auto		
DR DHARA R BHATT (Alternate II)	Formatted: Font color: Auto		
JAWAHAR_SHAH SHRI PARAG SHAH (<i>Alternate</i> I)	Formatted: Font color: Auto		
SHRI PARAG SHAH (<i>Alternate</i> 1) Pr Tarana Malick (<i>Alternate</i> 11)	Formatted: Font color: Auto		
SANGEETA A. DUGGAL	Enumetted, Fast aslas: A ta		
DR ABHIJIT DUTTA (Alternate I)	Formatted: Font color: Auto		
MANGESH R. JATKAR	Formatted: Font color: Auto		
Dr Laxmi Mahto (Alternate)			
K Muraleedharan	Formatted: Font color: Auto		
DR DASTAGIRI (Alternate I) DR ARIM KRISHNANAN (Alternate II)			
DR ARUN KRISHNANAN (Alternate II)	Formatted: Font color: Auto		
SUBHAS SINGH DR RAIA MANOHARAN (Alternate)	Formatted: Font color: Auto		

DR SUBHAS SINGH DR RAJA MANOHARAN (Alternate)

Organization	Representative(s)	•	Formatted Table
Nehru Homoeopathic Medical College and Hospital, New Delhi	DR LEENA V. CHHATRE DR VANDANA CHOPRA (Alternate)		Formatted: Font color: Auto
Pharmacopoeia Commission for Indian Medicine & Homoeopathy, Ghaziabad	<mark>Shrimati Devki Pant</mark> Shri Lalit Tiwari (<i>Alternate</i> I)		Formatted: Font color: Auto
	SHRI KULDEEP SINGH (Alternate II)		Formatted: Font color: Auto
The All India Plastics Manufacturers Association,	Shri Mayur D Shah		Formatted: Font color: Auto
Mumbai	SHRI SHYAM SUNDER (Alternate)		Formatted: Font color: Auto
The Kerala State Homoeopathic Co-operative Pharmacy Limited (HOMCO), Alappuzha	DR SOBHA CHANDRAN. R DR SURESH S (Alternate I)		Formatted: Font color: Auto
Filamacy Emined (Fromeo), Filappuzna	Dr Vineetha L (Alternate II)		Formatted: Font color: Auto
BIS Directorate General	SHRI UNNIKRISHNAN AR., SCIENTIST 'C Head (Ayush) _[Representing Director General_ (<i>Ex—officio</i>)]		
Membe	er Secretary		

Member Secretary DR KUMAR VIVEKANAND SCIENTIST 'D'/JOINT DIRECTOR (<u>AYUSH</u>Ayush), BIS

I

Panel for Homoeopathic Terminology and Abbreviations of Medicines Panel, AYD 07/Panel 02

Organization	Representative(s)	
Central Council for Research in Homoeopathy, New Delhi	DR DIVYA TANEJA (<i>Convener</i>)	
BJain Pharmaceuticals Private Limited, Noida	DR PRIYANKA MOTWANI	
Dr BR Sur Homoeopathic Medical College, Hospital and Research Centre, New Delhi	Dr Amar Bodhi	
National Commission for Homoeopathy (NCH), New Delhi	DR LAXMI MAHTO	
National Institute of Homoeopathy, Kolkata	DR RAJA MANOHARAN	

I

l

Formatted: Font: Complex Script Font: +Body CS (Mangal), 11 pt