विषय: संशोधित IS 8481:2020 की Scheme of Inspection and Testing (SIT)

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित संशोधित IS 8481:2020 की Scheme of Inspection and Testing (SIT) अनुपालन हेतु संलग्न है ।

प्रमुख (के मू वी 2)

सभी क्षेत्रीय/शाखा कार्यालय प्रतिलिपि :

आई टी एस विभाग - बी आई एस इंट्रानेट पर डालने हेतु

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:8481

Subject: Scheme of Inspection and Testing (SIT) of Revised IS 8481:2020

This has reference to the subject mentioned above.

The Scheme of Inspection and Testing (SIT) of Revised IS 8481:2020, duly approved by Competent Authority, is enclosed for implementation.

(Aditya Das) Scientist C

Head (CMD-2)

All ROs/BOs

Copy to:

ITSD - for hosting on BIS Intranet.

आदित्य दास वैज्ञानिक सी

19 03 2020

19 03 2020

SCHEME OF INSPECTION AND TESTING FOR OXIDATION HAIR DYES (LIQUID/GEL/CREAM) ACCORDING TO IS 8481:2020

1.LABORATORY - A laboratory shall be maintained which shall be suitably equipped (as per the requirement given in column 2 of Table 1) and staffed, where different tests given in the specification shall be carried out in accordance with the methods given in the specification.

1.1The manufacturer shall prepare a calibration planfor the test equipments.

2. TEST RECORDS –The manufacturer shall maintain test records for the tests carried out to establish conformity.

3. PACKING AND MARKING — The Standard Mark, as given in the Schedule of the licence, shall be marked on the container or the label applied to it provided always that material so marked conform to requirements of the specification.

3.1 Packing and Marking shall be done as per the provisions of the Indian Standard. In addition, the following shall be incorporated on each container:

i)BIS Licence Number CM/Land

ii)BIS website details i.e. "For details of BIS certification please visit www.bis.gov.in".

5. CONTROL UNIT – For the purpose of this scheme , Oxidation hair dyes, liquid, gel and creams of one type blended at a time shall constitute one Control Unit.

5. LEVELS OF CONTROL - The tests as indicated in column 1 of Table 1 and the levels of control in column 3 of Table 1, shall be carried out on the whole production of the factory which is covered by this plan and appropriate records maintained in accordance with paragraph 2 above.

5.1 All the production which conforms to the Indian Standards and covered by the licence should be marked with Standard Mark.

6. REJECTIONS–Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act, 2016.

TABLE 1 LEVELS OF CONTROL (CLAUSE 5 OF THE SIT)

	(1)	(2)	(3)				
	Test Details	Test	Levels of Control				
Cl.	Requirement	CI.	Test	equipmen t	No. of	Frequency	Remarks
		referen ce	Metho ds	requirem ent R: required (or)S: Sub- contractin	Sample		
				g permitted			
4.1	Description	4.1	IS 8481	R	One	Each control unit	
4.2, 4.3, 4.4	Ingredients	4.2, 4.3, 4.4	-do-	S	The manufacturer shall declare the formulation of the product to BIS (indicating the ingredients used) indicating compliance of ingredients to the IS. As and when any novel ingredient is added in the formulation, the same shall be declared by the manufacturer to BIS indicating compliance to the IS. Each consignment of Ingredients shall be accompanied with test certificate indicating compliance to the requirements of the Indian Standard.		
4.5, Table 1	Requirements for Dye						
i)	рН	Annex A	IS 8481	R	One	Each control unit	
ii)	Active matter as PPD content	Annex B or D	-do-	R	-do-	-do-	
iii)	Dye ingredients	Annex E or D	-do-	R	-do-	-do-	
iv)	Heavy metals (as Pb)	Annex F	-do-	S	-do-	Every six months	
v)	Arsenic (as As2O3)	Annex G	-do-	S	-do-	-do-	
4.6, Table 2	Requirements for developer						
i)	рН	Annex A	IS 8481	R	One	Each control unit	

						March 202	20
ii)	Assay (as H2O2)	Annex C	-do-	R	-do-	-do-	
iii)	Heavy metals (as Pb)	Annex F	-do-	R	-do-	-do-	
iv)	Arsenic (as As2O3)	Annex G	-do-	R	-do-	-do-	
4.9	Additional requirements for ECO Mark (optional)						
4.9.1	General requirements	4.9.1.1 to 4.9.1.9	IS 8481	R	One	Each control unit	
4.9.2	Specific requirements						
4.9.2.1	Dermatological safety		IS 4011	S	One	Every three months and when novel ingredient is added.	
4.9.2.2	Heavy metals (as Pb) and Arsenic (as As2O3)	Annex F & G	IS 8481	S	-do-	Every six months	

Note-1: Whether test equipment is required or sub-contracting is permitted in column 2 shall be decided by the Bureau and shall be mandatory. Sub-contracting is permitted to a laboratory recognized by the Bureau or Government laboratories empaneled by the Bureau.

Note-2: Levels of control given in column 3 are only recommendatory in nature. The manufacturer may define the control unit/batch/lot and submit his own levels of control in column 3 with proper justification and submit it for approval to BO Head.