

केन्द्रीय मुहर विभाग -2

संदर्भ -: के मू वी-2/16:10350

21 04 2020

विषय: संशोधित IS 10350:2020 की Scheme of Inspection and Testing (SIT)

यह उपरोक्त विषय के संदर्भ में है।

सक्षम अधिकारी द्वारा अनुमोदित संशोधित IS 10350:2020 की Scheme of Inspection and Testing (SIT) अनुपालन हेतु संलग्न है ।

आदित्य दास
वैज्ञानिक D

प्रमुख (के मू वी 2)

सभी क्षेत्रीय/शाखा कार्यालय
प्रतिलिपि :

आई टी एस विभाग - बी आई एस इंटरनेट पर डालने हेतु

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16:10350

21 04 2020

Subject: Scheme of Inspection and Testing (SIT) of Revised IS 10350:2020

This has reference to the subject mentioned above.

The Scheme of Inspection and Testing (SIT) of Revised IS 10350:2020, duly approved by Competent Authority, is enclosed for implementation.

(Aditya Das)
Scientist D

Head (CMD-2)

All ROs/BOs

Copy to:

ITSD - for hosting on BIS Intranet.

**SCHEME OF INSPECTION AND TESTING
FOR POWDER HAIR DYES
ACCORDING TO IS 10350:2020**

1. LABORATORY - A laboratory shall be maintained which shall be suitably equipped (as per the requirement given in column 2 of Table 1) and staffed, where different tests given in the specification shall be carried out in accordance with the methods given in the specification.

1.1 The manufacturer shall prepare a calibration plan for the test equipments.

2. TEST RECORDS – The manufacturer shall maintain test records for the tests carried out to establish conformity.

3. PACKING AND MARKING — The Standard Mark, as given in the Schedule of the licence, shall be marked on the container or the label applied to it provided always that material so marked conform to requirements of the specification.

3.1 Packing and Marking shall be done as per the provisions of the Indian Standard. In addition, the following shall be incorporated on each container:

i) BIS Licence Number CM/Land

ii) BIS website details i.e. "For details of BIS certification please visit www.bis.gov.in".

5. CONTROL UNIT – For the purpose of this scheme, Powder hair dyes of one type blended at a time shall constitute one Control Unit.

5. LEVELS OF CONTROL - The tests as indicated in column 1 of Table 1 and the levels of control in column 3 of Table 1, shall be carried out on the whole production of the factory which is covered by this plan and appropriate records maintained in accordance with paragraph 2 above.

5.1 All the production which conforms to the Indian Standards and covered by the licence should be marked with Standard Mark.

6. REJECTIONS— Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act, 2016.

TABLE 1
LEVELS OF CONTROL
(CLAUSE 5 OF THE SIT)

(1)				(2)	(3)		
Test Details				Test equipment requirement R: required (or)S: Sub-contracting permitted	Levels of Control		
Cl.	Requirement	Cl. reference	Test Methods		No. of Sample	Frequency	Remarks
4.1	Description	4.1	IS 10350	R	One	Each control unit	
4.2, 4.3, 4.4	Ingredients	4.2, 4.3, 4.4	-do-	S	<p>The manufacturer shall declare the formulation of the product to BIS (indicating the ingredients used) indicating compliance of ingredients to the IS. As and when any novel ingredient is added in the formulation, the same shall be declared by the manufacturer to BIS indicating compliance to the IS.</p> <p>Each consignment of Ingredients shall be accompanied with test certificate indicating compliance to the requirements of the Indian Standard.</p>		
4.5, Table 1	Requirements for Powder Hair Dye						
i)	pH of 5 % solution in water	Annex A	IS 10350	R	One	Each control unit	
ii)	Active matter as PPD content	Annex B or D or C as applicable	-do-	R	-do-	-do-	
iii)	Dye ingredients	Annex B or C or E or F or D as applicable	-do-	R	-do-	-do-	
iv)	Heavy metals (as Pb)	Annex G	-do-	S	-do-	Every six months	
v)	Arsenic (as As ₂ O ₃)	Annex H	-do-	S	-do-	-do-	

4.6, Table 2	Requirements for dye ready for use						
i)	Calculated active matter (as PPD) in the solution after recommended dilution with water/diluent	4.6.1	IS 10350	R	One	Each control unit	

Note-1: Whether test equipment is required or sub-contracting is permitted in column 2 shall be decided by the Bureau and shall be mandatory. Sub-contracting is permitted to a laboratory recognized by the Bureau or Government laboratories empaneled by the Bureau.

Note-2: Levels of control given in column 3 are only recommendatory in nature. The manufacturer may define the control unit/batch/lot and submit his own levels of control in column 3 with proper justification and submit it for approval to BO Head.