

IS 14715 (Part 2): 2013

Indian Standard

JUTE GEO-TEXTILES

PART 2 CONTROL OF BANK EROSION IN RIVERS AND WATERWAYS — SPECIFICATION

(First Revision)

1 SCOPE

This standard (Part 2) provides requirements of bituminized woven jute geo-textile (JGT) in control of erosion in rivers and waterways.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication of this standard, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards listed below:

IS No.	Title
1954 : 1990	Determination of length and width of woven fabrics — Methods (second
	revision)
1963 : 1981	Method for determination of threads
	per unit length in woven fabrics (<i>first revision</i>)
13162	Geo-textiles — Methods of test:
(Part 4): 1992	Determination of puncture resistance
	by falling cone method
(Part 5): 1992	Determination of tensile properties
	using a wide width strip
14294 : 1995	Geo-textiles — Method for
	determination of apparent opening
	size by dry sieving technique
14324 : 1995	Geo-textiles — Methods of test for
	determination of water permeability-
4.504 4000	permittivity
14706 : 1999	Geo-textiles — Sampling and
	preparation of test specimen
14716 : 1999/	Geo-textiles — Determination of
ISO 9864 : 1990	mass per unit area
14715 (Part 1):	Jute geo-textiles: Part 1 Strengthening
2012	of sub-grade in roads — Specification