

भारतीयमानकब्यूरो

दक्षिणक्षेत्रीयप्रयोगशाला

संदर्भ :दक्षेप्रका/माइक्रोबायोलॉजी

14/03/19

विषय :परीक्षण के लिए नमूने ना भेजा जाना

नमूने की प्रकृति और लंबित नमूने को देखते हुए यह अनुरोध है कि निम्नलिखित नमूने को दक्षिण क्षेत्रीय प्रयोगशाला में माइक्रोबायोलॉजी परीक्षण हेतु ना भेजा जाय।

क्रमसं	आईएससंख्या	उत्पाद	प्रकार/आकार	गैरस्वीकृति की अवधि
1.	13428 :2005	PNMW	Shelf life 30 days/one month	अगले निर्देश तक
2.	14543 : 2004	PDW	Shelf life 30 days/one month	अगले निर्देश तक

प्रभारी अधिकारी माइक्रोबायोलॉजी

प्रमुख, दक्षिणक्षेत्रीयप्रयोगशाला

प्रमुख, एलपीपीडी

सभीक्षेत्रीयकार्यालय/शाखाकार्यालय/प्रयोगशाला/सीएमडी-1/सीएमएन-II/सीएमडी-III

प्रमुख, आईटीएस, भामाब्यूरो, मुख्यालय :परिपत्रकोभामाब्यूरोकेइंट्रानेटपरअपलोडहेतुअनुरोध

BUREAU OF INDIAN STANDARDS

SROL, CHENNAI

Our Ref: SROL/Microbiology

/14 0/319

Subject: Samples not to be sent for testing

In view of nature & pendency of samples, it is requested that following mentioned sample may not be sent to SROL for microbiological testing.

S.No.	IS No.	Product	Type/Size	Period of non-acceptance
1.	13428 :2005	PNMW	Shelf life30 days/one month	Till further instructions
2.	14543 : 2004	PDW	Shelf life30 days/one month	Till further instructions

OIC (Microbiology)

Head, SROL

Head, LPPD

All ROs/BOs/Labs/CMD-I/CMD-II/CMD-III

Head, ITS, BIS HQs: with a request to upload the circular on BIS intranet please.