

**भारतीय मानक ब्यूरो**  
(दक्षिणी क्षेत्रीय कार्यालय प्रयोगशाला)

संदर्भ : द.क्षे.का.प्र./न.क./स्थिति

19/06/2019


विषय : द.क्षे.का.प्र. में नमूनों की स्वीकृति/अस्वीकृति की स्थिति


दक्षिणी क्षेत्रीय कार्यालय प्रयोगशाला के विभिन्न अनुभाग में नमूनों की स्वीकृति / गैर-स्वीकृति की स्थिति निम्नानुसार है:

अनुभाग	उत्पाद	भा मा	स्वीकृति / गैर-स्वीकृति	गैर-स्वीकृति की अवधि	टिप्पणी
यांत्रिक	सभी प्रकार के नमूने		स्वीकार नहीं किये जा रहे हैं	अगली सूचना तक	--
रसायन	सभी प्रकार के नमूने		स्वीकार नहीं किये जा रहे हैं	अगली सूचना तक	--
विद्युत	सभी प्रकार के नमूने जिनकी परिक्षण सुविधा उपलब्ध है		स्वीकृत	--	--
सूक्ष्मजैविकी	सभी प्रकार के नमूने जिनकी परिक्षण सुविधा उपलब्ध है		स्वीकृत	--	--
रेफरल परख प्रयोगशाला	स्वर्ण एवं स्वर्ण मिश्रधातुएँ आभूषण	IS 1417	स्वीकृत	--	सभी ग्रेड के लिए परीक्षण सुविधा उपलब्ध है
	चाँदी एवं चाँदी मिश्रधातुएँ आभूषण	IS 2112	स्वीकृत	--	परीक्षण सुविधा केवल 990 पीपीटी तक ही उपलब्ध है

**नोट :**

दक्षिणी क्षेत्रीय कार्यालय प्रयोगशाला में विभिन्न उत्पादों के आंशिक एवं पूर्ण परिक्षण की सुविधा की जानकारी वेबसाइट पर उपलब्ध है । कृपया केवल उन्ही परीक्षणों के लिए नमूने को भेजे जिनके परिक्षण की सुविधा इस प्रयोगशाला में उपलब्ध है।

  
 (एस सी दास) 19.06.19  
 प्रभारी (नमूना कक्ष)

प्रमुख (द. क्षे. का. प्र.)   
 19/06/2019

प्रमुख (आईटीएसडी) - बीआईएस इंटरनेट पर अपलोड हेतु अनुरोध

**BUREAU OF INDIA STANDARDS**  
(Southern Regional Office Laboratory)

Our Ref: SROL/SC/Status

19/06/2019

**Subject: Status of acceptance/non-acceptance of samples in SROL**

The status of acceptance/non-acceptance of samples in different sections of SROL is as follows:

Section	Products	ISS	Accepted/ Not accepted	Period of non - acceptance	Remarks
Mechanical	All products		<b>Not accepted</b>	Till further information	
Chemical	All products		<b>Not accepted</b>	Till further information	--
					--
Electrical	All products for which facility is available with SROL		<i>Accepted</i>	--	--
Microbiology	All products for which facility is available with SROL		<i>Accepted</i>	--	--
RAL	Gold	IS 1417	<i>Accepted</i>	--	Testing facility for all grades available
	Silver	IS 2112	<i>Accepted</i>	--	Testing Facility available only for fineness up to 990 ppt

**Remarks :** Please see BIS website for complete/Partial facility. Samples to be sent to SROL for those tests only for which facility is available with SROL.

Head (SROL)

*[Signature]*  
19/06/2019

OIC (Sample Cell)

*[Signature]*  
(S. C. Dass) 19.06.19

Head (ITSD) - Request to upload on BIS Intranet