

**BUREAU OF INDIAN STANDARDS**

**SROL, CHENNAI**

**Our Ref: SROL/Microbiology**

28.05.2019

**Subject: Requirement of samples for testing**

Following sample may be sent to SROL for testing

S.No.	IS No.	Product	Type/Size	Type of test
1.	14543 : 2004	PDW	All	Microbiological
2.	13428:2005	PNMW	All	Microbiological

Head, ~~SROL~~

*370183*  
*28/05/19*

Head, LPPD

All ROs/BOs/Labs/CMD-I/CMD-II/CMD-III

Head, ITS, BIS HQs: with a request to upload the circular on BIS intranet please.

OIC( Microbiology)

*28-05-19*

भारतीय मानक ब्यूरो  
दक्षिणी क्षेत्रीय प्रयोगशाला कार्यालय  
चेन्नई

हमारा संदर्भ: दक्षेप्रयोका/ माइक्रोबायोलॉजी

28.05.2019


विषय: परीक्षण हेतु नमूने की आवश्यकता

निम्नलिखित नमूने दक्षिणी क्षेत्रीय प्रयोगशाला कार्यालय में परीक्षण हेतु भेजे जाएँ।

क्रम सं	आईएस सं	उत्पाद	परीक्षण	टाइप/आकार
1.	14543 : 2004	पीडीडबल्यू	माइक्रोबायोलॉजी	सभी
2.	13428 :2005	पीएनएमडबल्यू	माइक्रोबायोलॉजी	सभी

  
28-05-19  
प्रभारी अधिकारी (माइक्रोबायोलॉजी)

प्रमुख, दक्षिण क्षेत्रीय प्रयोगशाला कार्यालय

  
28/05/19

प्रमुख, एल पी पी डी

भारतीय मानक ब्यूरो के सभी क्षेत्रीय कार्यालय/शाखा कार्यालय/प्रयोगशालाएं/ सी एम डी - I, II, III

प्रमुख, आई टी एस : कृपया संलग्न परिपत्र को भा मा ब्यूरो इंटरनेट पर अपलोड करने हेतु अनुरोध।