

**BUREAU OF INDIAN STANDARDS**

**DRAFT FOR COMMENTS ONLY**

*(Not to be reproduced without the permission of BIS or used as an Amendment to Indian Standard)*

***DRAFT AMENDMENT NO. 1***

**TO**

**IS/ISO 50001 : 2018 ENERGY MANAGEMENT SYSTEMS —  
REQUIREMENTS WITH GUIDANCE FOR USE**

*( First Revision )*

ICS 27.015; 03.100.70

---

Energy Management and Energy Savings  
Sectional Committee, MED 39

Last date of receipt of  
comment is **01 August 2024**

---

**NATIONAL ANNEX**

*(Adoption clause to be added later)*

The amendment of this standard has been undertaken to align it with the latest amendment of IS/ISO 50001 : 2018 'Energy Management Systems — Requirements with Guidance for Use'.

The text of ISO standard has been approved for publication as Indian Standard without deviations. Certain terminologies and conventions are, however, not identical to those used in Indian Standards. Attention is particularly drawn to the following:

- a) Wherever the words 'International Standard' appear referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards, the current practice is to use a point (.) as a decimal marker.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

---

**NOTE:** The technical content of the document has not been enclosed as these are identical with the corresponding ISO standard. For details, please refer the corresponding **ISO 50001 : 2018 /Amd 1 : 2024** or kindly contact:

Head

Mechanical Engineering Department  
Bureau of Indian Standard  
9 Bahadur Shah Zafar Marg  
New Delhi 110002  
Email: [med@bis.gov.in](mailto:med@bis.gov.in)  
Telefax 011-23232509