Doc. No. PCD 13 (24812) WC IS 446 : xxxx ISO 2398:2016

February 2024

### **BUREAU OF INDIAN STANDARDS**

#### DRAFT FOR COMMENTS ONLY

(Not to be reproduced without permission of BIS or used as an Indian Standard)

Draft Indian Standard

# RUBBER HOSES, TEXTILE-REINFORCED, FOR COMPRESSED AIR — SPECIFICATION (Sixth Revision of IS 446)

(ICS 23.040.70)

Rubber and Rubber Products Sectional Committee, PCD 13

Last date for comments 09 April 2024

## NATIONAL FOREWORD

(Formal clauses will be added later)

This standard was first published in 1953 and subsequently revised in 1964, 1968, 1980,1987 and 2017.

The sixth revision has been undertaken to align it with the latest version of ISO 2398 : 2016 in dual numbering system to make pace with latest developments that have taken place at international level.

The text of ISO Standard has been approved as suitable for publication as an Indian Standard without deviations. Certain conventions and terminologies are, however, not identical to those used in Indian Standards. Attention is particularly drawn to the following:

- a) Wherever the words 'International Standard' appear referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards, the current practice is to use a point (.) as the decimal marker.

In this adopted standard reference appears to certain International Standards for which Indian Standards also exist. The corresponding Indian Standards, which are to be substituted in their respective places, are listed below along with their degree of equivalence for the editions indicated:

International Standard	Corresponding Indian Standard	Degree of Equivalence

1	IS 3400 (Part 1): 2021/ ISO 37:	Identical
vulcanized or	2017 Methods of test for	
thermoplastic —	vulcanized rubber Part 1	
Determination of tensile		
stress-strain properties	strain properties (fourth revision)	
ISO 188, Rubber,	, ,	Identical
vulcanized or	2011 Methods of test for	
thermoplastic —	vulcanized rubber Part 4	
Accelerated ageing and		
heat resistance tests	resistance (third revision)	
1	IS 15933 : 2011/ ISO 1307 : 2006	Identical
plastics hoses — Hose	<u> </u>	
sizes, minimum and	sizes, minimum and maximum	
maximum inside	inside diameters, and tolerances on	
diameters, and tolerances	cut-to-length hoses	
on cut-to-length hoses		
ISO 1402, Rubber and	IS 443 (Part 3): 2023 / ISO 1402:	Identical
plastics hoses and hose	2021 Methods of test for rubber	
assemblies — Hydrostatic	and plastics — Tubing, hoses and	
testing	hose assemblies Part 3 Rubber and	
	plastics hoses and hose assemblies	
	— Hydrostatic testing ( fourth	
	revision)	
ISO 1817, Rubber,	IS 3400 (Part 6): 2018/ISO 1817:	Identical
vulcanized or	2015 Methods of test for	
thermoplastic —	vulcanized rubbers Part 6	
Determination of the effect		
of liquids	liquids (fourth revision)	
ISO 4671, Rubber and	` ′	Identical
plastics hoses and hose	2022 Methods of test for rubber	
assemblies — Methods of	J 27	
measurement of the		
dimensions of hoses and	plastics hoses and hose assemblies	
the lengths of hose	— Methods of measurement of the	
assemblies	dimensions of hoses and the	
	lengths of hose assemblies	
ISO 7326, Rubber and	IS 443 (Part 1): 2022 / ISO 7326:	Identical
plastics hoses —	2016 Methods of test for rubber	
Assessment of ozone	and plastics tubing, hoses and hose	
resistance under static	assemblies Part 1 Rubber and	
conditions	plastics hoses assessment of ozone	
	resistance under static conditions	
	(fourth revision)	

ISO 8033, Rubber and plastics hoses — Determination of adhesion between components		Identical
ISO 10619-1, Rubber and plastics hoses and tubing  — Measurement of flexibility and stiffness — Part 1: Bending tests at ambient temperature	10619-1: 2017 Methods of test for rubber and plastics — Tubing, hoses and hose assemblies Part 10	Identical
ISO 10619-2, Rubber and plastics hoses and tubing  — Measurement of flexibility and stiffness — Part 2: Bending tests at sub-ambient temperatures	10619-2: 2021 Methods of test for rubber and plastics — Tubing, hoses and hose assemblies Part 11	Identical

This standard also makes a reference to the Packing and BIS Certification Marking of the product. Details of which are given in National Annex A.

For tropical countries like India, the standard temperature and the relative humidity shall be taken as  $27 \pm 2$ °C and  $65 \pm 5$  percent, respectively.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated expressing the result of a test or analysis, shall be rounded off in accordance with IS 2: 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

**NOTE** — The technical content of the document is not available on website. For details, please refer the corresponding ISO 2398:2016 or kindly contact:

Ms. Meenal Passi Scientist 'F' & Head (PCD) Petroleum & Coal related products Department (PCD) Bureau of Indian Standards 9, B.S. Zafar Marg, New Delhi-110002

Doc. No. PCD 13 (24812) WC

IS 446 : xxxx ISO 2398:2016 February 2024

Email: pcd@bis.gov.in, pcd13@bis.gov.in Telephone: 011-23235432

# NATIONAL ANNEX A

(National Foreword)

# **A-1 PACKING**

The hose shall be packed as agreed to between the purchaser and the supplier.

# **A-2 BIS CERTIFICATION MARKING**

**A-2.1** The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.