

BUREAU OF INDIAN STANDARDS

DRAFT FOR COMMENTS ONLY

Not to be reproduced without permission of BIS or used as Standard

Doc: PGD 33 (26090) WC

July 2024

भारतीय मानक मसौदा

**स्पर और कुंडलित गियरों की भार क्षमता का परिकलन —
भाग 6: परिवर्तनीय भार के अंतर्गत जीवनकाल की गणना**

Draft Indian Standard

**Calculation of Load Capacity of Spur and Helical Gears —
Part 6: Calculation of Service Life Under Variable Load**

ICS 21.200

Transmission Device Sectional Committee, PGD 33

Last Date for Comments: **02-09-2024**

NATIONAL FOREWORD

(Formal clauses will be added later on)

This document specifies the information and standardized conditions necessary for the calculation of the service life (or safety factors for a required life) of gears subject to variable loading for only pitting and tooth root bending strength.

Spur gears offer the simplest design, with straight teeth parallel to the gear axis. Conversely, helical gears have teeth cut in the form of a helix over the cylindrical blank. Both spur gears and helical gears are used to transmit power between a parallel driver and driven shafts.

This standard is published in five parts. The other parts in this series are:

| | |
|--------|--|
| Part 1 | Basic principles, introduction and general influence factors |
| Part 2 | Calculation of surface durability (pitting) |
| Part 3 | Calculation of tooth bending strength |
| Part 5 | Strength and quality of materials |

The text of ISO standard has been approved as suitable for publication as an Indian Standard without deviations. Certain conventions are however not identical to those used in Indian Standards. Attention is particularly drawn to the following

- Wherever the words 'International Standard' appear referring to this standard, they should be read as 'Indian Standard'.

b) Comma (,) has been used as a decimal marker while in Indian Standards, the current-practice is to use a point (.) as the decimal marker.

In this adopted standard, reference appears to the following International Standard for which Indian Standard also exists. The corresponding Indian Standard which is to be substituted in its place is listed below along with its degree of equivalence for the edition indicated:

| <i>International Standard</i> | <i>Corresponding Indian Standard</i> | <i>Degree of Equivalence</i> |
|--|---|------------------------------|
| ISO 1122-1 : 1998 Vocabulary of gear terms — Part 1: Definitions related to geometry | IS 2458 : 2001/ISO 1122-1 : 1998 Vocabulary of gear terms — Definitions related to geometry (<i>first revision</i>) | Identical |

The technical committee has reviewed the provisions of the following International Standards referred in this adopted standard and has decided that they are acceptable for use in conjunction with this standard:

| <i>International Standard</i> | <i>Title</i> |
|-------------------------------|---|
| ISO 6336-1 | Calculation of load capacity of spur and helical gears — Part 1: Basic principles, introduction and general influence factors |
| ISO 6336-2 | Calculation of load capacity of spur and helical gears — Part 2: Calculation of surface durability (pitting) |
| ISO 6336-3 | Calculation of load capacity of spur and helical gears — Part 3: Calculation of tooth bending strength |

For the purpose of deciding whether a particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with IS 2 : 2022 ‘Rules for rounding off numerical values (*second revision*)’.

NOTE: The technical content of draft standard is not available on website. For details, please refer to ISO 6336-6 : 2019 or contact:

Head
Production and General Engineering Department
Bureau of Indian Standards
9 Bahadur Shah Zafar Marg New Delhi-110002
Email: pgd@bis.org.in
Telefax:011-23234819