

(Not to be reproduced without permission of BIS or used as Amendment to Standard)

DRAFT AMENDMENT NO. 3 SEPTEMBER 2024

TO

IS 17509 : 2021 DISPOSABLE BABY DIAPER — SPECIFICATION

(Page 2, clause 6.2, Table 1, see amendment 2 also) — Substitute the following for the existing note :

‘NOTES —

- 1) The recommended dimension and tolerance (for reference) for premature baby and other variety not covered in Table 1 shall be declared by the manufacture.
- 2) The actual dimension of baby diaper may differ as per the product design of the manufacturer. If required, the manufacturer may also provide the figure/schematic diagram for measurement of dimension of baby diaper.’

(Page 7, clause B 2.2, see amendment 2 also) — Substitute the following for the existing:

‘**B 2.2** — A rigid cover plate , with weight , total weight : 6300 g (plate 605.3 g, weight 5694.7 g) representing a pressure of 4.41 kPa(0.64 psi) for small, medium, large, X Large, XX Large and XXX Large sizes . The dimensions of the plate shall be around 200 mm x 70 mm and inner diameter of cylinder shall be 50 mm (*see Fig. 4*).

B 2.2.1 A rigid cover plate , with weight , total weight : 2500 g (plate 605.3 g, weight 1894.7 g) representing a pressure of 1.75 kPa (0.25 psi) for premature and new born sizes . The dimensions of the plate shall be around 200 mm x 70 mm and inner diameter of cylinder shall be 40 mm (*see Fig. 4*).’

(Page 7, clause B 4.9) — Substitute the following for the existing:

‘**B-4.9** Repeat step 4.4 to 4.8 another 2 times on same diaper without removing the weight.’

(Page 8, clause B 6.4, first line) — Substitute ‘2’ for ‘5.’