BUREAU OF INDIAN STANDARDS

DRAFT FOR COMMENTS ONLY

(Not to be reproduced without the permission of BIS or used as an Indian Standard)

भारतीय मानक मसौदा

भूवैज्ञानिक मानचित्रों, अनुभागों और उपसतही खोजी लॉग में उपयोग के लिए

चिहन और संक्षिप्ताक्षर

भाग 2 अग्निज शैल

(IS 7422 भाग 2 का पहला पुनरीक्षण)

Draft Indian Standard

SYMBOLS AND ABBREVATIONS FOR USE IN GEOLOGICAL MAPS, SECTIONS AND SUBSURFACE EXPLORATORY LOGS

PART 2 IGNEOUS ROCKS

(First Revision of IS 7422 Part 2)

Geological Investigation and Subsurface Exploration Sectional Committee, WRD 05 Last date for comments: 05 Feb 2023

FOREWORD (Formal Clause will be added later)

In all spheres of engineering construction, data on the nature of the geological formations constituting the foundations are indispensable. Often, these data are given on maps or in geological sections using symbols and abbreviations. Geological maps and, sections are also required for other activities, such as mining and mineral prospecting. Such maps and sections are therefore being prepared by various agencies in the country. In the absence of any standard for the guidance of the engineering geologist or engineers, different symbols and abbreviations are being used by different agencies, resulting in entirely different representation of the same geological data. The data collected and presented by one agency for a particular purpose are often useful to other agencies investigating for related work. It, therefore, becomes essential for all agencies to follow the uniform practice.

This standard (Part 2) deals with igneous rocks for use in geological maps, sections and subsurface exploratory logs while other parts are as follows:

Part 1 Abbreviations

- Part 3 Sedimentary rocks
- Part 4 Metamorphic rocks

Part 5 Line symbols for formation contacts and structural features

The symbolization of rock types is based on the principles laid down by the International Organization for Standardization. For the rock types to be covered for symbolization, classification of igneous rocks as adopted by United States Bureau of Reclamation for engineering purposes has been used.

The standard was published in 1974. The first revision of this standard has been brought out to bring the standard in latest style and update with respect to the latest field practices. In revision of this standard, due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country. In this first revision of standard, assistance have been derived from ISO 710 : 1989 Graphical symbol for use on detailed maps, plans and geological cross section.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2 : 2022 *'Rounding off numerical values (Second revised)'*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Draft Indian Standard

SYMBOLS AND ABBREVATIONS FOR USE IN GEOLOGICAL MAPS, SECTIONS AND SUBSURFACE EXPLORATORY LOGS

PART 2 IGNEOUS ROCKS

(*First Revision of* IS 7422 Part 2)

Geological Investigation and Subsurface	Last date for comments:
Exploration Sectional Committee, WRD 05	05 Feb 2023

1 SCOPE

This standard (Part 2) covers symbols for igneous rocks for use in geological maps, sections and logs of bore holes, test pits, exploratory drifts and shafts for river valley projects. Rock types covered in the standard are restricted to those commonly met with in engineering practice.

2 BASIC PRINCIPLES OF SYMBOLIZATION

2.1 In order to represent a type of rock on a map or on a plan, the corresponding surface should be covered by the symbols representing the rock in question. The surfaces occupied by rocks of different types should be separated by a continuous thin line if in nature there is a clear demarcation between the different types.

2.2 The graphic symbols should be used in black and white for the representation of rocks and minerals. Additional letter symbols may be used to designate other characteristics like age.

2.3 There is a large variety of rocks and it is impossible to have an individual symbol for each of the rock types that are found in nature. For this reason the symbols are developed for the most important and frequently occurring rock types. For listing the rock types one of the simpler systems used for classification of rocks has been followed; however the tables of symbols for rock types are not meant to provide a standard system of classification. The symbolization is based on the following principles:

- a) In order to characterize the properties of rocks, elementary symbols are chosen, such that:
 - i) as simple as possible and, therefore, easily traceable;
 - ii) express the nature of the rock; and
 - iii) be of such a dimension that several elementary symbols can be placed next to each other.

- b) Principal rock types are represented by the juxtaposition of several identical elementary symbols; the variations of the above are shown by the addition of the elementary symbols which characterize the principal constituents.
- c) In order to characterize the loose form of rock, symbols should be arranged with no determined order; a systematic staggered arrangement should represent the consolidated form of a rock.
- d) The individual elements or the rows of symbols should be arranged either parallel to the stratification of foliation where applicable or parallel to the margin of the map or the geological formation under portrayal, as found convenient. The procedure adopted should be indicated on the plan.

2.3.1 The basic symbols given in this standard should not be used for other representations. Within the framework of these principles, symbols for other rocks not covered in this standard may be developed and similarly for any characteristic not represented by a symbol, a new symbol may be chosen.

3 GRAPHIC SYMBOLS FOR IGNEOUS ROCKS

3.1 Basic Symbols — The basic symbols of the principal types of igneous rocks are given in Table 1.

3.2 Symbols for Rock Types

3.2.1 For developing symbols for different rock types from these basic symbols the following points should be kept in view:

- a) A distinction in the grain size of rocks may be shown by the smaller or greater size of the basic symbols.
- b) To indicate porphyritic texture the basic symbol is replaced at intervals by a larger symbol of the same type.
- c) The symbols representing plutonic rocks are derived from a cross

+ or the letter Υ ; for volcanic rocks, the basic symbol chosen is a right angle placed on its point \checkmark The symbols for feldspathoidal rocks are always asymmetrical \checkmark

d) In the symbols for alkaline rocks with the exception of feldspathoidal rocks, an open space in always left at the point of intersection of the lines for example




- e) To indicate the very acid character of a rock, a point is placed at the centre of the symbol, the lines being interrupted around the point of intersection
- f) With increasing basicity, the lines are thickened so that the darker appearance of the rock is reflected in the symbol.
- g) The various types of ultrabasic rocks may be represented by the greater or lesser

length of lines in relation to the black square

TABLE 1 BASIC SYMBOLS OF THE PRINCIPAL TYPES OF IGNEOUS ROCKS (Clause 3.1)

		PLUTO		VOLCANIC ROCKS									
SI No.	Rock Group	Group Symbol	More Differentiated Rock Types	Symbol	Rock Group	Group Symbol	More Differentiated Rock Types	Symbol					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)					
1	Alkali-granite	- - 			Alkali-rhyolite	~/							
2	Very acid granite				Leucorhyolite	<u>\.</u> /							
3	Granite	+	Normal granite	+	Rhyolite	\sim	Rhyolite	\sim					
		·	Granodiorite				Rhyodacite	\checkmark					
			Quartz-diorite	+			Dacite	\checkmark					
			Alkali-syenite	=¦=			Alkali trachyte	\checkmark					
4	4 Syenite	+	Syenite	+	Trachyte		Trachyte	\checkmark					
			Monzonite	#	•		Latite	\forall					
5	Diorite	+			Andesite	\checkmark							
6			Gabbro	+									



3.2.2 The symbols for different rock types commonly met with in engineering practice are given in Table 2. Symbols for rock types not given in Table 2 may be developed using the basic symbols given in Table 1 on the basic of the principles laid down in 2 and **3.2.1**.

3.2.3 Where features are too small for graphical representation either an asterisk may be given against the feature and explained in the legend or the name of the rock written out.

TABLE 2 SYMBOLS FOR IGNEOUS ROCKS

(*Clause* 3.2.2)

													(Clause 3.2	.2)													
ALS	CHIEF FELD			AI	LKALI FEL	DSPARS PR	EDOMINAT	IATE ALKALI AND SODA-LIME FELDSPARS ABOUT EQUAL						SODA-LIME FELDSPARS PREDOMINATE										kali feldspar y occur	FE	DSPARS #	ABSENT	
	SODA-LIME FI		ALBITE	OLIGOCLASE TO ANDESINE (WHERE ALBITE IS PRESENT, PREFIX "ALKALI" IS USED)					OLIGOCLASE TO AI			O ANDESINE		-IGOCLASE /	AND ANDE	SINE	LA	ABRADORITE AND ANG		NITE	BYTOWNITE F		FELDS	ODA-LIME PAR MAY RESENT	SOME SOD CONSTITU LABRAD	TE UPTO 1		ск
SENT	Other minerals whose presence is necessary or wohle virtual absence is characteristic + Signifies presence in significant amounts - Signifies virtual absence		s + QUARTZ (> 5%)		- QUARTZ (< 5%)		NEPHELINE OR LEUCITE (-QUARTZ)		+ QUARTZ (> 5%)		- QUARTZ (< 5%)		+ QUARTZ (> 5%)		- QUARTZ (< 5%)		- OLIVINE		+ OLIVINE		+ LEUCITE OR + NEPHELINE		+ NEPH OF + LEU OF + ANAI	R CITE R	- NEPHELIN - LEUCITE - OLIVINE + PYROXENE + HORNBLEN	OR	- NEPHELIN - LEUCITE + OLIVINE + PYROXEN	E E
	AL MODESA OF OCO	eds, lations of	RHYOLITE ASH RHYOLITE BRECCIA RHYOLITE TUFF RHYOLITE AGGLO- MERATE	$\begin{array}{c} - \begin{array}{c} - \begin{array}{c} - \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ - \begin{array}{c} - \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \\$	TRACHYTE ASH TRACHYTE BRECCIA TRACHYTE TUFF TRACHYTE AGGLO- MERATE		ASH PHONOLITE OR LEUCITE		LATITE (DELLENITE) ASH QUARTZ LATITE (DELLENITE) BRECCIA QUARTZ LATITE (DELLENITE) TUFF QUARTZ LATITE COEL CENTE)		LATITE (TRACHYAN- DESITE) ASH LATITE (TRACHYAN- DESITE) BRECCIA LATITE (TRACHYAN- DESITE) TUFF LATITE (TRACHYAN- AGGLO- MERATE		DACITE TUFF	$\begin{array}{c} - \begin{array}{c} - \begin{array}{c} - \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} - \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} - \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} + \end{array} \\ \end{array}$	ANDESITE ASH ANDESITE BRECCIA ANDESITE TUFF ANDESITE AGGLO- MERATE	> > <td>BASALT ASH BASALT BRECCIA BASALT TUFF BASALT AGGLO- MERATE</td> <td></td> <td>OLIVINE BASALT ASH OLIVINE BASALT BRECCIA OLIVINE BASALT TUFF OLIVINE BASALT AGGLO- MERATE</td> <td></td> <td>ASH TEPHRITE OR BASANITE BRECCIA TEPHRITE OR BASANITE TUFF TEPHRITE OR BASANITE</td> <td>$\begin{array}{c} \mathbf{y} = \mathbf{y} = \mathbf{y} \\ \mathbf{y} = \mathbf{y} = \mathbf{y} \\ \mathbf{y} \\ \mathbf{y} = \mathbf{y} \\ \mathbf$</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	BASALT ASH BASALT BRECCIA BASALT TUFF BASALT AGGLO- MERATE		OLIVINE BASALT ASH OLIVINE BASALT BRECCIA OLIVINE BASALT TUFF OLIVINE BASALT AGGLO- MERATE		ASH TEPHRITE OR BASANITE BRECCIA TEPHRITE OR BASANITE TUFF TEPHRITE OR BASANITE	$ \begin{array}{c} \mathbf{y} = \mathbf{y} = \mathbf{y} \\ \mathbf{y} = \mathbf{y} = \mathbf{y} \\ \mathbf{y} \\ \mathbf{y} = \mathbf{y} \\ \mathbf$						
	urface flows ; shallo	w		ACII	L DIC GLAS	SES AND RA	ARE PHONOLITIC GLASSES						NTERMEDIATE GLASSES		S		SCORIA	BASIC G	LASSES	TACUMITE	+			l	ULTRA BASIC GLASSES			
	mall intrusives				PRELITE	X X X X X X X X X X X X	PUMICA	$\begin{array}{c} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{array}$	PITCHSTONE	$\begin{smallmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 &$	OBSIDIAN		PUMICA		SCORIA	$\begin{smallmatrix} & & & & & & & & & & & & & & & & & & &$												
	surface flows ; shallo ills, sheets, marginal ypabyssal intrusives	zones of	RHYOLITE		TRACHYTE	$\begin{array}{c} A \\ A $	Phonolite or leucite Phonolite		QUARTZ LATITE (DELLENITE)	*** ** **	LATITE (TRACHYAN- AESITE)	$\begin{array}{c} \checkmark \checkmark \checkmark \checkmark \\ \checkmark \checkmark \checkmark \checkmark \\ \checkmark \checkmark \checkmark \\ \checkmark \lor \checkmark \\ \checkmark \lor \\ \checkmark \\ \lor \\ \lor$	DACITE		ANDESITE	<u>}</u>	BASALT		OLIVINE BASALT	* * *	TEPHRITE	~~~ ~~~ ~~~	NEPHELINITE LEUCITITE		# *	* * LIMB * *		**
>																	DIABASE	(Rarely	porphyritic) OLIVINE DIABASE	.			NEPHELINITE BASALT LEUCITE BASALT			PICR PICR BASA		\sim
						FΕ	LSI	ТΕ		\bigotimes																MELI BASA		~~~
5	lypabyssal and shalk ills, laccoliths, interio nick surface flows		RHYLITE PORPHYRY GRANO PORPHYRY (QUARTZ PORPHTRY)		TRACHYTE PORPHTRY		PHONOLITE PORPHYRY OR LEUCITE PHONOLITE PORPHYRY		QUARTZ LATITE PORPHYRY (DELLENITE PORPHYRY)	\$ \$ \$ \$ \$ \$ \$	LATITE PORPHYRY (TRACHYAN- DESITE PORPHTRY)	~~~ ~~~	DACITE PORPHYRY		ANDESITE PORPHTRY		DIABASE	(Rarely p D O	OLIVINE DIABASE onphyritic) L E	R I T	THERALITE ESSEXITE E							
	eep-seated dykes a accoliths as well as b ones of larger intrusi nasses. Composition nat of related granitic	oorder ive i same as	granite Porphyry Granophyr	* + + + + + + + + + +	SYENITE PORPHYRY	,	NEPHELINE SYENITE PORPHYRY OR LEUCITE SYENITE PORPHYRY	++ + + + + + + + +	DODDUVDV	* * * * * * * * * *	MONZONITE PORPHYRY	\$	QUARTZ DIARITE PORPHYRY (TONALITE PORPHYRY	* * * *	diorite Porphyry	++++ +++ ++++	DIABASE	(Rarely p	OLIVINE DIABASE orphyritic) L E		ESSEXITE			▼ ▼ ▼ ▼ ▼ ▼ Rare Rare ▼ ▼ ▼ ▼ ▼ ▼		* * PERI PICR PICR DUN		** * * * : * *
H X H	eep-seated dykes part hypabyssal esp. lamprophyres) cidic and basic ifferentiates segregations) om parent magma	APLITES (acidic segrega- tions)	APLITE	רבנו נננ נננ	SYENITE APLITE BOSTONITE	גרע גרי גרי גרי	NEPHELINE SYENITE APLITE	÷ררר הר≑ ‡ררר	QUARTZ MONZONITE APLITE (ADAMELLITE APLITE)	¥∟∟ *∟∪ \$∟∟	MONZONITE APLITE	* + * * +	MALCHITE	אררך אררך אררך	DIORITE APLITE	+ + + + + + +	GABBRO APLITE NORITE APLITE	+ נננ ננ+ + נננ נננ נננ נננ	OLIVINE GABBRO APLITE	++ L ++ ++ L ++ L								
N	lainly associated vith granites, syenites, nonzonites and diorites	LAMPRO- PHYRES (basic seg- regations)	LAMPRO- PHYRE		MINETTE VOGESITE								QUARTZ KERSANTITE	$\begin{array}{c} \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \\ \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \\ \downarrow \downarrow \downarrow \downarrow \downarrow $	KERSANTITE SPESSARTITE CAMPTONITE		KERSANTITE SPESSARTITE ODINITE		OLININE KERSANTITE				FOURCHITE	TÅTÅ TÅTÅ		ALN		: _ # # _ : _ #
	Deep-seated dykes an masses of all sizes, re arge intrusive bodies, oncentrations of gas apours were present olidification	nd irregular elated to , where ses and	GRANITE PEGMATITE		SYENITE PEGMATITE		NEPHELINE SYENITE PEGMATITE	<u> </u>	QUARTZ MONZONITE PEGMATITE (ADAMELLITE PEGMATITE)	ァァァ * ァァ ァァァ *	MONZONITE PEGMATITE	ア ァァ * ァァ ァァ ・ ァァ *	QUARTZ DIORITE PEGMATITE (PONALITE PEGMATITE	+ ++ +	DIORITE PEGMATITE	<i></i> <i>_</i> <i>__</i> <i>__</i>	GABBRO PEGMATITE NORITE PEGMATITE	Г Г Г Г + + Г Г Г Г Г Г Г + + Г Г Г - Г Г Г + г Г Г Г +	OLIVINE GABBRO PEGMATITE	<u> </u>								
_ s	arge deep-seated in uch as ; batholiths, s accoliths and dykes		GRANITE CHARNOC- KITE	+ +	SYENITE	++++ + + + +++	NEPHELINE SYENITE (FOYAITE) OF SODALITE SYENITE	+ + + + + + + + + + +	QUARTZ MONZONITE (ADAMELLITE)	* * * * * * * * * * *	* * * * * * *			A CONTRACTOR NO.	DIORITE	** + + * + + + + + +	GABBRO ENSTATITE NORITE ANORTHO- SITE	$ \begin{array}{c} + + + + + + + + + + + + + + + + + + +$	OLIVINE GABBRO OLIVINE NORITE TROCTOLITE	+ +	THERALITE	XXX				* * * * * *		*** ** : **

Draft standard in WIDE CIRCULATION