

BUREAU OF INDIAN STANDARDS

DRAFT FOR COMMENTS ONLY

(Not to be reproduced without the permission of BIS or used as an Indian Standard)

भारतीय मानक मसौदा
भूवैज्ञानिक मानचित्रों, अनुभागों और उपसतही खोजी लॉग में उपयोग के लिए
चिह्न और संक्षिप्ताक्षर
भाग 3 अवसादी शैल
(IS 7422 भाग 3 का पहला पुनरीक्षण)

Draft Indian Standard

**SYMBOLS AND ABBREVIATIONS FOR USE IN GEOLOGICAL MAPS, SECTIONS
AND SUBSURFACE EXPLORATORY LOGS**

PART 3 SEDIMENTARY ROCKS

(First Revision of IS 7422 Part 3)

**Geological Investigation and Subsurface
Exploration Sectional Committee, WRD 05**

**Last date for comments:
05 Feb 2023**

FOREWORD *(Formal Clause will be added later)*

In all spheres of engineering construction, data on the nature of the geological formations constituting the foundations are indispensable. Often, these data are given on maps or in geological sections using symbols and abbreviations. Geological maps and sections are also required for other activities, such as mining and mineral prospecting. Such maps and sections are therefore being prepared by various agencies in the country. In the absence of any standard for the guidance of the engineering geologist or engineers, different symbols and abbreviations are being used by different agencies, resulting in entirely different representation of the same geological data. The data collected and presented by one agency for a particular purpose are often useful to other agencies investigating for related work. It, therefore, becomes essential for all agencies to follow the uniform practice.

This standard (Part 3) deals with sedimentary rocks symbols for use in geological maps, sections and subsurface exploratory logs while other parts are as follows:

- Part 1 Abbreviations
- Part 2 Igneous rocks
- Part 4 Metamorphic rocks
- Part 5 Line symbols for formation contacts and structural features

The symbolization of rock types is based on the principles laid down by the International Organization for Standardization. For the rock types to be covered for symbolization, classification, of sedimentary rocks as adopted by United States Bureau of Reclamation for engineering purposes has been used.

The standard was published in 1974. The first revision of this standard has been brought out to bring the standard in latest style and update with respect to the latest field practices. In revision of this standard, due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country. In this first revision of standard, assistance have been derived from different parts of ISO 710 'Graphical symbol for use on detailed maps, plans and geological cross section'.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2 : 2022 '*Rounding off numerical values (Second revised)*'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Draft Indian Standard

**SYMBOLS AND ABBREVIATIONS FOR USE IN GEOLOGICAL MAPS, SECTIONS
AND SUBSURFACE EXPLORATORY LOGS**

PART 3 SEDIMENTARY ROCKS

(First Revision of IS 7422 Part 3)

**Geological Investigation and Subsurface
Exploration Sectional Committee, WRD 05**

**Last date for comments:
05 Feb 2023**

1 SCOPE

This standard (Part 3) covers symbols for sedimentary rocks for use in geological, maps, sections and logs of bore holes, test pits, exploratory drifts and shafts for river valley projects. Rock types covered in this standard are restricted to those commonly met with in engineering practice.

2 BASIC PRINCIPLES OF SYMBOLIZATION

2.1 In order to represent a type of rock on a map or on a plan, the corresponding surface should be covered by the symbols representing the rock in question. The surfaces occupied by rocks of different types should be separated by a continuous thin line if there is a clear demarcation among the different types in nature.

2.2 The graphic symbols should be used in black and white for the representation of rocks and minerals. Additional letter symbols may be used to designate other characteristics, such as age.

2.3 There is a great variety of rocks and it is impossible to have an individual symbol for each of the rock types that are found in nature. For this reason, the symbols are developed for the most important and frequently occurring rock types. For listing the rock types, one of the simpler systems used for classification of rocks has been followed; however, the tables of symbols for rock types are not meant to provide a standard system of classification. The symbolization is based on the following principles:

- a) In order to characterize the properties of rocks, elementary symbols are chosen, which should be:
 - i) as simple as possible and therefore easily traceable,
 - ii) express the nature of the rock, and

- iii) such dimensions that several elementary symbols can be placed next to each other.
- b) Principal rock types are represented by the juxtaposition of several identical elementary symbols; the variations of the above are shown by the addition of the elementary symbols which characterize the principal constituents.
- c) In order to characterize the loose form of rock, symbols should be arranged with no determined order; a systematic staggered arrangement should represent the consolidated form of a rock.
- d) The individual elements or the rows of symbols should be arranged either parallel to the stratification or foliation where applicable or parallel to the margin of the map or the geological formation under portrayal, as found convenient. The procedure adopted should be indicated on the plan.

2.3.1 The basic symbols given in this standard should not be used for representations other than specified. Within the framework of these principles, symbols for other rocks not covered in this standard may be developed and intimated to the Indian Standards Institution. Similarly, for any characteristic not represented by a symbol, a new symbol may be chosen.

3 GRAPHIC SYMBOLS FOR SEDIMENTARY ROCKS

3.1 Elementary and Basic Symbols — The elementary symbols relating to sedimentary rocks and the basic symbols for the principal rock types are given in Tables 1 and 2 respectively.

3.2 Mixed Symbols for Rocks























3.2.1 For developing mixed symbols for sedimentary rocks of a mixed character, the following points should be kept in view:

- a) Irregular arrangement of the basic symbols characterizes loose rocks and a systematic staggered arrangement represents consolidated rocks.
- b) The symbols for mixed types of rocks are derived by combining suitably elementary symbols (see Table 1) and the basic symbols (see Table 2).

3.2.2 The symbols for different rock types commonly met with in engineering practice are given in Table 3. Symbols for rock types not given in this table may be developed on the basis of the principles laid down in **2.3** and **3.2.1**.

3.2.3 Where features are too small for graphical representation either an asterisk may be given against the feature and explained in the legend or the name of the rock written out.

TABLE 1 ELEMENTARY SYMBOLS RELATING TO SEDIMENTARY ROCKS
 [Clause 3.1 and 3.2.1 (b)]

| | | | |
|---|---|-------------------------------|---|
| Detritus |  | Anhydrite |  |
| Gritty pebbly |  | Sodium salt |  |
| Sandy |  | Potassium magnesium salt |  |
| Silty |  | |  |
| Argillaceous |  | Ferruginous |  |
| Calcareous |  | Siliceous |  |
| Dolomitic |  | Carbonaceous |  |
| Gypsiferous |  | Bituminous |  |
| Concretion |  | Humous |  |
| Ooides |  | Fossiliferous (in general) |  |
| Incrustations for example ferruginous |  | Vertebrates |  |


















| | | | |
|---------------------------------|---|----------------------------|---|
| | | Invertebrates (marine) |  |
| Cavern for example in limestone |  | Invertebrates (non-marine) |  |
| | | Microfauna |  |
| Volcanogenetic admixtures |  | Flora |  |
| | | Microflora |  |
| Stigmarion bed |  | Shelly layer |  |

TABLE 2 BASIC SYMBOLS FOR PRINCIPAL TYPES OF SEDIMENTARY ROCKS

[Clause 3.1 and 3.2.1 (b)]

| | | | |
|----------|---|-----------|---|
| Detritus |  | Mudstone |  |
| Gravel |  | Shale |  |
| Sand |  | Limestone |  |
| Silt |  | Dolomite |  |




































| | | | |
|--------------|---|-----------------|---|
| Clay |  | Gypsum |  |
| Breccia |  | Anhydrite |  |
| Conglomerate |  | Sodium salt |  |
| Sandstone |  | Siliceous rocks |  |
| Siltstone |  | Peat |  |

TABLE 3 DERIVED SYMBOLS FOR SEDIMENTARY ROCK TYPES











(Clause 3.2.2)

| TEXTURE | ESSENTIAL CONSTITUENT | DEFINITIVE CHARACTERISTIC | PETROGRAPHIC TYPE | SYMBOL |
|---|----------------------------|--|------------------------|--------|
| Clastic (composed predominantly of rock and mineral grains derived by weathering and erosion, and deposited by water, wind, ice or gravity; showing varying degrees of cementation or consolidation) | Volcanic ejecta | Fragments > 32 mm | Agglomerate or breccia | |
| | | Particles > 4 mm < 32 mm | Lapilli tuff | |
| | | Particles < 4 mm | Tuff | |
| | Gravel | Abraded particles > 4 mm over 50% clay < 25% | Conglomerate | |
| | Rock and mineral fragments | Angular particles > 4 mm over 50% clay < 25% | Breccia | |
| | Rock fragments and clay | Fragments greatly varied, occasionally exhibit faceting, high range of sizes usually unsorted; matrix usually clay, sometimes sand, usually greatly in excess of fragments | Loose Till | |
| | | | Compact Tillite | |
| Clastic (composed predominantly of rock and mineral grains derived by weathering and erosion, and deposited by water, wind, ice or gravity; showing varying degrees) | Sand | Particles < 4 mm > 1/16 mm over 50% clay < 25% | Sandstone | |
| | | | Quartzite | |
| | | | Arkose | |
| | | | Graywacke | |

| TEXTURE | ESSENTIAL CONSTITUENT | DEFINITIVE CHARACTERISTIC | | PETROGRAPHIC TYPE | SYMBOL |
|---|--|--|--|-------------------------------------|---|
| of cementation or consolidation) | | | | Subgraywacke |  |
| | Detrital grains of calcite | Calcite > 50% clay < 25% | | Limestone |  |
| | Silt | Particles < 1/16 mm over 50% clay < 25%; massive to stratified | | Siltstone |  |
| | | Predominant particles < 1/16 mm, fissile | | Shale |  |
| | | Predominant particles < 1/16 mm, open structure | | Loess |  |
| | Clay minerals | Clay > 25% massive to stratified | | Claystone |  |
| | | Predominantly clay or silt, fissile | | Shale |  |
| | | Predominantly clays and sericite, incipient recrystallization | | Argillite (mudstone) |  |
| | | Montmorillonite clays > 75% | | Bentonite |  |
| | | Kaolinite clays > 75% | | Kaolin |  |
| | Clay and calcite | Very fine grained; carbonates 25 to 75% | | Marl, marlstone |  |
| | Crystalline (composed predominantly of coarse to fine of microcrystalline to cryptocrystalline aggregates of | Calcite | Carbonate > 50% of which calcite > 50% | Coarse to microcrystalline, compact | Limestone |
| Fine to microcrystalline, porous, firm to friable | | | | Chalk |  |

| TEXTURE | ESSENTIAL CONSTITUENT | DEFINITIVE CHARACTERISTIC | | PETROGRAPHIC TYPE | SYMBOL |
|--|--------------------------|--|---|-------------------|---|
| crystals precipitated chemically or biochemically from surface or subsurface waters) | | | Spongy, porous, firm to friable, fine to microcrystalline | Tufa |  |
| | | | Compact to porous, banded, fine to microcrystalline | Travertine |  |
| | Calcite and clay | Very fine-grained; calcite 25 to 75% | | Marl, marlstone |  |
| | Carbonates | Carbonates > 25% compact to earthy; deposited by ground water | | Caliche |  |
| | Dolomite | Carbonate > 50% of which dolomite > 50% coarse to fine, compact | | Dolomite |  |
| | Chalcedony | Chalcedony > 25% microcrystalline to cryptocrystalline, conchoidal fracture, compact | | Chalcedonic chert |  |
| | Cryptocrystalline quartz | Cryptocrystalline quartz, > 50% | | Novaculite |  |
| | Chalcedony | Chalcedony > 25% friable to firm; earthy to porous | | Tripoli |  |
| | Crystalline phosphates | Crystalline phosphates > 50% | | Phosphorite |  |
| | Anhydrite | Anhydrite > 50% | | Rock anhydrite |  |
| | Gypsum | Gypsum > 50% | | Rock gypsum |  |
| | Halite | Halite > 50% | | Rock salt |  |
| | Haematite | Haematite > 50% | | Haematite rock |  |

| TEXTURE | ESSENTIAL CONSTITUENT | DEFINITIVE CHARACTERISTIC | PETROGRAPHIC TYPE | SYMBOL |
|---|-------------------------------------|---|--|--------|
| | Crystalline hydrous aluminium oxide | Hydrous aluminium oxides > 50% of which > 50% are crystalline | Bauxite | |
| Amorphous (composed predominantly of noncrystalline substances precipitated or produced by chemical or biochemical action in surface or ground water or within sediments by geologic processes) | Opal | Opal > 50% massive to banded; compact | Opal opaline chert, porcelanite | |
| | | Opal > 50% porous, massive to laminated | Siliceous sinter | |
| | | Deposited by geysers | Geyserite | |
| | Collophane | Accumulated bird excrement | Guano | |
| | | Amorphous phosphates > 50% | Phosphorite | |
| | Limonite | Limonite > 50% | Limonite, bog iron ore | |
| | Amorphous hydrous aluminium oxides | Hydrous aluminium oxides > 50% of which > 50% are amorphous | Bauxite | |
| | | | Laterite | |
| | Hydrocarbons | Solid | Asphalt, mineral tar, gilsonite, grahamite | |
| | Amorphous carbon | Fibrous to spongy to compact; carbonized plant remains < 50% black to brown | Coal | |
| Oxygenated hydrocarbons | Resinous, various light colours | Amber | | |
| Bio fragmental (composed of whole or | Calcareous shells and fragments | Whole or fragments shells > 50% | Coquina | |

| TEXTURE | ESSENTIAL CONSTITUENT | DEFINITIVE CHARACTERISTIC | PETROGRAPHIC TYPE | SYMBOL | |
|--|---|---------------------------|--|---|---|
| fragmental remains of plants or animals) | Diatom tests | Diatom tests > 50% | Diatomite, diatomaceous earth |  | |
| | Radiolarian tests | Radiolarian tests > 50% | Radiolarian, radiolarian earth |  | |
| | Foraminifera tests | Foraminifera tests > 50% | Foraminiferal limestone |  | |
| | Algal structures | Algal structures > 50% | Algal limestone |  | |
| | Coral structures | Coral structures > 50% | Coral limestone |  | |
| | Phosphatic shells teeth, bones | Phosphatic fossils > 50% | Phosphorite |  | |
| | Partially or completely carbonized plant, remains | | Brown to black, spongy to compact, plant remains readily visible | Peat |  |
| | | | Brown to black, fibrous to compact, slakes readily | Lignite |  |
| | | | Black, massive to banded, compact, slakes slowly | Bituminous coal |  |
| | | | Black, massive to banded, submetallic, conchoidal fracture | Anthracite coal |  |