

## केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:702

06 10 2020

**विषय: आई एस 702:1988 - Specification for Industrial Bitumen का प्रॉडक्ट मानुयल**

1) यह उपरोक्त के संदर्भ मे है।

2)IS 702:1988 का अनुमोदित प्रॉडक्ट मानुयल BIS वैबसाइट पर: "Conformity Assessment → Product Certification →Product Specific Guidelines→ Product Manual"के अंदर होस्ट कर दिया गया है।

3) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमे SIT भी संयुक्त है, को अनुज्ञप्तिधारकों व आवेदकों को 7 दिन के भीतर भेजें। प्रॉडक्ट मानुयल मे दिये SITका 30 दिनों के भीतर अनुपालन किया जाना चाहिए।

(आदित्यदास)  
वैज्ञानिक-डी

**प्रमुख, (कें.मु.वि.-2)**

**उपमहानिदेशक(प्रमाणन)**

**क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित**

### CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16:702

06 10 2020

**Subject: Product Manual for Specification for Industrial Bitumen according to IS 702:1988**

1. This has reference to the subject mentioned above.
2. The approved Product Manual for IS 702:1988 has been hosted on the BIS website under "Conformity Assessment → Product Certification →Product Specific Guidelines→ Product Manual".
3. BOs are advised to send this Product Manual which incorporates SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

(Aditya Das)  
Scientist-D

**Head (CMD 2)**

**DDG (Certification)**

**Circulated to: All ROs/BOsthrough BIS intranet**