

केन्द्रीय मुहर विभाग - III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/16: IS 6593

13 October 2020

विषय: प्रोडक्ट मैनुअल

सभी शाखा कार्यालय से आग्रह है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें।

जे एस कविन कीर्ति विनायगम
वैज्ञानिक - सी (सी एम डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय
आई टी एस विभाग – बीआईएस इंटरनेट पर अपलोड करने हेतू

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-3/16: IS 6593

13 October 2020

Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 6593: 1972

BOs may kindly see the attached circular on the subject mentioned above.

JS Kavin Keerthy Vinayagam
Scientist - C (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs
Copy to: ITS for hosting on Intranet

CENTRAL MARKS DEPARTMENT-III

Our Ref: **CMD-III/Product Manual/IS 6593**

13 October 2020

Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 6593: 1972

This has reference to the subject mentioned above.

The approved Product Manual for IS 6593: 1972 '**Electric Serological Water-Baths**' has been hosted on the BIS website under "Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual".

BOs are advised to send this Product Manual, which incorporates Grouping Guidelines and modified SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

JS Kavin Keerthy Vinayagam
Scientist - C (CMD III)

Head (CMD III)

DDG (Certification)

Circulated to: All ROs/BOs

Copy to: ITS for hosting on Intranet