

केन्द्रीय मुहर विभाग – III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/16: IS 3119

19 January 2021

विषय: : प्रोडक्ट मैनुअल – एसआईटी एवं ग्रुपिंग गाइडलाइंस के साथ

सभी शाखा कार्यालय से आग्रह है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें।

**जे एस कविन कीर्ति विनायगम
वैज्ञानिक - सी (सी एम डी-III)**

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-3/16: IS 3119

19 January 2021

**Subject: Product Manual incorporating SIT and Grouping Guidelines for
IS 3119: 1978**

BOs may kindly see the attached circular on the subject mentioned above.

**JS Kavin Keerthy Vinayagam
Scientist - C (CMD III)**

Head (CMD - III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: **CMD-3/16: IS 3119**

19 January 2021

Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 3119: 1978

This has reference to the subject mentioned above.

The approved Product Manual for IS 3119: 1978 '**Hot Air Sterilizers**' has been hosted on the BIS website under "Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual".

BOs are advised to send this Product Manual, which incorporates Grouping Guidelines and modified SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

**JS Kavin Keerthy Vinayagam
Scientist - C (CMD III)**

Head (CMD III)

DDG (Certification)

Circulated to: All ROs/BOs