## **BUREAU OF INDIAN STANDARDS** BANGALORE BRANCH LABORATORY

## Subject: Comments on IS 3448:2014

This bears reference to the Indian Standard Specifications for edible oils published in 2014. While going through IS 3448:2014, following observations have been made.

S.	Test requirement	Comments
No. 1.	/ Ref. cl. <b>5.4</b> Oils shall not contain aflatoxin, more than 30 μg/kg, when tested by the method prescribed in IS/ISO 14718 or as prescribed in Annex A.	<ol> <li>Although the requirement for aflatoxin is given as quantitative (30 μg/kg), the method given in Annex A of relevant ISS appears to be for checking the presence or absence.</li> <li>Interpretation of results (Negative or positive) as given in cl.A-3.1 is not clear.</li> </ol>
2	<b>5.8.1.2</b> The product shall not contain aflatoxin, more than 5 $\mu$ g/kg, when tested by the method prescribed in IS/ISO 14718 or as prescribed in Annex A.	do
3.	5.7. Table 1(x), Hexane, in case of Refined Ricebran Oil	<ol> <li>The requirement for Hexane in the ISSs given is 5. 00 ppm (mg/kg), Max. But as per last sentence of cl.B-1 (Annex B), the test method is suitable for determination of quantities of hexane between 10 and 1 500 mg/kg in fats and oils.</li> <li>It is proposed the source of availability of reference vegetable oil, solvent free, cl.B-3.4 (required for spiking with hexane for determination of calibration factor) may also be specified in the ISSs. (Pl. see Note).</li> <li>As per cl.B-6.1 Determination of the Calibration Factor, in the table (μl/5g v/s mg/100g), for the volume (μl) of Hexane added per 5 g of reference oil, the respective concentration (mg/100g) of Hexane in refined oil (spiked) does not appear to be correct. Values in given table are: Spiking of reference oil with Technical Hexane</li> <li>μl/5g 0.5 1 2 4 7 10 mg/100g 67 134 268 536 938 1340</li> <li>Spiking of reference oil with n-Hexane</li> <li>μl/5g 0.5 1 2 4 7 10 mg/100g 66 132 264 528 924 1320</li> <li>However, correct values in 2<sup>nd</sup> row of table expressed as mg/100 g should be:</li> </ol>
		Spiking of reference oil with Technical Hexane

µ1/5g 0.5 1 2 4 7 10
mg/100g 6.7 13.4 26.8 53.6 93.8 134.0
Spiking of reference oil with n-Hexane
$\mu l/5g$ 0.5 1 2 4 7 10
mg/100g 6.6 13.2 26.4 52.8 92.4 132.0
It may please be noted that the <b>values in 2<sup>nd</sup>row</b> when converted to <b>mg/kg or ppm</b> (in order to align the same in accordance with the requirements of edible oil standards) will be as follow
Spiking of reference oil with Technical Hexane
μl/5g 0.5 1 2 4 7 10 mg/kg(ppm)67 134 268 536 938 1340
Spiking of reference oil with n-Hexane
μl/5g 0.5 1 2 4 7 10 mg/kg(PPM) 66 132 264 528 924 1320
The concentrations (mg/kg or ppm) prepared for making calibration curve are much more than the specified requirements (5.00 ppm or 5.00 mg/kg).

Since, edible oils are likely to be covered under PCS of BIS, Competent Authority may kindly consider the above facts for making necessary changes/amendment in the specifications as mentioned above.

S. K. Arora Sc-B, OIC (QA & LRS)