



# MICROLAB

AN ISO/IEC 17025 MATERIAL TESTING LABORATORY

SP101, 2nd Main Road, Ambattur Industrial Estate, Chennai-600 058. Ph : 044-2624 2525/2624 4388/6174 0800  
E-mail : cre@microlabchennai.com Web : www.microlabtesting.com

## TEST REPORT

<b>Customer :</b>  <b>M/s.Polyamyna Nanotech Private Limited</b> BTCIF-04 & 05, 1st Floor, TICEL Biopark, Phase-2, No 5, CSIR Road, Taramani Chennai	Report No / Date	ML/13512/1/22-23 Dt-13 Jul 2022
	Your ref. / Date	Letter Dt-17 Jun 2022
	Our ref. / Date	TOCR :13512/22-23 Dt: 11 Jul 2022
	Date of Testing	11 Jul 2022 -13 Jul 2022
	Sample Drawn By	Customer
	Sample Description	Liquid Sample ID : 2 Qty: 1No

### Chemical Analysis (Wet)

S/No	Test Parameter	Method	Observed Value
1	Silver as Ag (ppm)	By ICPOES	141.0

Verified By : Murali

For MICROLAB

S.R. Balasubramaniam-M.E., (Met. Engg)  
Authorized Signatory

----- End of the test report -----



**NOTE :** This report relates only to the particular sample submitted for test • Any correction in the report will invalidate this report • Samples will be destroyed after 15 days from date of completion of tests unless informed by the customer • Any complaints about this report should be communicated in writing within 7 days from the date of receipt of report • This report cannot be reproduced except in full • Sample description is given as described by the customer • Sampling is not carried out by the laboratory. • Laboratory reports the statements of conformity to material specification as per Decision Rule 1, Non Conformity as per Decision Rule 4 & for Rules 2 & 3 customer provides feedback.