

उप महानिदेशक (प्रमाणन), सचिवालय

हमारा संदर्भ : डीडीजी(प्रमाणन)/38

09.08.2018

विषय: एलपीजी सिलिंडरों, वाल्व और नियामकों के नमूने का परीक्षण।

कृपया उपरोक्त विषय पर जारी किए गए संलग्न दिशानिर्देशों को देखें ।

(साई कुमार वेदुला)
वैज्ञानिक-सी

प्रमुख (उप महानिदेशक) (हस्ता/-)

प्रतिलिपि : आई टी एस को बीआईएस इंटरनेट पर अपलोड करने के लिए

DDG (Certification) Secretariat

Our Ref: DDG(Cert)/38

09.08.2018

Subject: Testing of Samples of LPG Cylinders, Valves and Regulators

Please find enclosed circular issued on above subject.

(Sai Kumar Vedula)
Scientist-C

DDG (Certification) (sd/-)

Copy to: ITS for hosting on Internet

DDG (Certification) Secretariat

Our Ref: DDG (Cert)/38

09 Aug 2018

Subject: Testing of Samples of LPG Cylinders, Valves and Regulators

This has reference to the lot inspection of LPG Cylinders, Valves and Regulators being carried out by BOs.

All BOs are advised to draw samples of LPG cylinders (IS 3196: Part 1, not prepared samples), Valves (IS 8737 and IS 3224) and Regulators (IS 9798) from all the units during the first lot inspection carried out subsequent to issue of this circular and send the samples to Central Laboratory, Sahibabad for testing by **erasing the data on them** as per our earlier circular under reference CMD-3/16:IS 3196 (Part 1) dated 24.01.2018 on subject "Guidelines for maintaining confidentiality of LPG Cylinder Sample".

(Sai Kumar Vedula)
Scientist-C

DDG(Certification) (sd/-)

Circulated to: All ROs/BOs/CL/LPPD