

BUREAU OF INDIAN STANDARDS
(Haryana Branch Office)

11-03-2024

Our Ref: P-16819

Subject: Discreet Investigation of against P-16819 at M/s Jai Hanuman wood Industries,
H.NO.34, OPP. ISKON TEMPLE, LAL DWARA, YAMUNA NAGAR, HARYANA

Date of Visit: 07-03-2024

Place of Visit: H.NO.34, OPP. ISKON TEMPLE, LAL DWARA, YAMUNA NAGAR, HARYANA

Purpose of Visit: Complaint is regarding Misuse of BIS Standard Mark


Details:- The license CM/L- 4881482 under complain is a expired license which was valid till 31-08-2019.As per the information received via complaint number P-16819, a discreet visit was paid at above address for checking activities regarding Misuse of BIS Standard Mark.

On reaching the address, the shopkeeper of M/s Govinda's (situated in the premises of ISKON TEMPLE), informed that there are no plywood industries near this area and the area is totally residential.

Further observation was made by the undersigned that no house with H.NO.34 is situated opposite to ISKON Temple and no manufacturing activities related to plywood were observed in nearby area.

Recommendations: The address mentioned as per the complaint could not be traced. Investigation may be carried out at the complainant end for the traceability of product under complain.

H(HRBO)


11/03/2024.


Anant Kumar
Scientist B/Asst. Director
(HRBO)