



भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

**BUREAU OF INDIAN STANDARDS**

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुरशाह जफर मार्ग नई, दिल्ली-110002

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 23230131 / 23233375 / 23239402

Website: www.bis.org.in, www.bis.gov.in

## MEETING MINUTES

**Reference:CHD 08 : WG01**

**Date:05-December-2024**

To,

The Chairperson and Members of CHD 08 : WG01-For revision of Parts of IS 10245 Breathing apparatus

Dear Member,

Minutes, duly approved by the Chairperson, for the meeting of the CHD 08 : WG01-For revision of Parts of IS 10245 Breathing apparatus held on 25-11-2024 at BIS headquarter, Manak Bhavan, 9, Bahadur shah Zafar Marg, New Delhi -110002 have been uploaded on the BIS-Connect portal

Last date of comments: (Please enter the last date of comment here).

Comments, if any, confined to the accuracy of recording, may please be sent to the undersigned at the earliest. If no reply is received by the above-mentioned date, we will presume your concurrence with the minutes as recorded.

Thanking you,

Yours faithfully,

Encl.: As above.

Name of Member Secretary:SUSHANT KUMAR

Designation: SCIENTIST-C

E-mail:chd@bis.gov.in



**भारतीय मानक ब्यूरो**

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

**BUREAU OF INDIAN STANDARDS**

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुरशाह जफर मार्ग नई, दिल्ली-110002

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 23230131 / 23233375 / 23239402

Website: www.bis.org.in, www.bis.gov.in

## कार्यवृत्त

संदर्भ :CHD 08 : WG01

दिनांक :05-December-2024

CHD 08 : WG01-For revision of Parts of IS 10245 Breathing apparatus के सभी सदस्यों को

प्रिय महोदय,

कृपया अध्यक्ष द्वारा अनुमोदित CHD 08 : WG01-For revision of Parts of IS 10245 Breathing apparatus की बैठक के कार्यवृत्त की प्रति प्राप्त करें, जो दिनांक 25-11-2024 को भारतीय मानक ब्यूरो, नई दिल्ली स्थित कार्यालय में हुई थी।

यदि आप इस बैठक से सम्बन्धित मदों के विषय में अपने टिप्पणी देना चाहते हैं तो कृपया करके अधोहस्ताक्षरी के पास यथाशीघ्र परन्तु बैठक की तारीख से 15 दिनों तक भेज दें।

सधन्यवाद,

आपका आभारी,

संलग्न : उपरोक्त

वैज्ञानिक :SUSHANT KUMAR

पदनाम : SCIENTIST-C

ई-मेल :chd@bis.gov.in