

केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:16011

19 08 2020

विषय: Aluminium and Aluminium Alloy Foil for Pharmaceutical Packaging, IS 16011:2012 के अनुसार का प्रॉडक्ट मानुयल (All India First)

सक्षम अधिकारी द्वारा अनमोदित,निम्नलिखित IS/प्रॉडक्ट के लिए प्रॉडक्ट मानुयल भा मा ब्यूरो वैबसाइट पर "Conformity Assessment>Product Specific Guidelines" के अंतर्गत होस्ट किए गए हैं:

**ALUMINIUM AND ALUMINIUM ALLOY FOIL FOR PHARMACEUTICAL PACKAGING
According to IS 16011:2012**

लिंक: https://bis.gov.in/?page_id=1712

सभी संबन्धित से अनुरोध है कि इस का कार्यान्वयन सुनिश्चित करें।

(आदित्य दास)
वैज्ञानिक D (कें.मु.वि.-2)

प्रमुख, (कें.मु.वि.-2)

सभी क्षेत्रीय उप्महानिदेशकों/क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित

प्रतिलिपि: ITS - इंटरनेट पर अपलोड करने के लिए

CENTRAL MARKS DEPARTMENT -2

Our Ref: CMD-2/G-73/16:16011

19 08 2020

Subject: Product Manual for Aluminium and Aluminium Alloy Foil for Pharmaceutical Packaging According to IS 16011:2012 (All India First)

Product Manual for the following IS/Product, duly approved by the Competent Authority, has been hosted on BIS website under "Conformity Assessment>Product Specific Guidelines"

**ALUMINIUM AND ALUMINIUM ALLOY FOIL FOR PHARMACEUTICAL PACKAGING
According to IS 16011:2012**

Link: https://bis.gov.in/?page_id=1712

All concerned are requested to ensure implementation of the same.

(Aditya Das)
Sc. D (CMD-2)

Head, CMD-2

Circulated to DDGRs/ROs/BOs through intranet

Copy to: ITS - for hosting on Intranet