भारतीय मानक ब्यूरो (उ. क्षे. का. प्र - मोहाली)

हमारा संदर्भ : उ क्षे का प्र /एल आर एस (9137826)

दिनांक :13.09.2018

विषय : मै॰ भारत टेस्ट हाउस प्राइवेट लिमिटेड-781, सोनीपत- (हरियाणा) के मान्यता प्राप्त क्षेत्र दायरे में विस्तार।

सक्षम प्राधिकारी के निर्देश अनुसार मै॰ भारत टेस्ट हाउस प्राइवेट लिमिटेड, 781 एच एस आई आई डी सी इंडस्ट्रियल एस्टेट, राय जिला सोनीपत -131,001 (हरियाणा) के मान्यता प्राप्त क्षेत्र में 12.09.2018 से विस्तार किए जाने को मंजूरी दी है। प्रयोगशाला के स्तर पर संशोधन किया मान्यता प्राप्त क्षेत्र अनुबंध 1- में दिया गया है।

> प्रभारी अधिकारी (गुणवत्ता आश्वासन अनुभाग)

प्रमुख (उ. क्षे. का. प्र)

प्रतिलिपि - सभी क्षेत्रीय एवं शाखा कार्यालय /प्रोयोगशालाएं/सी एम डी -1/सी एम डी -2/सी एम डी-3 के लिए प्रमुख , आई टी एस : कृप्या संगलन किए गए प्रपतर को भा॰ मा॰ ब्यूरो के इन्टरनेट पर अपलोड करें ।

BUREAU OF INDIAN STANDARDS NROL MOHALI

Our Ref: NROL/LRS/OSL(9137826)

13.09.2018

Subject: Extension of scope of M/s Bharat Test House Pvt. Ltd -781 , Sonepat 131001 (Haryana)

The Competent Authority has approved the inclusion in the Scope of M/s Bharat Test House Pvt. Ltd , 781 HSIIDC Industrial Estate, Rai Distt. Sonepat 131001 (Haryana) from 12.09.2018 and the amended Scope of the lab is given as Annex-1.

Officer In charge Quality Assurance Section

Head, NROL

CC: All ROs/BOs/BIS Labs/CMD-I/CMD-II/CMD-III

Head ITS, BIS HQ-- With a request to upload this circular on BIS intranet

Annex-1

DATA ON OUTSIDE RECOGNISED LABORATORIES w.e.f.: from 21.08.2017 to 20.08.2020

OSL CODE: 9137826 CONTACT: Sh.Vaibhav Gupta, Director 9310314585

NAME : Bharat Test House Pvt Ltd TELEPHONE : 0130-2367674,3268890

ADDRESS: 781,HSIIC Industrial Estate FAX: 0130-2367675

Rai E-mail: bthrai@bharattesthouse.com Sonepat 131001 REMARKS: Scope modified on 12.09.2018

Haryana

| S.No | IS Number | Product | Testing Charge | Remark |
|------|----------------|--------------------------|------------------------|--|
| 1 | IG 202/D + 2/ | C.C., CII, 1 11 1 | D 0500/ | F 1 1 24 C 1 |
| 1 | IS 302(Part 2/ | Safety of Household and | Rs.8500/- | Excluding 24: Cycle |
| | Sec.3):2007 | Similar Electrical | (10% discount for BIS) | test for components |
| | | Appliances-Electric Iron | | |
| 2 | IS 302(Part 2/ | Safety of Household and | Rs.80000/- | Excluding following |
| 2 | Sec.25):2014 | Similar | (10% discount for BIS) | test: |
| | 500.23).2014 | Electrical Appliances - | (10% discount for Bis) | 15.1.1, 15.1.2: |
| | | Microwave Ovens | | Moisture resistance; |
| | | | | 19.11.4.1: Electrostatic |
| | | | | discharge; 19.11.4.2: Radiation |
| | | | | Field; |
| | | | | 19.11.4.3: Fast |
| | | | | Transient burst; |
| | | | | 19.11.4.4: Voltage dips |
| | | | | and interruption; 19.11.4.5 to 19.11.4.7: |
| | | | | EMI/ EMC; |
| | | | | 22.16: Automatic cord |
| | | | | reel; |
| | | | | 22.32: Oxygen bomb |
| | | | , | for rubber material; 22.46: Softwares used in |
| | | | | protective electronic |
| | | | | circuits; |
| | | | | 22.47: Water Pressure |
| | | | | on Inlet; |
| | | | | 22.106: Door |
| | | | | Interlocks; 22.116: Vibration; |
| | | | | 24: Components; |
| | | | | 24.1.1 Interlocks 24.0: |
| | | | | Critical Components: |
| | | | | Magnetron, HV |
| | | | | Transformer, |
| | | | | Capacitor, Diode, RC units, RF |
| | | | | Suppression XY |
| | | | | capacitor, PCB Material, |
| | | | | Inductor, |
| | | | | SMPS, Transformer, |
| | | | | MOV/ VDR, Relays, |
| | | | | Power cord, Thermal Cutout, |
| | | | | Thermostat, Appliance |
| | | | | connector, Inlet Door, |
| | | | | Interlock Switches, IP |

| | VG 202(P | | | category, Enclosure insulation material, Bridging resistor; 30.2.4: Needle flame test; Annex BB: Microwave oven for on Board Ship; Annex CC: Salt Spray Test; |
|----|--------------------------------|--|---|---|
| 3 | IS 302(Part2/ Sec.30):2007 | Safety of household and similar electrical appliances -Room Heaters | Upto 1kW: Rs. 10,500/- Above 1kW: Rs. 11,500/- (10% discount for BIS) | For IPX0 only. |
| 4 | IS 302(Part2/ Sec.201):2008 | Safety of Household and similar electrical appliances Electric immersion water heaters | Upto 1kW: Rs. 6,500/- Above 1kW: Rs. 7,500/- (10% discount for BIS) | |
| 5 | IS 366:1991 | Electric irons | Rs.12800/- (10% discount for BIS) | |
| 6 | IS 368:2014 | Electric immersion water heaters | Upto 1.5kW: Rs. 12,500/- Above 1.5kW: Rs. 13,500 (10% discount for BIS) | |
| 7 | IS 369:1992 | Electric radiators | Rs.13800/- (10% discount for BIS) | For IPX0 only. |
| 8 | IS 374:1979 | Electric ceiling type fans and regulators | Rs.22000/ -(10% discount for BIS) | |
| 9 | IS 418:2004 | Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes | At rated Voltage Upto 25W: Rs. 38,500/- Upto 40W: Rs. 40,000/-Upto 60W: Rs. 45,000/- Upto 100W: Rs. 72,000/- Upto 200W: Rs. 1,20,000/- AT 110% VOLTAGE Upto 25W: Rs. 25,000/- Upto 40W: Rs. 27,000/- Upto 60W: Rs. 31,000/- Upto 100W:Rs.45,000/- Upto 200W: Rs.72,000/- (10% discount for BIS) | Restricted to cap type B22d, E14 & E27 only |
| 10 | IS 694:2010 | Polyvinyl Chloride Insulated Unsheathed And Sheathed Cables/cords With Rigid AndFlexible Conductor For Rated VoltagesUp To And Including 1100 V | Rs.4,750/- for single core unsheathed cable , Rs.6,750/- single core sheathed cable , Rs.4,900/- for outdoor use Rs.6,675/- for low temperature condition , Rs.1000/- extra for each additional core (10% discount for BIS) | Category '01' only, upto and including 70 sq mm only; Copper purity test subcontracted to BTH, Wazirpur |
| 11 | IS 2312:1967 | Propeller type AC ventilating fans | Rs.8500/- (10% discount for BIS) | |

| 12 | IS 2418 (Part1):1977 | Tubular fluorescent | | |
|----|--------------------------------|---|--|---|
| 12 | 10 2 110 (1 atri).1917 | lamps | 18W & 20W - Rs.19,000 (2000 Hours) 18W & 20W - Rs.27,500 (3500 Hours) 36W & 40W - Rs.21,500 (2000 Hours) 36W & 40W - Rs.29,500 (3500 Hours) (10% discount for BIS) | |
| 13 | IS 2465:1984 | Cables for motor vehicles | Rs.14500/- (10% discount for BIS) | Upto & including 70 sq mm only; Copper purity test subcontracted to BTH, Wazirpur |
| 14 | IS 4159:2002 | Mineral filled sheathed heating elements | Upto 1.5 kW – 8,500/- Above 1.5 kW – 10,700/- (10% discount for BIS) | For IPX0 only. |
| 15 | IS 4250:1980 | Electric food mixers (liquidizers and grinders) | Rs.17,500/- (10% discount for BIS) | For IPX0 only. |
| 16 | IS 5950:1984 | Shot firing cables (for use other than in shafts) | Rs.12,500/- (10% discount for BIS) | Copper purity test subcontracted to BTH, Wazirpur |
| 17 | IS 8783(Part 4/ Sec.3):1995 | Winding wires for submersible motors part 4 individual wires sec.3 polyester and poly propylene winding wires | Rs.9,500/- (10% discount for BIS) | |
| 18 | IS 14255:1995 | Aerial Bunched Cables for working voltagess upto and including 1100 Volts | Rs.16,000/- (10% discount for BIS) | Upto & including 70 sq mm only; |
| 19 | IS 15111(Part 1):2002 | Self Ballasted lamps for general Lighting services-Safety requirements | Rs. 20,000/- (10% discount for BIS) | Restricted to cap type B22d, E14 & E27 only; Excluding: 15: Mercury content |
| 20 | IS 15111(Part 2):2002 | Self Ballasted lamps for general Lighting services-Safety requirements | Rs. 65,000/- (10% discount for BIS) | 5.7: Emission (Radiated and Conducted) of Radio Frequency Disturbances – Subcontracted to BTHPL, 1474, Rai |
| 21 | IS 16102(Part 1): 2012 | Self - Ballasted LED Lamps for General Lighting Services Part 1 Safety Requirements | Rs.46000/ (10% discount for BIS) | Restricted to cap type B22d, E14 & E27 only |
| | led w.e.f. 12.09.2018 | | | |
| 22 | IS 302 (Part 1) :2008 | Adapters and all household and similar Electrical Appliance | Rs. 60,000/- (10% discount for BIS) | Upto 5 KW Excluding: Cl. 19.11.4.1 to Cl. 19.11.4.7 – |

| | | | | EMI/EMC |
|----|--------------------|---|--|--------------------------|
| | | | | Cl. 24- Components |
| 23 | IS 398 (Part 2): | Aluminium | Size upto 80Sqmm | For Size upto 80 sq. |
| | 1996 | Conductors – | (7wire): Rs. 7,500/- | mm |
| | | Galvanized steel | Size upto 100 Sqmm (7- | Excluding: Material |
| | | re-inforced. | -19 wire): Rs. 10,500/- | (Cl. 6) |
| | | | Size upto 150200 Sqmm | |
| | | | (37wire): Rs. 12,750/- | |
| | | | Size upto 400560 Sqmm | |
| | | | (4961wire): Rs. 15,000/- | |
| | | | (Additional charges for | |
| | | | surface characteristics: Rs. | |
| | | | 30,000/- | |
| | | | (On Galvanised steel wire | |
| | | | Cl.6.1.2 & 6.2, 1 Wire: Rs. 3,000/- | |
| | | | On Galvanised steel wire | |
| | | | Cl.6.1.2 & 6.2, 7 Wire: | |
| | | | Rs. 7,500/- | |
| | | | (10% discount for BIS) | |
| 24 | IS 996 :2009 | Single Phase ac | Rs. 3,225/- | For Shaft height upto |
| | | Industrial motor for | (10% discount for BIS) | 56 mm |
| 25 | IS 1709 :1984 | General Purpose Capacitors for Electric | Rs. 30,000 /- | |
| 23 | 15 1707 .1704 | fan motors | (10% discount for BIS) | |
| 26 | IS 2215:2006 | Starter for fluorescent | Rs. 35,000/- | For Two pin glow |
| | | Lamps | (10% discount for BIS) | starters for pre heat |
| | | | | type fluorescent |
| | | | * | lamps of rating 4W to |
| 27 | IS 2993:1988 | AC motor Capacitors | Type Test (Class A): Rs. | 65W For Rated voltage |
| 27 | 15 2773.1700 | The motor Capacitors | 67,500/- | upto and including |
| | | | Type Test (Class B): Rs. | 660V |
| | | | 57,000/ | |
| | | | Type Test (Class C): Rs. 49,500/- | |
| | | | Type Test (Class D): Rs. | |
| | | | 45,000/- | |
| 20 | IG 4202 1001 | II (A' E | (10% discount for BIS) | 11 4 4 77337 |
| 28 | IS 4283:1981 | Hot Air Fan | Without Thermostat Rs. 9,500/- | Upto 4 KW |
| | | | With Thermostat Rs. | |
| | | | 18,540/- | |
| | | | (10% discount for BIS) | |
| 29 | IS 7809 (Part3/sec | PVC Tapes with non | Rs. 14,000/-without | For General Purpose |
| | 1):1986 | Thermosetting | Storage | type and Low |
| | | Adhesives | Rs. 35,000/-with | Temperature type |
| | | | storage (10% discount for BIS) | |
| | | | (1070 discoulit for DIS) | |
| | L | l | l | i |

| 30 | IS 8144 :2018 | Multi-purpose Dry batteries | Rs. 18,750/- (10% discount for BIS) | For R03, R6, R14 and R20 |
|----|-------------------------|--|---|---|
| 31 | IS 8978 :2018 | Instantaneous Water Heater | Rs. 22,500/- (10% discount for BIS) | |
| 32 | IS 9974(Part1):1981 | High Pressure Sodium Vapour Lamps | Upto 70W: Rs. 46,000/- Upto 150W: Rs. 52,500/- Upto 250W: Rs. 72,500/- Upto 400W: Rs. 98,000/- (10% discount for BIS) | For Lamps with or without internal starters operating on 250V |
| 33 | IS 13021(Part2):1991 | AC Supplied Electronics Ballast for Tubular Fluorescent Lamps: Performance Requirement | Rs. 45,500/- (10% discount for BIS) | |
| 34 | IS 15063:2001 | Alkaline Manganese dioxide | Rs. 90,000/- (10% discount for BIS) | For LR03(AAA), LR6(AA), LR14(C), LR20(D), 6LR61(9V) |