# भारतीय मानक Indian Standard

# घरेलू प्रयोजनों के लिए ज़िग-ज़ैग सिलाई मशीन/हैड

IS 15449 (Part 4): 2024

भाग 4 टिकाऊपन की अपेक्षाएँ

( पहला पुनरीक्षण )

# Household Zig-Zag Sewing Machine/Head

**Part 4 Durability Requirements** 

(First Revision)

ICS 61.080

© BIS 2024



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

October 2024

**Price Group 4** 

#### **FOREWORD**

This Indian Standard (Part 4) (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Sewing Machine Sectional Committee had been approved by the Mechanical Engineering Division Council.

This standard was first published in 2004. This revision has been brought out to keep pace with the latest technological developments and international practices. Also, in this revision, the standard has been brought into the latest style and format of Indian Standards, and references, wherever applicable have been updated. In this revision, following major modifications have been done:

- a) Title has been changed;
- b) Scope has been amended to include electronically controlled zig-zag operation;
- c) ON-OFF test has been updated in 3.1; and
- d) Clause 4 has been amended to include durability requirements for rotary hook mechanism and a note has been added for durability requirements of electric/electronic parts of the sewing machines.

This standard has been formulated to facilitate standardization and with a view to establish quality and durability requirements of household zig-zag sewing machine/head, which includes machines with mechanical/electronically operated zig-zag operations.

This standard covers all types of zig-zag sewing machine/head, excluding embroidery sewing machines.

In the preparation of this standard, assistance has been derived from IS 7493: 1989 'Sewing machines, household — Durability requirements (*first revision*)'.

The standard on household zig-zag sewing machine, which includes machines with mechanical/electronically operated zig-zag operations, is published in four parts. The other parts in the series are:

- Part 1 General requirements
- Part 2 Accuracy requirements
- Part 3 Sewing requirements

The composition of the Committee responsible for the formulation of this standard is given in Annex A.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2:2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

# Indian Standard

# HOUSEHOLD ZIG-ZAG SEWING MACHINE/HEAD PART 4 DURABILITY REQUIREMENTS

### 1 SCOPE

This standard (Part 4) covers the durability requirements for household zig-zag sewing machine/head, which includes machines with mechanical/electronically operated zig-zag operations.

NOTE — This standard covers all types of zig-zag sewing machine/head, excluding embroidery sewing machines.

## 2 REFERENCE

This standard given below contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated was valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of this standard:

IS No. Title

IS 15449 (Part 2): Household zig-zag sewing machine head: Part 2 Accuracy requirements

### 3 TEST CONDITIONS

### 3.1 ON-OFF Test

The sewing machine shall be run on 7 s to 8 s 'ON' and 2 s to 3 s 'OFF' at the maximum speed limit of the product not exceeding 900 rev/min for 6 h at no load with maximum stitch length and forward feed.

**3.2** All moving parts if applicable, shall be lubricated with oil at the beginning and after every 2 h during the test.

# 4 DURABILITY REQUIREMENTS

The assembly clearances shall be measured before and after the test as per IS 15449 (Part 2), the change in clearance shall not exceed the values given below:

Sl No.	Item	Measuring Condition	Measuring Direction	Indicator Position	Maximum Change in Assembly Clearance (mm)
(1)	(2)	(3)	(4)	(5)	(6)
i)	Needle bar	Needle bar at lower most position	a) In the direction of motion	a) Top of needle bar	0.10
			b) At right angle to the direction of motion	b) Near the bottom of needle bar	0.06
ii)	Thread take-up lever	Thread take-up lever at top, intermediate and bottom positions	a) In the direction of motion	a) Around thread hole	0.20
			b) At right angle to the direction of motion	b) Around thread hole	0.20
iii)	Shuttle for oscillation mechanism	a) Tip of shuttle pin at top most/bottom most position of needle bar	a) Along the axis of shuttle pin	a) Tip of shuttle pin	0.03

To access Indian Standards click on the link below:

# IS 15449 (Part 4): 2024

Table (Concluded)

Sl No.	Item	Measuring Condition	Measuring Direction	Indicator Position	Maximum Change in Assembly Clearance (mm)
(1)	(2)	(3)	(4)	(5)	(6)
		b) Difference between two indicator readings when needle bar is at its highest and lowest position	b) Along the axis of shuttle pin	b) Tip of shuttle pin	0.03
	For rotary hook mechanism	With bobbin-case removed, play of bobbin case holder	a) In and out	a) On the center pin	0.02
			b) Up and down	b) Top of the holder	0.03
iv)	Arm shaft	At different wheel position (turn wheel by hand). Axial push/pull to be given	Axial direction	Face of rim of wheel	0.03
v)	Feed section	At the highest position of feed dog above needle plate	In the direction of motion	Front edge of the feed dog	0.15

NOTE — The electric motor (whether built-in or attached externally to the sewing machine) and all electric/electronic parts of the sewing machines being tested should be able to withstand all the above listed durability tests.

# ANNEX A

(Foreword)

# **COMMITTEE COMPOSITION**

Sewing Machines Sectional Committee, MED 29

Organization	Representative (s)
Research & Development Centre for Bicycle and Sewing Machines, Ludhiana	SHRI SANJEEV KATOCH ( <i>Chairperson</i> ) SHRI PAPINDER SINGH ( <i>Alternate</i> I) SHRI VISHWAS MEHTA ( <i>Alternate</i> II) SHRI MANPREET SINGH ( <i>Alternate</i> III)
Brother International (India) Private Limited, Mumbai	SHRI MATHEW YOHANNAN
C.R. Auluck & Sons Private Limited, Ludhiana	SHRI SUNIL AULUCK SHRI KULJEET SINGH ( <i>Alternate</i> )
Directorate General of Quality Assurance, New Delhi	SHRI R.V. JAIN
G.D. Rupal Industries, Ludhiana	Shri Gurmukh Singh
Gee Tech Hooks, Ludhiana	Shri Manjeet Singh
Geminy Industrial Enterprises Private Limited, Ludhiana	SHRI VINAY DUA SHRI B.C. PANDEY (Alternate)
Ludhiana Sewing Machine Association, Ludhiana	SHRI HARDEEP SINGH SHRI RAJVINDER ( <i>Alternate</i> )
Makhan Sewing Machines, Ludhiana	Shri Dalbir Singh Dhiman
Mechanical Engineering Research and Development Organization (MERADO), Ludhiana	SHRI SYED SALMAN MOJIZ SHRI BHAGWANT SINGH LAL ( <i>Alternate</i> )
Narindera and Company, Ludhiana	SHRI S. BALDEV SINGH SHRI HARINDER JIT SINGH ( <i>Alternate</i> )
Navrang Manufacturing Corporation, Ludhiana	SHRI DINESH KAPILA SHRI SUDESH KAPILA ( <i>Alternate</i> )
Northern India Textile Research Association, Ghaziabad	SHRI VIKAS SHARMA SHRI VIVEK AGARWAL ( <i>Alternate</i> )
Novel Sewing Machine Technologies, Pune	SHRI BHARAT NARAYENDAS PARMAR SHRI ARJUN BHARAT PARMAR ( <i>Alternate</i> )
Office of Development Commissioner (MSME), New Delhi	SHRI SUVANKAR SANTRA MS MAITREYEE TALAPATRA (Alternate)
ORAA International, Ludhiana	SHRI ASHISH GUPTA
Ranew Engineering (India) Private Limited, Ludhiana	SHRI SANJEEV KUMAR JAIN SHRI ABHILASH JAIN ( <i>Alternate</i> )
Rita Machines India Private Limited, Ludhiana	SHRI SUNIL KUMAR JAIN SHRI JAGDISH CHANDRA AULUCK ( <i>Alternate</i> )
Singer India Limited, New Delhi	SHRI PRASHANT AGGARWAL SHRI ATUL KUMAR SETH ( <i>Alternate</i> )

SHRI AMARJEET SINGH

Swan Mechanical Works, Ludhiana

# IS 15449 (Part 4): 2024

Organization

Representative (s)

United Sewing Machines and Parts Manufacturing

Association, Ludhiana

Usha International Limited, New Delhi

Uttam Sewing Machine Company (Private)

Limited, Jalandhar

Virindra Engineering Works, Ludhiana

Voluntary Organisation in Interest of Consumer Education (VOICE), New Delhi

BIS Directorate General

SHRI DALBIR SINGH DHIMAN

SHRI RUP LAL KANGLA

SHRI PRANAY SRIWASTAV (Alternate)

SHRI JAGDEEP RAI

SHRI MANOHAR LAL (Alternate)

SHRI AMARPREET SINGH PANESAR SHRI SWARN SINGH (Alternate)

SHRI M. A. U. KHAN

SHRI K. VENKATESWARA RAO, SCIENTIST 'F'/SENIOR

DIRECTOR AND HEAD (MECHANICAL) [REPRESENTING

DIRECTOR GENERAL (Ex-officio)]

Member Secretary
SHRI SHUBHAM TIWARI
SCIENTIST 'D'/JOINT DIRECTOR
(MECHANICAL), BIS

This Pade has been Intentionally left blank

### **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

# Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

# **Review of Indian Standards**

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: MED 29 (25850).

# **Amendments Issued Since Publication**

Amend No.	Date of Issue	Text Affected	

# **BUREAU OF INDIAN STANDARDS**

# **Headquarters:**

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.gov.in

Regional Offices:		
Central	: 601/A, Konnectus Tower -1, 6 <sup>th</sup> Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	{ 2323 7617
Eastern	: 8 <sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	2367 0012 2320 9474
Northern	: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern	: C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	2254 1442 2254 1216
Western:	5 <sup>th</sup> Floor/MTNL CETTM Technology Street, Hiranandani Gardens, Powai, Mumbai - 400076	{ 283 25838

Branches: AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.