

वस्त्रादि — संकीर्ण कपड़ों —
पारिभाषिक शब्दावली
(पहला पुनरीक्षण)

Textiles — Narrow Fabrics —
Glossary of Terms
(First Revision)

ICS 59.080.30

© BIS 2024



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards after the draft finalized by the Technical Textiles for Clothtech Applications including Narrow Fabrics and Braids Sectional Committee had been approved by the Textile Division Council.

This standard was first published in 1987. This revision has been brought out to incorporate the following major changes:

- a) Title of the standard has been modified; and
- b) Definition of 'Newar' has been revised.

Different types of narrow fabrics made from natural and man-made materials; woven, knitted, and strips are being used by the industry, Defence organizations and ordinary consumer for various end uses. This standard has been formulated to define the various terms to avoid ambiguity and propagate uniform interpretation of the terms.

The composition of the Committee responsible for the formulation of this standard is given in [Annex A](#).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Indian Standard***TEXTILES — NARROW FABRICS — GLOSSARY OF TERMS***(First Revision)***1 SCOPE**

This standard defines terms commonly used in industry and trade connected with narrow fabrics.

2 DEFINITIONS**A**

2.1 Argyle Gimp — A woven figured narrow fabric having three series of wefts and a warp. Two series consist of three gimp cords laid flat, the ground or third series consists of two gimp cords and forms a plain weave. The two series of three gimp cords form a double-weave raised pattern by passing through the warp every sixth pick alternately and returning over the top of the warp. The overall width is about 15 millimeter (5/8 inch). The warp is usually of rayon.

B

2.2 Brace Web — An elastic or rigid woven fabric primarily intended for the manufacture of braces.

2.3 Braid — The product of the braiding process. Certain types of narrow fabrics produced on a loom or on trimming machinery are sometimes described as braids.

2.4 Braiding (Plaiting) — The process of interlacing threads in such a way that they cross one another and are laid together in diagonal formation. Flat, tubular, round or solid constructions may be formed in this way.

NOTES

1 There are diametrically opposed opinions between sections of the industry regarding the exact meanings of braiding and plaiting. It is suggested, therefore, that as generic terms, braiding and plaiting should be considered synonymous.

2 Fabrics made by this process may be constructed with or without core, gut, filler or stuffing threads which are not interlaced in the fabric. For some applications, the core may be of insulated or uninsulated wire, or rubber, or other material. The tubular braided fabrics may be used as sheaths or surrounds.

3 In the cordage trade, the term 'braided' denotes a particular form of cordage manufacture. In Aid braided cordage, carriers usually travel in one direction, but the

movement provides for interlocking between the strands. In a sense, this cord is more of an interlocked twisted cord than a plaited cord.

C

2.5 Camouflage Garnishing Strips — A variety of narrow hessian strips of varying widths used for military purposes, generally manufactured from standard width hessian with patent selvages incorporated at intervals depending upon corresponding width of the strips required.

2.6 Cratch (Narrow Fabrics) — A type of frame or creel for carrying the warps and their tensioning devices. It is situated behind the loom in an upright position and occupies the full width of the loom frame. It is usually divided into vertical sections by wood or metal struts so as to give the same number sections as there are reed spaces in the loom. The warps are placed in the cratch and rotate on spindles.

2.7 Crepe Cord — A cord consisting of from one to four strands, each strand comprising a core covered by several fine threads in a long spiral, over-wrapped in a shorter spiral in the opposite direction by a strong thread, giving a soft crepe or spiral effect. When two or more strands are used, each strand is over-twisted, and these are laid together and reverse-twisted.

D

2.8 Double Satin Ribbon — A double warp ribbon with a satin or similar weave on each face, the two faces being equally lustrous.

E

2.9 Elastic Narrow Fabric — A narrow fabric incorporating natural or synthetic rubber threads with the object of permitting stretch warpway and/or weftway with virtually complete recovery on removal of the stretching force.

NOTE — The definition excludes crepe.

F

2.10 Failatine Ribbon — A ribbon with faille characteristic (*see* [2.11](#)) but of more open texture.

2.11 Faille Ribbon — A fabric of silk, or of rayon, or other man-made fibre continuous filament yarn; it is usually of plain weave with a definite rib effect to give brightness and with a selvedge woven in a manner to add a lustrous effect.

G

2.12 Galloon Ribbon — A ribbon with transverse ribs, each composed of two or more picks, to give a uniform or pronounced effect. The ribbon has a special selvedge which is normally of tubular weave.

2.13 Garnishing Scrim — Net-like structure with square mesh of various sizes and in the form of strips usually dyed or pigmented and used for camouflage purposes.

L

2.14 Lace — A fine openwork fabric with a ground of mesh or net on which patterns may be worked at the same time as the ground is formed or applied later, and which is made of yarn by looping, twisting or knitting, either by hand with a needle or bobbin, or by machine; also a similar fabric made by crotchetting, tating, darning, embroidery weaving or knitting.

2.15 Ladder Web — A four ply woven narrow fabric consisting of two outer or body webs between which are woven two narrower webs in staggered relationship with each other, each being woven alternately into one end and then the other outer or body web, so as to form, when opened up, supports for the slats of venetian blind.

2.16 Lingerie Ribbon — Any type of washable ribbon suitable for use on ladies' and children's underwear.

NOTE — It should have a soft, smooth finish and be firmly constructed with strong selvedges.

2.17 Listings — *See* spindle tape.

N

2.18 Narrow Fabric — Any woven fabric not exceeding 45 cm (18 inch) in width.

NOTES

1 The upper limit of width recognized by the Brussels nomenclature is 30 cm (12 inch).

2 This includes any braid or trimming.

2.19 Newar — A heavy jute, cotton or synthetic strip manufactured in a tape loom in narrow width and used for cots, chairs, etc.

P

2.20 Petersham Ribbon (Millinery) — A ribbon usually with silk or rayon warp and having single picks of relatively coarse weft usually cotton, to form a rib with the return of the weft making a gimp-like edge and traditionally with 10 ribs/cm (25.4 ribs per inch).

2.21 Petersham Ribbon (Skirt) — A narrow fabric having a pronounced rib weftway composed of one or more picks per rib and having lateral stiffness produced either by closeness of the weave or by a finishing process. It is woven with or without pockets to insert supports. The selvedges are formed by the return of the weft so as to produce gimp-like edges or they are woven in a contrasting manner.

2.22 Plaiting — *See* braiding

R

2.23 Ribbon — An attractive woven narrow fabric, characterized in the higher qualities by fine warp yarns and high warp density and usually of lustrous appearance. It is generally used for trimming or adornment.

2.24 Ric-Rac Braid, Vandyke Braid — A braid having zig-zag appearance with the almost serrated effect on both edges. This effect is produced by applying different tension to the individual threads in the process of manufacture.

S

2.25 Sarsnet Ribbon — A ribbon constructed entirely in plain weave of very fine warp and weft and with high density, the weft density being higher than that of the warp.

NOTE — A true sarsnet is made wholly of silk.

2.26 Seam Binding — A woven narrow fabric of fine texture, usually of cotton or rayon, in plain weave, usually with gross grain selvedges and intended for use in covering or strengthening seams or edges in clothing. The widths range from 10 millimeter to 20 millimeter (3/8 in to 3/4 inch).

2.27 Single Satin Ribbon — A ribbon of silk, rayon or cotton weft with a warp satin weave to give a lustrous effect on one face, and with plain tubular or grosgrain selvedges.

2.28 Spindle Tape — A woven narrow fabric of width normally not greater than 50 mm, usually of high warp density, and designed for transmission of power to spindle wharves of smaller diameter, for

example, as on textile spinning and twisting machinery.

NOTE — In some section of textile industry, similar or somewhat similar 'tapes up to 100 mm in width are known as 'listings'.

T

2.29 Taffeta Ribbon — A ribbon of silk or rayon or other man-made fibre in plain weave, with usually high warp density and very fine, almost imperceptible rib, generally with a woven tubular selvedge of contrasting weave.

2.39 Tape — A woven narrow fabric, generally used in non-load bearing applications and the reinforcing of fabrics to resist wear and deformation. Cotton tapes are produced in widths up to and including 100 mm.

W

2.31 Webbing

- a) A woven narrow fabric, the primary function of which is load bearing. It is generally of a coarse weave and has multiple plies. It is produced in widths up to and including 100 mm and includes all elastic narrow fabrics; and
- b) A term of classification referring to webbings in general.

2.32 Wick — A loosely twisted, braided or woven cord, tape or tube, or a bundle of fibres, generally made of soft spun cotton yarns which draws up a constant supply of any liquid substance by capillary action, used for illumination, for example, oil in lamps, melted tallow or wax in candles.

ANNEX A

(Foreword)

COMMITTEE COMPOSITION

Technical Textiles for Clothtech Applications including Narrow Fabrics and Braids Sectional Committee,
TXD 39

<i>Organization</i>	<i>Representative(s)</i>
Additional Controller CQA (General Stores), DGQA, Ministry of Defence, Kanpur	SHRI A. CHOWDHURY (Chairperson)
ICAR - Central Institute for Research on Cotton Technology, Mumbai	DR P. JAGAJANANTHA
Federation of Indian Chambers of Commerce and Industry, New Delhi	SHRI ANU HANDA DR T. SENTHILKUMAR (<i>Alternate</i>)
Indian Technical Textile Association, Mumbai	DR ANUP RAKSHIT SHRI VIKRAM JAIN (<i>Alternate</i>)
M K U Limited, Kanpur	SHRI SUMIT KHANDELWAL SHRI RAJIB PAL (<i>Alternate</i>)
Motilal Dulichand Pvt Ltd, Kanpur	SHRI SHAILENDRA NATH MISRA SHRI SUDHIR SHIVHARE (<i>Alternate</i>)
National Textile Corporation, New Delhi	SHRI R. K. YADAV
Ordnance Parachute Factory, Kanpur	SHRI V. M. BAGADE SHRI S. KONDAIAH (<i>Alternate</i>)
Office of Textiles Commissioner, Mumbai	SHRI V. K. KOHLI SHRI HUMAYUN K. (<i>Alternate</i>)
SGS Limited, Gurugram	MS ANITHA JEYARAJ SHRI GAURAV SARASWAT (<i>Alternate</i>)
S L Bantia Textiles Industries Pvt Ltd, Surat	SHRI SANTOSH KUMAR BANTHIA
Shipra International, Kanpur	SHRI ABHISHEK KUMAR AGRAWAL
Sky Industries Ltd, Navi Mumbai	SHRI KAPIL MEHROTRA SHRI MICHAEL (<i>Alternate</i>)
Synthetic and Art Silk Mills Research Association, Mumbai	SHRI SANJAY SAINI SHRI PREMNATH SURWASE (<i>Alternate</i>)
Thanawala & Co, Mumbai	SHRI HEMAL THANAWALA SHRI VIVAN THANAWALA (<i>Alternate</i>)
The Bombay Textile Research, Association, Mumbai	SHRI SHAIKH RIYAZ AHMED DR PRASANTA KUMAR PANDA (<i>Alternate</i>)
U P Textile Technological Institute, Kanpur	DR PRASHANT VISHNOI
Universal Yarn & Tex Pvt Ltd, Kanpur	SHRI RAJIV K. BHARTIYA
BIS Directorate General	SHRI J. K. GUPTA, SCIENTIST 'E'/DIRECTOR AND HEAD (TEXTILES) [REPRESENTING DIRECTOR GENERAL (<i>Ex-officio</i>)]

Member Secretary

SHRI TANISHQ AWASTHI
SCIENTIST 'B'/ASISTANT DIRECTOR
(TEXTILES), BIS

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: TXD 39 (23673).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

Central : 601/A, Konnectus Tower -1, 6th Floor,
DMRC Building, Bhavbhuti Marg, New
Delhi 110002

Telephones

{ 2323 7617

Eastern : 8th Floor, Plot No 7/7 & 7/8, CP Block, Sector V,
Salt Lake, Kolkata, West Bengal 700091

{ 2367 0012
{ 2320 9474

Northern : Plot No. 4-A, Sector 27-B, Madhya Marg,
Chandigarh 160019

{ 265 9930

Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113

{ 2254 1442
{ 2254 1216

Western : 5th Floor/MTNL CETTM, Technology Street, Hiranandani Gardens, Powai
Mumbai 400076

{ 25700030
{ 25702715

Branches : AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.